



7852 Walker Drive, Suite 200
Greenbelt, Maryland 20770
phone: 301-459-7590, fax: 301-577-5575
internet: www.jsitel.com, e-mail: jsi@jsitel.com

VIA PSC ELECTRONIC REGULATORY FILING SYSTEM

August 17, 2007

Ms. Sandra J. Paske
Secretary to the Commission
Public Service Commission of Wisconsin
610 North Whitney Way
Post Office Box 7854
Madison, WI 53707-7854

Re: Application for Approval of an Amendment to Interconnection Agreement between
Wood County Telephone Company and Sprint Spectrum, L.P.

Dear Ms. Paske:

In accordance with Section 251(c) of the Telecommunications Act of 1996, attached is a fully executed copy of the Amendment to Interconnection Agreement ("Amendment") between Wood County Telephone Company and Sprint Spectrum, L.P. The effective date of this Amendment is September 12, 2007.

I have been authorized by Sprint Spectrum, L.P. to submit for Commission approval pursuant to Section 252(e) the attached Amendment.

I hereby certify that a copy of this filing has been served via express mail as follows:

Gary B. Lindsey
Sprint Spectrum L.P.
Director-Access Solutions
6330 Sprint Parkway, KSOPHA0310 - 3B468
Overland Park, KS 66251

Echelon Building II, Suite 200
9430 Research Blvd.
Austin, Texas 78759
phone: 512-338-0473, fax: 512-346-0822

Eagandale Corporate Center, Suite 310
1380 Corporate Center Curve
Eagan, Minnesota 55121
phone: 651-452-2660, fax: 651-452-1909

6849 Peachtree Dunwoody Road
Building B-3, Suite 200
Atlanta, Georgia 30328
phone: 770-569-2105, fax: 770-410-1608

547 South Oakview Lane
Bountiful, Utah 84010
phone: 801-294-4576, fax: 801-294-5124

Ms. Sandra J. Paske

August 17, 2007

Page 2

With a copy to:

Wendie Hood


Sprint Nextel - 911 Contracts

6330 Sprint Parkway, KSOPHA0310 - 3B468

Overland Park, KS 66251

If you have any questions, please call me at 301-459-7590.

Sincerely,


Charles Richoz
Manager, Business Development

On behalf of

Jerold R. Johnson

Assistant Secretary/Treasurer

Wood County Telephone Company

Attachment

AMENDMENT TO THE AGREEMENT

Between

Wood County Telephone Company

And

Sprint Spectrum L.P.

Dated 5/13/2002

Pursuant to this Amendment, (the "Amendment"), Wood County Telephone Company and Sprint Spectrum L.P., hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated 5/13/2002 (Agreement) to be effective 30 (thirty) days after the date of the last signature executing the Amendment (Effective Date).

WHEREAS, Wood County Telephone and Sprint Spectrum L.P. entered into the Agreement on 5/13/2002, and;

WHEREAS, Wood County Telephone and Sprint Spectrum L. P. desire to amend the Agreement to reflect changes as agreed upon by the parties;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, The Parties hereby covenant and agree as follows:

1. The Parties agree to add this document as Attachment A to the original Interconnection Agreement dated 5/13/2002.
2. All of the other provisions of the Agreement dated 5/13/2002 shall remain unchanged and in full force and effect.
3. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

ATTACHMENT A TO WOOD COUNTY TELEPHONE

SPRINT SPECTRUM L.P.

EMERGENCY SERVICE ACCESS (E9-1-1)

TABLE OF CONTENTS

1. INTRODUCTION	3
2. DEFINITIONS	4
3. SCOPE OF AGREEMENT.....	5
4. ILEC RESPONSIBILITIES	6
5. WIRELESS CARRIER RESPONSIBILITIES	7
6. RESPONSIBILITIES OF BOTH PARTIES	9
7. METHODS AND PRACTICES	9
8. CONTINGENCY	9
9. BASIS OF COMPENSATION	9
10. LIABILITY	10

EMERGENCY SERVICE ACCESS (E9-1-1)

1. INTRODUCTION

- 1.1 This Appendix sets forth terms and conditions for 911 Service Access provided by the Incumbent Local Exchange Carrier (ILEC) to Wireless Carriers for access to the ILEC's 911 and E911 Databases, and interconnection to an ILEC 911 Selective Router for the purpose of Call Routing of 911 calls completion to a Public Safety Answering Point (PSAP) as required by Section 251 of the Act.
- 1.2 Wireless E911 Service Access is a service which enables Wireless Carriers use of ILEC 911 network service elements which ILEC uses in the provision of E911 Universal Emergency Number/ 911 Telecommunications Services, where ILEC is the 911 Service Provider. E911 Authority reimburses ILEC for the portions of Universal Emergency Number/911 Telecommunications Service provided from ILEC. Wireless E911 Service Access makes available to Wireless Carrier only the service configuration purchased by the E911 Authority from ILEC. ILEC shall provide Wireless E911 selective routing functions to Wireless Carrier as described in this Appendix, in each area in which (i) Wireless Carrier is authorized to provide CMRS and (ii) ILEC is the 911 selective routing provider in the area. The Federal Communications Commission has, in FCC Docket 94-102, ordered that providers of CMRS make available to their end users certain E9-1-1 services, and has established clear and certain deadlines for CMRS and by which said service must be available to end users from CMRS providers. The E911 service described in this agreement provides components of the E911 end user services Wireless Carrier intends to provide to its end users to comply with Docket 94-102.
- 1.3 The prices at which ILEC agrees to provide Wireless Carrier with E911 Service Access is contained in the attached Pricing Exhibit.

2. DEFINITIONS

- 2.1 "**911 System**" means the set of network, database and customer premise equipment (CPE) components required to provide 911 service.
- 2.2 "**911 Call(s)**" means a call made by an Wireless Carriers Wireless End User by dialing "911" (and, as necessary, pressing the "Send" or analogous transmitting button) on a Wireless Handset.
- 2.3 "**Alternate PSAP**" means a Public Safety Answering Point (PSAP) designated to receive calls when the primary PSAP is unable to do so.
- 2.4 "**Automatic Location Identification**" or "**ALI**" means the necessary location data stored in the 911 Selective Routing/ALI Database, which is sufficient to identify the tower and/or face from which a wireless call originates.
- 2.5 "**Automatic Location Identification Database**" or "**ALI Database**" means the emergency service (E911) database containing caller information. Caller information may include, but is not limited to, the carrier name, Call Back Number, and Cell Site/Sector Information.
- 2.6 "**Automatic Number Identification**" or "**ANI**" means a signaling parameter that refers to the number transmitted through a network identifying a pANI. With respect to 911 and E911, "ANI" means a feature by which the pANI is automatically forwarded to the 911 Selective Routing Switch and to the PSAP's Customer Premise Equipment (CPE) for display.
- 2.7 "**Centralized Automatic Message Accounting (CAMA) Trunk**" means a trunk that uses Multi-Frequency (MF) signaling to transmit calls from the Wireless Carriers switch to an ILEC E911 Selective Router.
- 2.8 "**Cell Sector**" means a geographic area defined by Wireless Carrier (according to Wireless Carriers own radio frequency coverage data), and consisting of a certain portion or all of the total coverage area of a Cell Site.

- 2.9 **"Common Channel Signaling/Signaling System 7 Trunk"** or **"CCS/SS7 Trunk or SS7 Signaling"** means a trunk that uses Integrated Services Digital Network User Part (ISUP) signaling to transmit ANI from Wireless Carriers switch to an ILEC 911 Selective Routing Tandem.
- 2.10 **"E911 Authority"** means a municipality or other State or Local government unit, or an authorized agent of one or more municipalities or other State or Local government units to whom authority has been lawfully as the administrative entity to manage a public emergency telephone system for emergency police, fire, and emergency medical services through the use of one telephone number, 911.
- 2.11 **"E911 Service"** means the functionality to route wireless 911 calls and the associated caller and/or location data of the wireless end user to the appropriate Public Safety Answering Point. Various components of the E911 Service are provided by different entities, Wireless Carrier is the party with overall responsibility to integrate all the components for the end user service.
- 2.12 **"E911 Trunk"** means one-way terminating circuits which provide a trunk-side connection between Wireless Carriers MSC and ILEC 911 Tandem equipped to provide access to 911 services as technically defined in Telcordia Technical Reference GR145-CORE.
- 2.13 **"E911 Universal Emergency Number Service"** (also referred to as "Expanded 911 Service" or "Enhanced 911 Service") or **"E911 Service"** means a telephone exchange communications service whereby a PSAP answers telephone calls placed by dialing the number 911. E911 includes the service provided by the lines and equipment associated with the service arrangement for the answering, transferring, and dispatching of public emergency telephone calls dialed to 911. E911 provides completion of a call to 911 via dedicated trunks and includes ANI, ALI, and/or Selective Routing (SR).
- 2.14 **"Emergency Service Routing Digits"** or **"ESRD"** is a digit string that uniquely identifies a base station, Cell Site, or sector that may be used to route emergency calls through the network in other than an NCAS environment.
- 2.15 **"Emergency Service Routing Key"** or **"ESRK"** is a 10 digit routable, but not necessarily dialable, number that is used not only for routing but also as a correlator, or key, for the mating of data that is provided to the PSAP (a.k.a. 911 Center) by different paths, such as via the voice path and ALI data path in an NCAS environment.
- 2.16 **Hybrid CAS"** means a wireless 9-1-1 solution set that utilizes one transmission path to deliver the voice and Mobile Directory Number (MDN) to the PSAP and a separate transmission path to deliver the callers location information to the PSAP.
- 2.17 **"Meet Point"** means the demarcation between the ILEC network and the Wireless Carrier network.
- 2.18 **"Mobile Directory Number"** or **"MDN"** means a 10-digit dialable directory number used to call a Wireless Handset.
- 2.19 **"National Emergency Number Association"** or **"NENA"** means the not-for-profit corporation established in 1982 to further the goal of "One Nation-One Number". NENA is a networking source and promotes research, planning, and training. NENA strives to educate, set standards and provide certification programs, legislative representation and technical assistance for implementing and managing 911 systems.
- 2.20 **Non Call-Path Associated Signaling (NCAS)** A method for delivery of wireless 9-1-1 calls in which the Mobile Directory Number and other call associated data are passed from the Mobile Switching Center to the PSAP outside the voice path.
- 2.21 **"Phase II"** – as defined in CC Docket 94-102. Phase II data includes XY coordinates, confidence factor and certainty

- 2.22 **“Public Safety Answering Point” or “PSAP”** means an answering location for 911 calls originating in a given area. The E911 Authority may designate a PSAP as primary or secondary, which refers to the order in which calls are directed for answering. Primary PSAPs answer calls; secondary PSAPs receive calls on a transfer basis. PSAPs are public safety agencies such as police, fire, emergency medical, etc., or a common bureau serving a group of such entities.
- 2.23 **Pseudo Automatic Number Identification (pANI)** is a 10-digit telephone number used to support routing of wireless 911 calls. It is used to identify the Cell Site and/or cell sector from which the call originates, and is used to link the ALI record with the caller’s MDN.
- 2.24 **“Selective Routing” or “SR”** means an E911 feature that routes an E911 call from a 911 Selective Routing Switch to the Designated or Primary PSAP based upon the pANI associated with the originating Cell Site and/or Cell Sector.
- 2.25 **“Service Provider”** means an entity that provides one or more of the following 911 elements; network, database, or CPE.
- 2.26 **“Wireless Handset”** means the wireless equipment used by a wireless end user to originate wireless calls or to receive wireless calls

3. SCOPE OF AGREEMENT

- 3.1 E911 service components are provided by several different providers in the ILEC service territory. ILEC provides the selective routing functions and transport of the 911 calls within the ILEC service territory. A third party maintains the database containing customer locations. Wireless Carrier provides the information required to locate the E911 call origination. This agreement is limited to the arrangements between Wireless Carrier and ILEC. ILEC is only responsible for the selective routing and transport functions it provides to Wireless Carrier. Wireless Carrier is the overall E911 Service Provider who will integrate the 911 components provided by the various subcontractors.

4. ILEC RESPONSIBILITIES

- 4.1 ILEC shall provide and maintain such equipment at the E911 SR as is necessary to perform the overall E911 Services set forth herein when ILEC is the E911 SR provider. ILEC shall provide 911 Service to Wireless Carrier in areas where Wireless Carrier is licensed to provide service and ILEC provides the 911 System component. In such situations, ILEC shall provide Wireless Carrier access to the ILEC 911 SR and transport as described in this section.
- 4.2 Call Routing
- 4.2.1 ILEC will route 911 calls from the ILEC SR to the designated Primary PSAP ESN 1010 or to designated alternate locations, according to routing criteria specified by the PSAP and location information provided by Wireless Carrier in the signaling. Alternate PSAPs not subscribing to the appropriate wireless service shall not receive all features associated with the primary wireless PSAP.
- 4.2.2 If Wireless Carrier incorrectly routes the 911 to ILEC SR, ILEC will default route the call to the Wisconsin Rapids Sheriffs department.
- 4.3 Facilities and Trunking
- 4.3.1 ILEC shall provide and maintain sufficient dedicated E911 trunks from ILEC’s SR’s to the PSAP, according to provisions of the applicable State Commission approved tariff and documented specifications of the E911 Authority..

- 4.3.2 After receiving Wireless Carriers order, ILEC will provide, and Wireless Carrier agrees to pay for, transport facilities required for 911 trunk termination. Except as provided in Section 8.1, transport facilities shall be governed by the applicable ILEC Access Services tariff. If diversely routed facilities are requested, the diverse routes will require transport to be provisioned by a ILEC and other third parties. ILEC will provide such diversity where technically feasible, at standard tariff rates for diverse routing. Wireless Carrier is responsible for sizing the trunks from the Wireless Carrier MSC (Mobile Switching Center) to the ILEC SR.
- 4.3.3 ILEC and Wireless Carrier will cooperate to test all trunks and facilities between Wireless Carriers network and the ILEC SR(s) at a mutually agreed upon schedule.
- 4.3.4 Wireless Carrier is responsible for testing and isolating troubles to the ILEC SR or transport prior to reporting a trouble to ILEC. Charges for No Trouble Found (NTF) will be applied per the applicable State access or local tariffs.
- 4.3.5 Once a problem in the 911 network is reported, the ILEC will take actions to repair any troubles that actually exist expeditiously.

5 WIRELESS CARRIER RESPONSIBILITIES

5.1 Call Routing

- 5.1.1 Where ILEC is the 911 System Service Provider, Wireless Carrier will route 911 calls from Wireless Carriers MSC to the ILEC SR office of the 911 system.
- 5.1.2 Depending upon the network service configuration, Wireless Carrier will forward the ESRD and the MDN of the party calling 911 or the ESRK associated with the specific Cell Site and sector to the ILEC 911 SR.

5.2 Facilities and Trunking

- 5.2.1 Where specified by the E911 Authority, Wireless Carrier shall provide or order from ILEC, transport and trunk termination to each ILEC 911 SR that serves the areas in which Wireless Carrier is licensed to and will provide CMRS service.
- 5.2.2 Wireless Carrier shall maintain facility transport capacity sufficient to route 911 traffic over trunks dedicated for 911 interconnection between the Wireless Carriers MSC and the ILEC SR
- 5.2.3 Wireless Carrier is responsible for determining the proper quantity of trunks and transport facilities from Wireless Carriers MSC to interconnect with the ILEC 911 SR.
- 5.2.4 Wireless Carrier acknowledges that its End Users in a single local calling scope may be served by different SRs and Wireless Carrier shall be responsible for providing facilities to route 911 calls from its End Users to the proper E911 SR.
- 5.2.5 Wireless Carrier shall provide one-way outgoing trunk(s) dedicated for originating 911 Emergency Service calls from the Wireless Carriers MSC to each ILEC 911 Selective Router, where applicable. Where SS7 connectivity is available and required by the applicable PSAP, the Parties agree to implement CCS/SS7 trunks rather than CAMA (MF) trunks.
- 5.2.6 Wireless Carrier is responsible for appropriate diverse facilities if required by applicable State Commission rules and regulations or if required by other governmental, municipal, or regulatory authority with jurisdiction over 911 services.

- 5.2.7 Wireless Carrier shall engineer its 911 trunks to maintain a minimum P.01 grade of service as specified by NENA standards.
 - 5.2.8 In order to implement Phase II E911 Service, Wireless Carrier is responsible for ordering a 56K or 64K frame relay or fractional T-1 circuit ("Data Circuit") from Wireless Carriers MSC to the appropriate third party ALI server.
 - 5.2.9 Wireless Carrier shall monitor its 911 circuits for the purpose of determining originating network traffic volumes. If Wireless Carriers traffic study indicates that additional circuits are needed to meet the current level of 911 call volumes, Wireless Carrier shall consult with the PSAP and request additional circuits from ILEC as appropriate.
 - 5.2.10 Wireless Carrier will cooperate with ILEC to promptly test all 911 trunks and facilities between Wireless Carriers network and the ILEC 911 Selective Router(s) to assure proper functioning of 911 service. Wireless Carrier agrees that it will not pass live 911 traffic until both parties complete successful testing.
 - 5.2.11 Wireless Carrier is responsible for the isolation, coordination and restoration of all 911 network maintenance problems to Wireless Carriers facility Meet Point. Wireless Carrier is responsible for advising ILEC of the circuit identification and the fact that the circuit is a 911 circuit when notifying ILEC of a failure or outage. The Parties agree to work cooperatively and expeditiously to resolve any 911 outage. ILEC will refer network trouble to Wireless Carrier if no defect is found in ILEC's 911 network. The Parties agree that 911 network problem resolution will be managed expeditiously at all times.
- 5.3 Database
- 5.3.1 Wireless Carrier is responsible for making arrangements with their third party provider to maintain the Wireless Carrier wireless location information in the 911 database. Third part ALI database provider for the Wood County PSAP is at&t.
 - 5.3.1.1 Wireless Carrier shall arrange with their third party provider to store the Wireless Carriers ALI records in the electronic data processing database for the E911 DBMS.
 - 5.3.1.2 Wireless Carrier is responsible for coordinating their input E911 DBMS for the initial loading and updating of Wireless Carrier ALI records.
 - 5.3.2 ILEC will provide a copy of the static Master Street Address Guide (MSAG) received from the appropriate E911Authority, to be utilized for he development of Shell ALI Records.
 - 5.3.3 Where ILEC is the 911 SR Provider and Wireless Carrier deploys a NCAS Solution utilizing ILEC 911 DBMS:
 - 5.3.3.1 Wireless Carrier or its representatives shall be responsible for providing Wireless Carriers ALI Records to third party, for inclusion in third party's DBMS on a timely basis, once E911 trunking has been established and tested between Wireless Carriers MSC and all appropriate SRs.
 - 5.3.3.2 Wireless Carrier or its agent shall provide initial and ongoing updates of Wireless Carriers ALI Records that are in electronic format based upon established NENA standards.

5.3.3.3 Wireless Carrier shall adopt use of a NENA Company ID on all Wireless Carrier ALI Records in accordance with NENA standards. The NENA Company ID is used to identify the carrier of record in facility configurations.

5.3.3.4 Wireless Carrier is responsible for providing updates to third party 911 DBMS; in addition, Wireless Carrier is responsible for correcting any errors that may occur during the entry of their data as reflected on the status and error report.

5.4 Other

5.4.1 ILEC will not be responsible for collecting from its End Users and remitting to the appropriate municipality or other governmental entity any applicable wireless 911 surcharges assessed on the wireless service provider and/or End Users by any municipality or other governmental entity within whose boundaries the Wireless Carrier provides CMRS.

6 RESPONSIBILITIES OF BOTH PARTIES

6.1 Jointly coordinate the provisioning of transport capacity sufficient to route originating 911 calls from the Wireless Carriers MSC to the designated ILEC 911 Selective Router(s).

6.2 Both parties agree to exchange contact information for the purpose of provisioning, maintenance, trouble shooting and escalation as required to carry out the intent of this agreement.

7 METHODS AND PRACTICES

7.1 With respect to all matters covered by this Appendix, each Party will comply with that portion of the following to the extent that they apply to that Party's provision of E911 Service: (i) all FCC and applicable State Commission rules and regulations, (ii) any requirements imposed by any Governmental Authority other than a Commission, (iii) the terms and conditions of ILEC's applicable Commission ordered tariff(s) and (iv) the principles expressed in the recommended standards published by NENA.

8 BASIS OF COMPENSATION

8.1 Wireless carrier shall compensate Wood County Telephone Company for the elements described in the pricing Exhibit at the rates set forth in the Pricing Exhibit. In the event Wood County Telephone files a new or revised tariff after the Effective Date ("New Tariff") containing rates for one or more of the elements described in the Pricing Exhibit that vary from rates contained in a prior approved tariff or the rates specified in the Pricing Exhibit, or if such New Tariff contains additional or different elements, when the rates or elements in the New Tariff become effective, such rates or elements shall apply to the corresponding elements on a going forward basis from the date the rates in the New Tariff become effective.

8.2 Charges for E911 Service shall begin once the trunks and facilities are installed and successfully tested between Carrier's network and Wood County Telephone Company.


9 LIABILITY

- 9.1 Each Party, hereafter the Indemnifying Party, agrees to release, indemnify, defend and hold harmless the other Party, hereafter the Indemnified Party, from any and all Loss, including but not limited to those involving an allegation of infringement or invasions of the right of privacy or confidentiality, arising out of any act or omission of the Indemnifying Party with respect to E911 Service provided hereunder or out of the use of the E911 Service, whether suffered, made, instituted or asserted by the Indemnifying Party, End Users, or by any other parties or persons, for any personal injury or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by the Indemnifying Party, End Users or others, except to the extent the act or omission causing the Loss was the negligence, recklessness or intentional misconduct, or act or omission of the Indemnified Party .

Attachment A to Interconnection Agreement between Wood County Telephone Company and Sprint Spectrum L.P. dated 5/13/2002.

IN WITNESS WHEREOF, the Parties hereto have caused this Agreement to be executed as of the dates listed below.

Sprint Spectrum L.P.

By: 
Name: Gary B. Lindsey
Title: Director - Access Solutions
Date: 8/8/07

Wood County Telephone Company

By: 
Name: Jerold R. Johnson
Title: Asst. Secy / Treas
Date: 8/13/07

Chapter 2
Chapter 3
Chapter 4 PRICING EXHIBIT
911 Trunk Charges

CHAPTER 5 9.0 WOOD COUNTY TELEPHONE COMPANY CELLULAR/PCS E9-1-1

Wood County Telephone Company Wisconsin

911 Trunk Charge per Trunk:

Monthly	\$ 26.29
Non-Recurring	\$ 737.59

Facility rates can be found in the State Access Tariff for transport to the Wood Count Selective Router if required. Above rates do not reflect those fees.