



4004

ANNUAL REPORT

OF

Name: GTE NORTH INCORPORATED

Principal Office: 100 COMMUNICATIONS DR
P.O. BOX 49
SUN PRAIRIE, WI 53590-0049

For the Year Ended: DECEMBER 31, 1999

**TELECOMMUNICATIONS UTILITY
TO
PUBLIC SERVICE COMMISSION OF WISCONSIN**

P.O. Box 7854
Madison, WI 53707-7854
(608) 267-9504

This form is required under Wis. Stat. § 196.07. Failure to file the form by the statutory filing date can result in the imposition of a penalty under Wis. Stat. § 196.66. The penalty which can be imposed by this section of the statutes is a forfeiture of not less than \$25 nor more than \$5,000 for each violation. Each day subsequent to the filing date constitutes a separate and distinct violation. The filed form is available to the public and personally identifiable information may be used for purposes other than those related to public utility regulation.

GENERAL RULES FOR REPORTING

1. Unless otherwise indicated, the information requested in this report should be taken from the accounts and other records in conformity with the Uniform System of Accounts prescribed by the Public Service Commission of Wisconsin in docket 05-US-102. The definitions and instructions contained therein should also apply to the report wherever applicable. A query or response concerning information contained in this report regarding any practice or transaction should not be construed as indicating conformity to accounting or other pertinent regulations.
2. Please follow all instructions and answer each question fully and accurately. Provide additional information as necessary to avoid misunderstandings or misleading responses. Abbreviations listed on page 6 may be used. However, please show the exact name of the respondent in full on the Identification and Ownership page.
3. Wherever information is requested in a "note", please show that information in the space provided, or make reference to the adjacent page or insert where the note may be found. Please also identify each note. Footnote capability is included in the annual report software program. Please use it where necessary to fully explain particulars in the annual report.
4. Numeric items are limited to digits (0-9). A minus sign "-" should be entered in the software program to indicate negative values. Do not use parentheses for numeric values. The program will convert the minus sign to parentheses when a hard copy of the annual report is printed. Negative values may not be allowed for certain entries in the annual report due to restrictions contained in the software program.
5. Please report all dollar amounts to the nearest whole dollar.
6. This annual report should be complete in all respects. Unless otherwise authorized, avoid references to returns of former years or to other reports.
7. Wherever schedules call for data from the previous year and such data were reported in the previous annual report, that previous year's data should be reported without modification. If modified, an appropriate footnote indicator and explanation should be included in the current year's annual report.
8. Where part or all of the report is prepared by other than utility personnel, a disclosure is required in the "Individual or firm, if other than utility employee, preparing this report" portion of the Identification and Ownership schedule, which describes the nature and extent of work performed.
9. Please print a hard copy of the annual report on 20 pound or heavier paper, sign it and compare with the electronic copy before officially filing it with the Public Service Commission of Wisconsin.

SIGNATURE PAGE

I NANCY W. HEURING of
(Person responsible for accounts)

GTE NORTH INCORPORATED , certify that I
(Utility Name)

am the person responsible for accounts; that I have examined the following report and, to the best of my knowledge, information and belief, it is a correct statement of the business and affairs of said utility for the period covered by the report in respect to each and every matter set forth therein.

NANCY W. HEURING 03/29/2000
(Person responsible for accounts) (Date)

ASSISTANT CONTROLLER
(Title)

TABLE OF CONTENTS

| Schedule Name | Page |
|--|------|
| Cover Page | 1 |
| General Rules for Reporting | 2 |
| Signature Page | 3 |
| Table of Contents | 4 |
| Annual Telecommunications Report Glossary of Terms | 5 |
| Abbreviations Used in Annual Reports | 6 |
| Identification and Ownership | 7 |
| Income Statement - Total Company | 8 |
| Notes to Income Statement or Balance Sheet | 9 |
| Balance Sheet - Assets (Class B Use Accounts Designated By *) | 10 |
| Balance Sheet - Liabilities (Class B Use Accounts Designated By *) | 11 |
| Important Changes During the Year | 13 |
| Affiliate Abbreviations | 14 |
| Affiliated Interest Transactions | 15 |
| Affiliated Assets and Liabilities | 16 |
| Telecommunications Plant in Service Class A & B | 22 |
| Telecommunications Plant in Service Class A & B (Sub-Class Accounts) | 24 |
| Accumulated Depreciation Class A & B | 26 |
| Accumulated Depreciation Class A & B (Sub-Class Accounts) | 28 |
| Retained Earnings (Acct. 4550) | 37 |
| Revenues - Class A & B (Class B Use Accounts Designated By *) | 40 |
| Expenses - Class A & B | 41 |
| Calculation of Assessable Revenues for Remainder and Telephone Relay Assessment Purposes | 43 |
| Calculation of Assessable Revenues for Universal Service Fund Assessment Purposes | 43 |
| Other Income Accounts | 44 |
| Nonregulated Activities | 45 |
| Telephone Calls and Minutes of Use Per Month | 47 |
| Access Usage | 48 |
| Outside Plant Statistics at End of Year | 49 |
| Special Access Circuits in Use at End of Year | 49 |
| Service Data | 50 |
| Service Data - End of Year | 52 |
| Equipment Abbreviations | 54 |
| Manufacturer Abbreviations | 54 |
| Central Office Data - End of Year | 55 |
| General, Schedule Level and Schedule Line Footnotes | 56 |

ANNUAL TELECOMMUNICATIONS REPORT GLOSSARY OF TERMS

| | |
|---|---|
| Access Line | Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency transmission, and/or time slot transmission. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice channel or a 64 kilobits per second digital channel. |
| Analog Signal | A signal that varies in a continuous manner such as voice or music. An analog signal must be contrasted with a digital signal which can assume only discrete values. |
| Cellular System | A high capacity land mobile radio system in which an assigned frequency spectrum is divided into discrete channels that are assigned to a cellular geographic serving area. |
| Central Office | A switching unit in a telephone system providing service to the general public, having the necessary equipment and operating arrangements for terminating and interconnecting lines and trunks. |
| Centrex | A service for customers with many stations that permits station-to-station dialing, one listed directory number for the customer, direct inward dialing to a particular station and station identification on outgoing calls. The switching functions are performed in a central office (stand alone, host or remote). |
| Channel | An electrical communications path between two or more points. A single pair of wires may provide more than one channel. A channel may also be provided by microwave. |
| Customer | A person who uses a telephone as a subscriber. |
| Digital Signal | A signal that has a limited number of discrete states. This may be contrasted with an analog signal that varies in a continuous manner and may have an infinite number of states. |
| Equal Access | The ability of the subscriber to use any long distance service by dialing the same number of digits. |
| Exchange | A defined area served by one or more central offices regardless of technical serving arrangements within which the company furnishes service at rates and rules prescribed for that area in the company's filed tariffs. The area is not necessarily marked by political boundaries or the location of host or remote switching units. |
| Extended Area Service (EAS) | The ability of a customer to call customers in other exchanges at no additional charge or at an additional charge per tariff. |
| Extended Community Calling (ECC) | The ability of a customer to call customers in other exchanges at rates usually above EAS rates but below toll rates for comparable distances. Rates generally include a duration element. |
| Feature Group A | Line-side originating and terminating LATA access for which an originating subscriber dials an assigned telephone number that connects to a specific interexchange carrier (IC). The IC returns a tone to signal the caller to input additional generated digits of the called number. |

ANNUAL TELECOMMUNICATIONS REPORT GLOSSARY OF TERMS

| | |
|---|--|
| Feature Group B | Trunk-side originating and terminating LATA access for which an originating subscriber dials a 950-WXXX number (where W=0, 1 and XXX is the carrier access code (CAC)), which is translated to a specific XXX carrier trunk group. Optional rotary dial service and ANI may be available. |
| Feature Group C | Trunk-side LATA access for AT&T-Communications generally on a direct basis between each end office (EO) and an AT&T-C switching system. |
| Feature Group D | Also referred to as equal access. It is trunk-side LATA access affording call supervision of an interexchange carrier, a uniform access code (10XXXXX), optional calling party identification, recording of access-charge billing details and presubscription to a customer specified interexchange carrier. |
| FX-IN | A nonswitched service where the customer of the company is connected to and receives switching service through central office equipment located in another exchange area. |
| FX-OUT | A switched service where facilities are provided from the central office out to the exchange boundary where it meets the line from a foreign exchange subscriber. |
| Host Switching System | A switching system that provides centralized control over most of the switching functions of one or more remote switching units. The host switching system usually provides trunk access to the operating company intraLATA networks. |
| Local Access Transport Area (LATA) | A geographic area within which an operating company may offer its telecommunications services. |
| Mobile Telephone | A service which provides radio telephone communication from a mobile vehicle to another vehicle or to a regular telephone. |
| Paging | A service which provides one-way signal or voice communication over a radio channel to a miniature receiver carried by the customer. |
| Pair | Two wires of a single circuit. |
| Pay Station | A telephone which normally requires all users to deposit one or more coins or use a credit card to complete a call. |
| Private Line Service | Channel or circuit rented for private use and not intended to be connected to the general distribution system. |
| Private Branch Exchange (PBX) | A manually, or operator controlled switching system, usually on the customer's premises, which serves that customer's telephones over a common group of lines from the central office. |
| Radio Common Carrier (RCC) | A company which furnishes public telecommunications service using one or more radio channels. |
| Remote Switching Unit (RSU) | An electronic switching system that is remote from its host or control office. All of the central control equipment for the RSU is located in the host switching system. |

ANNUAL TELECOMMUNICATIONS REPORT GLOSSARY OF TERMS

| | |
|---|---|
| Route Miles | Total number of route miles (to the nearest mile) of operating plant facilities including drop wire in the exchange. One route mile may consist of: <ol style="list-style-type: none">1. One mile of roadway with any combination of outside plant facilities on any number of rights-of-way.2. One mile of a cross country route with any combination of outside plant facilities.3. One mile of point-to-point microwave or radio link.4. One mile of plant on either side of a limited access highway or natural barrier, such as a navigable waterway.5. One mile of joint use line where the utility either owns the facility or leases space. |
| Stand Alone Switch | A central office switch which has no remote switching units (RSUs) subtending it. |
| Trunk | A communications path connecting two switching systems in the establishment of an end-to-end connection. |
| Wide Area Telephone Service (WATS) | Customer leased access line or lines connected to the nationwide network over which an unlimited number of calls can be made for a fixed monthly charge. |
| Wire Center | The location of one or more local switching systems. A point at which customers' loops converge. |

ABBREVIATIONS USED IN ANNUAL REPORTS

| | | |
|----------------|-------|---|
| Acct | | Account |
| Accum | | Accumulated |
| Acq | | Acquisition |
| Admin | | Administrative |
| Alloc | | Allocation |
| Amort | | Amortization |
| | | |
| CO | | Central Office |
| | | |
| Depr | | Depreciation |
| | | |
| Equip | | Equipment |
| Exp | | Expenses |
| EOY | | End of Year |
| | | |
| FOY | | First of Year |
| | | |
| Info | | Information |
| ITC | | Investment Tax Credit |
| | | |
| Misc | | Miscellaneous |
| | | |
| Nonoper | | Nonoperating |
| Nonreg | | Nonregulated |
| | | |
| Oper | | Operating |
| Opns | | Operations |
| Orig | | Originating |
| | | |
| Prop | | Property |
| | | |
| Receiv | | Receivable |
| Reg | | Regulated |
| Rev | | Revenues |
| | | |
| Svcs | | Services |
| | | |
| Telecom | | Telecommunications |
| Term | | Terminating |
| TPIS | | Telecommunications Plant in Service |
| TPUC | | Telecommunications Plant Under Construction |
| | | |
| Uncoll | | Uncollectible |

IDENTIFICATION AND OWNERSHIP

Exact Utility Name: GTE NORTH INCORPORATED
Utility Location: 100 COMMUNICATIONS DR
P.O. BOX 49
SUN PRAIRIE, WI 53590-0049

Utility Web Site Address:

When was utility organized?: 06/18/1992

Report any change in name and the effective date:

Officer in charge of correspondence concerning this report

Name: NANCY W . HEURING
Title: ASSISTANT CONTROLLER

Office Address: 600 HIDDEN RIDGE
IRVING , TX 75038

Fax Number: (972) 718 - 7422
Telephone Number: (972) 718 - 6892
Email Address:

Individual or firm, if other than utility employee, preparing this report

Name:
Title:

Office Address:

Fax Number:
Telephone Number:
Email Address:

Person responsible for financial information contained in report

Name: NANCY W . HEURING
Title: ASSISTANT CONTROLLER

Office Address: 600 HIDDEN RIDGE
IRVING , TX 75038

Fax Number: (972) 718 - 7422
Telephone Number: (972) 718 - 6892
Email Address:

Person responsible for statistical information contained in report

Name: NANCY W . HEURING
Title: ASSISTANT CONTROLLER

Office Address: 600 HIDDEN RIDGE
IRVING , TX 75038

Fax Number: (972) 718 - 7422
Telephone Number: (972) 718 - 6892
Email Address:

IDENTIFICATION AND OWNERSHIP

List names, addresses, and number of shares held by persons owning 5 percent or more of outstanding voting securities. If any stock is held by a nominee, give known particulars as to the beneficial owner (See Wis. Stat. § 196.795(1)(c), for definition of beneficial owner).

Name: GTE CORPORATION
Address: 1255 CORPORATE DRIVE
IRVING , TX 75038

Number of Shares Held: 978,350
Beneficial Owner: NONE

List companies owned, controlled, or operated and form and extent of such ownership, control or operation.

Company Name: GTW TELEPHONE SYSTEMS INCORPORATED
Form of Interest: COMMON STOCK
Extent Of Interest: 100%

INCOME STATEMENT - TOTAL COMPANY

| Particulars (a) | This Year (b) | Last Year (c) | |
|---|---------------------|---------------------|-----------|
| Operating Revenues (5000-5300) | 350,147,786 | 328,589,913 | 1 |
| Operating Expenses | | | |
| Plant Specific Operations Expense (6110-6410) | 57,368,347 | 61,528,520 | 2 |
| Plant Nonspecific Operations Expense | 130,096,672 | 120,520,625 | 3 |
| Customer Operations Expense (6610-6620) | 41,718,185 | 45,526,631 | 4 |
| Corporate Operations Expense (6710-6790) | 10,494,808 | 30,148,568 | 5 |
| Other Operating Income and Expense (7100) | (16,031) | 85,483 | 6 |
| Operating Taxes (7200) | 47,694,147 | 39,941,905 | 7 |
| Total Operating Expenses | 287,388,190 | 297,580,766 | 8 |
| Net Operating Income | 62,759,596 | 31,009,147 | 9 |
| Other Income | | | |
| Nonoperating Income and Expense (7300) | (548,991) | 1,481,385 | 10 |
| Nonoperating Taxes (7400) | (261,291) | 217,723 | 11 |
| Interest and Related Items (7500) | 17,550,251 | 16,728,384 | 12 |
| Extraordinary Items (7600) | 0 | 30,733 | 13 |
| Nonregulated Net Income (7990) | 0 | 0 | 14 |
| Total Nonoperating Income | (17,837,951) | (15,433,989) | 15 |
| Net Income | 44,921,645 | 15,575,158 | 16 |

NOTES TO INCOME STATEMENT OR BALANCE SHEET

In the space provided below, disclose all material information not included elsewhere in this report that is necessary to make the financial statements clear and understandable. Included should be:

1. A summary of significant accounting policies. (The summaries should disclose, but not be limited to, the utility's accounting policies with regard to pension cost, unbilled revenues, depreciation, and income taxes.)

None

2. A summary of significant contingent assets and liabilities existing at year end, including a brief explanation of any action initiated by the Internal Revenue Service, Wisconsin Department of Revenue, or the utility involving a possible assessment or refund of taxes.

None

3. The notes should include an explicit and precise explanation of any retained earnings restrictions and should state the amount of retained earnings affected by such restrictions.

None

BALANCE SHEET - ASSETS (CLASS B USE ACCOUNTS DESIGNATED BY *)

| Particulars (a) | Balance--EOY (b) | Balance--FOY (c) | |
|---|---------------------|---------------------|----|
| CURRENT ASSETS | | | |
| CASH AND EQUIVALENTS | | | |
| Cash and Equivalents (1120)* | | | 1 |
| Cash (1130) | 0 | 0 | 2 |
| Special Cash Deposits (1140) | 0 | 0 | 3 |
| Working Cash Advances (1150) | 0 | 0 | 4 |
| Temporary Investments (1160) | 0 | 0 | 5 |
| TOTAL CASH AND EQUIVALENTS | 0 | 0 | |
| RECEIVABLES AND ALLOWANCES FOR DOUBTFUL ACCOUNTS | | | |
| Telecommunications Accounts Receivable (1180)* | 0 | 0 | 6 |
| Accounts Receivable Allowance-Telecom (1181)* | 0 | 0 | 7 |
| Net: Telecommunications Accounts Receivable | 0 | 0 | |
| Other Accounts Receivable (1190)* | 0 | 0 | 8 |
| Accounts Receivable Allowance--Other (1191)* | 0 | 0 | 9 |
| Net: Other Accounts Receivable | 0 | 0 | |
| Notes Receivable (1200)* | 0 | 0 | 10 |
| Notes Receivable Allowance (1201)* | 0 | 0 | 11 |
| Net: Notes Receivable | 0 | 0 | |
| Interest and Dividends Receivable (1210)* | 0 | 0 | 12 |
| TOTAL REC AND ALLOW FOR DOUBTFUL ACCOUNTS | 0 | 0 | |
| SUPPLIES | | | |
| Inventories (1220)* | 1,638,785 | 1,653,683 | 13 |
| TOTAL SUPPLIES | 1,638,785 | 1,653,683 | |
| PREPAYMENTS | | | |
| Total Prepayments (1280)* | | | 14 |
| Prepaid Rents (1290) | 0 | 0 | 15 |
| Prepaid Taxes (1300) | 0 | 0 | 16 |
| Prepaid Insurance (1310) | 0 | 0 | 17 |
| Prepaid Directory Expenses (1320) | 0 | 0 | 18 |
| Other Prepayments (1330) | (835,706) | (1,005,927) | 19 |
| TOTAL PREPAYMENTS | (835,706) | (1,005,927) | |
| OTHER CURRENT ASSETS | | | |
| Other Current Assets (1350)* | 0 | 0 | 20 |
| TOTAL OTHER CURRENT ASSETS | 0 | 0 | |
| TOTAL CURRENT ASSETS | 803,079 | 647,756 | |
| NONCURRENT ASSETS | | | |
| INVESTMENTS | | | |
| Investment in Affiliated Companies (1401)* | 0 | 0 | 21 |
| RTB Class B Stock (1402)* | 0 | 0 | 22 |
| Other Investments in Nonaffiliated Companies (1402)* | 0 | 0 | 23 |
| Nonregulated Investments (1406)* | 0 | 0 | 24 |
| Unamortized Debt Issuance Expense (1407)* | 0 | 0 | 25 |

BALANCE SHEET - ASSETS (CLASS B USE ACCOUNTS DESIGNATED BY *)

| Particulars (a) | Balance--EOY (b) | Balance--FOY (c) | |
|---|---------------------|---------------------|----|
| NONCURRENT ASSETS | | | |
| INVESTMENTS | | | |
| Sinking Funds (1408)* | 0 | 0 | 26 |
| Other Noncurrent Assets (1410)* | 0 | 0 | 27 |
| TOTAL INVESTMENTS | 0 | 0 | |
| DEFERRED CHARGES | | | |
| Deferred Tax Regulatory Asset (1437)* | 0 | 0 | 28 |
| Deferred Maintenance and Retirements (1438)* | 0 | 0 | 29 |
| Deferred Charges (1439)* | 0 | 0 | 30 |
| TOTAL DEFERRED CHARGES | 0 | 0 | |
| TOTAL NONCURRENT ASSETS | 0 | 0 | |
| PLANT | | | |
| TELECOMMUNICATIONS PLANT IN SERVICE | | | |
| Telecommunications Plant in Service (2001)* | 1,231,817,426 | 1,168,201,427 | 31 |
| Less: Accumulated Depreciation (3100)* | 755,727,434 | 688,688,823 | 32 |
| Less: Accumulated Amortization--Capitalized Leases (3410)* | 0 | 0 | 33 |
| Less: Accumulated Amortization--Leasehold Improvements (3420)* | 0 | 0 | 34 |
| Less: Accumulated Amortization--Intangible (3500)* | 0 | 0 | 35 |
| NET TELECOMMUNICATIONS PLANT IN SERVICE | 476,089,992 | 479,512,604 | |
| PROPERTY HELD FOR FUTURE USE | | | |
| Prop. Held for Future Telecommun. Use (2002)* | 0 | 0 | 36 |
| Less: Accumulated Depreciation--Held for Future Telecommunications Use (3200)* | 0 | 0 | 37 |
| NET PROPERTY HELD FOR FUTURE USE | 0 | 0 | |
| NONOPERATING PLANT | | | |
| Nonoperating Plant (2006)* | 0 | 0 | 38 |
| Less: Accumulated Depreciation--Nonoperating (3300)* | 0 | 0 | 39 |
| NET NONOPERATING PLANT | 0 | 0 | |
| TPUC | | | |
| TPUC (2003)* | 9,826,487 | 12,595,420 | 40 |
| TOTAL TPUC | 9,826,487 | 12,595,420 | |
| TELECOMMUNICATIONS PLANT ADJUSTMENT | | | |
| Telecommunications Plant Adjustment (2005)* | 0 | 0 | 41 |
| Less: Accumulated Amortization--Other (3600)* | 0 | 0 | 42 |
| NET TELECOMMUNICATIONS PLANT ADJUSTMENT | 0 | 0 | |
| TOTAL PLANT | 485,916,479 | 492,108,024 | |
| TOTAL ASSETS AND OTHER DEBITS | 486,719,558 | 492,755,780 | |

BALANCE SHEET - LIABILITIES (CLASS B USE ACCOUNTS DESIGNATED BY *)

| Particulars (a) | Balance--EOY (b) | Balance--FOY (c) | |
|---|---------------------|---------------------|----|
| CURRENT LIABILITIES | | | |
| Accounts Payable (4010)* | 0 | 0 | 1 |
| Notes Payable (4020)* | 0 | 0 | 2 |
| Advance Billing and Payments (4030)* | 0 | 0 | 3 |
| Customer Deposits (4040)* | 0 | 0 | 4 |
| Current Maturities--Long-Term Debt (4050)* | 0 | 0 | 5 |
| Current Maturities--Capital Leases (4060)* | 0 | 0 | 6 |
| Income Taxes--Accrued (4070)* | 8,098,418 | (11,500,744) | 7 |
| Other Taxes--Accrued (4080)* | (4,117,148) | (2,768,986) | 8 |
| Net Current Deferred Operating Income Taxes (4100)* | (4,102,708) | (3,231,617) | 9 |
| Net Current Deferred Nonoperating Income Taxes (4110)* | 0 | 0 | 10 |
| Other Accrued Liabilities (4120)* | (47,735) | (46,734) | 11 |
| Other Current Liabilities (4130)* | 0 | 0 | 12 |
| TOTAL CURRENT LIABILITIES | (169,173) | (17,548,081) | |
| LONG-TERM DEBT | | | |
| Funded Debt (4210)* | 0 | 0 | 13 |
| Premium on Long-Term Debt (4220)* | 0 | 0 | 14 |
| Discount on Long-Term Debt (4230)* | 0 | 0 | 15 |
| Reacquired Debt (4240)* | 0 | 0 | 16 |
| Obligations Under Capital Leases (4250)* | 0 | 0 | 17 |
| Advances from Affiliated Companies (4260)* | 0 | 0 | 18 |
| Other Long-Term Debt (4270)* | 0 | 0 | 19 |
| TOTAL LONG-TERM DEBT | 0 | 0 | |
| OTHER LIABILITIES AND DEFERRED CREDITS | | | |
| Other Long-Term Liabilities (4310)* | 0 | 0 | 20 |
| Unamortized Operating ITC--Net (4320)* | 0 | 0 | 21 |
| Unamortized Nonoperating ITC--Net (4330)* | 0 | 0 | 22 |
| Net Noncurrent Deferred Operating Income Taxes (4340)* | 100,105,694 | 92,496,464 | 23 |
| Net Deferred Tax Liability Adjustments (4341)* | 0 | 821,395 | 24 |
| Net Noncurrent Deferred Nonoperating Income Taxes (4350)* | 0 | 0 | 25 |
| Other Deferred Credits (4360)* | (24,311,033) | (22,050,818) | 26 |
| Deferred Tax Regulatory Liability (4361)* | 0 | 0 | 27 |
| TOTAL OTHER LIABILITIES AND DEFERRED CREDITS | 75,794,661 | 71,267,041 | |
| STOCKHOLDERS' EQUITY | | | |
| Capital Stock (4510)* | 0 | 0 | 28 |
| Additional Paid-in Capital (4520)* | 0 | 0 | 29 |
| Treasury Stock (4530)* | 0 | 0 | 30 |
| Other Capital (4540)* | 0 | 0 | 31 |
| Retained Earnings (4550)* | 0 | 0 | 32 |
| TOTAL STOCKHOLDERS' EQUITY | 0 | 0 | |
| TOTAL LIABILITIES AND OTHER CREDITS | 75,625,488 | 53,718,960 | |

IMPORTANT CHANGES DURING THE YEAR

1. Estimated increase or decrease in annual revenues due to important rate changes, giving bases of estimates.

| Date of Change | Description of Change | Effect on Revenues |
|----------------|--|--------------------|
| 01/01/1999 | Fed Filing - SLC/PICC shifts - II | -1.1 Million |
| 01/01/1999 | Mirror - Fed Filing - SLC/PICC Shifts SI | -0.3 Million |
| 01/01/1999 | MKT Exp - SI | 0.1 Million |
| 02/01/1999 | SLC Increase - Fed Filing - II | 0.4 Million |
| 07/01/1999 | 1998 Annual Filing - II | -5.5 Million |
| 07/01/1999 | 1998 Mirror Annual Filings - SI | -0.3 Million |
| 07/01/1999 | 1998 Mirror Annual Filings - STLT IXC | -0.1 Million |
| 07/01/1999 | PICC Increase - II | 4.0 Million |
| 08/06/1999 | ARF (Local) | -0.2 Million |
| 10/01/1999 | USF Tariff filing - School Funding II | 0.05 Million |
| 11/01/1999 | USF Tariff Filing - IS Rev - II | -0.2 Million |

2. Additional matters of fact (not elsewhere provided for) which respondent may desire to include in its report.

GTE officially adopted the American Institute of Certified Public Accountants, Accounting Standards Executive Committee, Statement of Position 98-1, Accounting for the Costs of Computer Software Developed or Obtained for Internal Use, starting January 1, 1999.

AFFILIATE ABBREVIATIONS

In column (b) provide the abbreviation for the name of the affiliate shown in column (a). Limit abbreviations to 10 characters or less. Use these abbreviations when completing the affiliated interest schedules. Insert "Other" in the Abbreviations column if the activity to be reported for a particular record in the Affiliated Interest Transactions or Affiliated Assets and Liabilities schedule represents an aggregation of activity not exceeding the dollar or percentage limits set forth in the header of that schedule.

| Name of Affiliate (a) | Abbreviations (b) | |
|--|----------------------|------|
| AG Communications Systems (AGCS) | AGCS | 1 |
| Contel of Minnesota, Inc. | COTM | 2 |
| GTE Arkansas, Inc. | GTE AK | 3 |
| GTE California, Inc. | GTE CA | 4 |
| GTE Consolidated Services Incorporated | GTE CSI | 5 T |
| GTE Directories Corporation | GTE DIR | 6 |
| GTE Florida, Inc. | GTE FL | 7 |
| GTE Hawaii, Inc. | GTE HAW | 8 |
| GTE Long Distance | GTE LD | 9 |
| GTE Leasing Corporation | GTE LEASE | 10 |
| GTE Mobilenet, Inc. | GTE MOBNET | 11 |
| GTE Midwest, Inc. | GTE MW | 12 |
| GTE North, Inc. | GTE NORTH | 13 |
| GTE Northwest, Inc. | GTE NW | 14 |
| GTE South, Inc. | GTE SOUTH | 15 |
| GTE Communication Systems Corporation (Supply) | GTE SUPPLY | 16 |
| GTE Service Corporation | GTE SVC | 17 |
| GTE Southwest, Inc. | GTE SW | 18 |
| GTE Telecom, Inc. | GTE TELCOM | 19 |
| GTE Data Services, Inc. | GTEDS | 20 |
| Other | OTH | 21 S |

AFFILIATED INTEREST TRANSACTIONS

Provide a summary of transactions under established affiliated interest contracts and arrangements (see Wis. Stat. § 196.52, for "affiliated interest" definitions). Use the space below to report transactions with individual affiliates and multiple affiliated interest agreements or, at the utility's option, with individual affiliates and a single agreement. Activity associated with affiliated contracts or arrangements not in excess of \$25,000 or 5 percent of the equity of the utility, whichever is smaller, may be aggregated in a single record. For utilities whose intrastate gross operating revenues of the previous year exceeded \$100,000,000, individual contracts or arrangements not exceeding \$100,000 may be aggregated in a single record. Where an affiliate is both providing and receiving service use one record to show billings to and a second record for billings from. When billings to or from an affiliate are recorded on the books of the utility, the records underlying such billings shall be sufficient to show all the detail maintained to identify the associated accounts related to the billing.

| Particulars (a) | (b) | (c) | (d) | (e) | |
|--|------------|--------------|--------------|--------------|----------|
| Docket | Various | 2180AT000111 | 2180AT000111 | 2180AT000111 | |
| Name of Affiliate | AGCS | COTM | GTE AK | GTE CA | 1 |
| Designate whether billed to or from: | FROM | FROM | FROM | FROM | 2 |
| Cost Based (C), Market Price (M), Prevailing Price (P), Tariff (T), Other (O) | P | M | M | M | 3 |
| Total Dollar Activity | 11,061,162 | 0 | 0 | 0 | 4 |
| Percent of affiliate's business billed to all affiliated regulated utilities | 77.30 | 0.00 | 0.00 | 0.00 | 5 |
| If cost based, rate of return on equity or markup incorporated in billings | | | | | 6 |
| Footnotes | D,1 | 3 | 3 | 3 | |

| Particulars (a) | (b) | (c) | (d) | (e) | |
|--|--------------|--------------|--------------|------------|----------|
| Docket | 2180AT000112 | 2180AT000111 | 2180AT000111 | Various | |
| Name of Affiliate | GTE DIR | GTE FL | GTE HAW | GTE LD | 1 |
| Designate whether billed to or from: | FROM | FROM | FROM | FROM | 2 |
| Cost Based (C), Market Price (M), Prevailing Price (P), Tariff (T), Other (O) | P | M | M | P | 3 |
| Total Dollar Activity | 1,049,421 | 42,314 | 26,588 | 149,535 | 4 |
| Percent of affiliate's business billed to all affiliated regulated utilities | 6.54 | 21.85 | 16.16 | 1.19 | 5 |
| If cost based, rate of return on equity or markup incorporated in billings | | | | | 6 |
| Footnotes | | | | | |

AFFILIATED INTEREST TRANSACTIONS

Provide a summary of transactions under established affiliated interest contracts and arrangements (see Wis. Stat. § 196.52, for "affiliated interest" definitions). Use the space below to report transactions with individual affiliates and multiple affiliated interest agreements or, at the utility's option, with individual affiliates and a single agreement. Activity associated with affiliated contracts or arrangements not in excess of \$25,000 or 5 percent of the equity of the utility, whichever is smaller, may be aggregated in a single record. For utilities whose intrastate gross operating revenues of the previous year exceeded \$100,000,000, individual contracts or arrangements not exceeding \$100,000 may be aggregated in a single record. Where an affiliate is both providing and receiving service use one record to show billings to and a second record for billings from. When billings to or from an affiliate are recorded on the books of the utility, the records underlying such billings shall be sufficient to show all the detail maintained to identify the associated accounts related to the billing.

| Particulars (a) | (b) | (c) | (d) | (e) | | |
|--|-----------|--------------|--------------|--------------|--|----------|
| Docket | Various | 2180AT000121 | 2180AT000111 | 2180AT000111 | | |
| Name of Affiliate | GTE LEASE | GTE MOBNET | GTE MW | GTE NORTH | | 1 |
| Designate whether billed to or from: | FROM | FROM | FROM | FROM | | 2 |
| Cost Based (C), Market Price (M), Prevailing Price (P), Tariff (T), Other (O) | P | P | M | M | | 3 |
| Total Dollar Activity | 0 | 0 | 32,984 | 58,096 | | 4 |
| Percent of affiliate's business billed to all affiliated regulated utilities | 0.00 | 0.00 | 20.88 | 56.51 | | 5 |
| If cost based, rate of return on equity or markup incorporated in billings | | | | | | 6 |
| Footnotes | 3 | 3 | | | | |

| Particulars (a) | (b) | (c) | (d) | (e) | | |
|--|--------------|--------------|--------------|------------|--|----------|
| Docket | 2180AT000111 | 2180AT000111 | 2180AT000105 | None | | |
| Name of Affiliate | GTE NW | GTE SOUTH | GTE SUPPLY | GTE SUPPLY | | 1 |
| Designate whether billed to or from: | FROM | FROM | FROM | TO | | 2 |
| Cost Based (C), Market Price (M), Prevailing Price (P), Tariff (T), Other (O) | M | M | C | T | | 3 |
| Total Dollar Activity | 0 | 0 | 24,940,322 | 0 | | 4 |
| Percent of affiliate's business billed to all affiliated regulated utilities | 0.00 | 0.00 | | | | 5 |
| If cost based, rate of return on equity or markup incorporated in billings | | | 10.73 | | | 6 |
| Footnotes | 3 | 3 | | 3 | | |

AFFILIATED INTEREST TRANSACTIONS

Provide a summary of transactions under established affiliated interest contracts and arrangements (see Wis. Stat. § 196.52, for "affiliated interest" definitions). Use the space below to report transactions with individual affiliates and multiple affiliated interest agreements or, at the utility's option, with individual affiliates and a single agreement. Activity associated with affiliated contracts or arrangements not in excess of \$25,000 or 5 percent of the equity of the utility, whichever is smaller, may be aggregated in a single record. For utilities whose intrastate gross operating revenues of the previous year exceeded \$100,000,000, individual contracts or arrangements not exceeding \$100,000 may be aggregated in a single record. Where an affiliate is both providing and receiving service use one record to show billings to and a second record for billings from. When billings to or from an affiliate are recorded on the books of the utility, the records underlying such billings shall be sufficient to show all the detail maintained to identify the associated accounts related to the billing.

| Particulars (a) | (b) | (c) | (d) | (e) | |
|--|-------------|--------------|------------|------------|---|
| Docket | Nonstandard | 2180AT000111 | Various | None | |
| Name of Affiliate | GTE SVC | GTE SW | GTE TELCOM | GTE TELCOM | 1 |
| Designate whether billed to or from: | FROM | FROM | FROM | TO | 2 |
| Cost Based (C), Market Price (M), Prevailing Price (P), Tariff (T), Other (O) | O | M | P | T | 3 |
| Total Dollar Activity | 20,927,987 | 411,060 | 0 | 0 | 4 |
| Percent of affiliate's business billed to all affiliated regulated utilities | 61.27 | 21.56 | 0.00 | | 5 |
| If cost based, rate of return on equity or markup incorporated in billings | | | | | 6 |
| Footnotes | 2 | | 3 | 3 | |

| Particulars (a) | (b) | (c) | (d) | (e) | |
|--|-----------|-----|-----|-----|---|
| Docket | Various | | | | |
| Name of Affiliate | GTEDS | | | | 1 |
| Designate whether billed to or from: | FROM | | | | 2 |
| Cost Based (C), Market Price (M), Prevailing Price (P), Tariff (T), Other (O) | C | | | | 3 |
| Total Dollar Activity | 4,204,321 | | | | 4 |
| Percent of affiliate's business billed to all affiliated regulated utilities | | | | | 5 |
| If cost based, rate of return on equity or markup incorporated in billings | 11.25 | | | | 6 |
| Footnotes | | | | | |

AFFILIATED ASSETS AND LIABILITIES

This schedule should be used to report affiliated activity concerning balances at the end of the year for the following accounts: 1120, Cash and Equivalents; 1160, Temporary Investments; 1180, Telecommunications Accounts Receivable; 1190, Other Accounts Receivable; 1200, Notes Receivable; 1210, Interest and Dividends Receivable; 1401, Investment in Affiliated Companies; 1408, Sinking Funds; 4010, Accounts Payable; 4020, Notes Payable; and 4260, Advances from Affiliated Companies. Amounts at the end of the year for each affiliate should be identified by respective affiliate and account number. Report information below consecutively by respective account number; affiliated amounts of less than \$5,000 may be reported in aggregate as "other" for a particular account.

| Name of Affiliate (a) | Account Number (b) | Balance EOY (c) | |
|----------------------------------|-----------------------------------|--------------------------------|---|
| GTE South, Inc. | 4010 | 208,192 | 1 |

TELECOMMUNICATIONS PLANT IN SERVICE CLASS A & B

| Plant Account (a) | Account (b) | Balance FOY (c) | Additions (d) | |
|---|----------------|-----------------------|-------------------|------|
| GENERAL SUPPORT ASSETS | | | | |
| Land | 2111 | 2,657,881 | 1,382 | 1 c |
| Motor Vehicles | 2112 | 13,476,978 | 441,523 | 2 c |
| Aircraft | 2113 | 0 | 0 | 3 |
| Special Purpose Vehicles | 2114 | 0 | 0 | 4 |
| Garage Work Equipment | 2115 | 385,385 | 8,710 | 5 c |
| Other Work Equipment | 2116 | 15,085,159 | 528,780 | 6 c |
| Buildings | 2121 | 54,504,570 | 705,724 | 7 c |
| Furniture | 2122 | 476,622 | 0 | 8 |
| Office Equipment | 2123 | 9,150,654 | 435,665 | 9 c |
| General Purpose Computers | 2124 | 8,768,851 | 75,699 | 10 |
| TOTAL--GENERAL SUPPORT ASSETS: | | 104,506,100 | 2,197,483 | |
| CENTRAL OFFICE ASSETS | | | | |
| Analog Electronic Switching | 2211 | 0 | 0 | 11 c |
| Digital Electronic Switching | 2212 | 230,968,924 | 10,821,627 | 12 c |
| Electro-Mechanical Switching | 2215 | 2 | 0 | 13 c |
| Operator Systems | 2220 | 246,118 | 115,427 | 14 c |
| Radio Systems | 2231 | 2,547,191 | 28,061 | 15 c |
| Circuit Equipment | 2232 | 189,599,979 | 26,258,040 | 16 c |
| TOTAL--CENTRAL OFFICE ASSETS: | | 423,362,214 | 37,223,155 | |
| INFORMATION ORIGATION/TERMINATION ASSETS | | | | |
| Station Apparatus | 2311 | 1,517,170 | 0 | 17 c |
| Customer Premises Wiring | 2321 | 0 | 0 | 18 |
| Large Private Branch Exchanges | 2341 | 248,891 | 0 | 19 |
| Public Telephone Terminal Equipment | 2351 | 1,182,017 | 0 | 20 |
| Other Terminal Equipment | 2362 | 14,473,466 | 2,810,959 | 21 |
| TOTAL--INFORMATION ORIG/TERM ASSETS: | | 17,421,544 | 2,810,959 | |
| CABLE WIRE FACILITIES ASSETS | | | | |
| Poles | 2411 | 12,720,279 | 298,011 | 22 c |
| Aerial Cable | 2421 | 62,883,221 | 2,884,787 | 23 c |
| Underground Cable | 2422 | 24,623,567 | 1,522,334 | 24 c |
| Buried Cable | 2423 | 495,108,898 | 37,673,000 | 25 c |
| Submarine Cable | 2424 | 126,759 | 2,160 | 26 c |
| Deep Sea Cable | 2425 | 0 | 0 | 27 |
| Intrabuilding Network Cable | 2426 | 808,461 | 0 | 28 |
| Aerial Wire | 2431 | 4,955,179 | 208,684 | 29 c |
| Conduit Systems | 2441 | 21,406,810 | 1,710,999 | 30 c |
| TOTAL--CABLE WIRE FACILITIES ASSETS: | | 622,633,174 | 44,299,975 | |
| AMORTIZABLE ASSETS | | | | |
| Capital Leases | 2681 | 0 | 0 | 31 |

TELECOMMUNICATIONS PLANT IN SERVICE CLASS A & B (cont.)

| Account (e) | Retirements (f) | Transfers / Adjustments (g) | Balance EOY (h) | |
|------------------------|----------------------------|--|--------------------------------|------|
| 2111 | 0 | (91,962) | 2,567,301 | 1 C |
| 2112 | 709,442 | (84,947) | 13,124,112 | 2 C |
| 2113 | 0 | 0 | 0 | 3 |
| 2114 | 0 | 0 | 0 | 4 |
| 2115 | 69,317 | (1) | 324,777 | 5 C |
| 2116 | 1,251,238 | (106,048) | 14,256,653 | 6 C |
| 2121 | 798,662 | (74,252) | 54,337,380 | 7 C |
| 2122 | 0 | 0 | 476,622 | 8 |
| 2123 | 982,876 | 253,486 | 8,856,929 | 9 C |
| 2124 | 55,766 | 0 | 8,788,784 | 10 |
| | 3,867,301 | (103,724) | 102,732,558 | |
| 2211 | 0 | 5,312 | 5,312 | 11 C |
| 2212 | 6,075,442 | (741,829) | 234,973,280 | 12 C |
| 2215 | 4 | 2 | 0 | 13 C |
| 2220 | 0 | (134,359) | 227,186 | 14 C |
| 2231 | 334,118 | 9,158 | 2,250,292 | 15 C |
| 2232 | 7,211,519 | 1,055,988 | 209,702,488 | 16 C |
| | 13,621,083 | 194,272 | 447,158,558 | |
| 2311 | 1,051,545 | (1) | 465,624 | 17 C |
| 2321 | 0 | 0 | 0 | 18 |
| 2341 | 248,891 | 0 | 0 | 19 |
| 2351 | 631,405 | 0 | 550,612 | 20 |
| 2362 | 3,346,711 | 0 | 13,937,714 | 21 |
| | 5,278,552 | (1) | 14,953,950 | |
| 2411 | 268,980 | (430) | 12,748,880 | 22 C |
| 2421 | 2,152,053 | 10,255 | 63,626,210 | 23 C |
| 2422 | 294,558 | (7,104) | 25,844,239 | 24 C |
| 2423 | 7,300,381 | (15,325) | 525,466,192 | 25 C |
| 2424 | 1,472 | (4,527) | 122,920 | 26 C |
| 2425 | 0 | 0 | 0 | 27 |
| 2426 | 8,484 | 0 | 799,977 | 28 |
| 2431 | 55,987 | (95) | 5,107,781 | 29 C |
| 2441 | 251,380 | (1,819) | 22,864,610 | 30 C |
| | 10,333,295 | (19,045) | 656,580,809 | |
| 2681 | 0 | 0 | 0 | 31 |

TELECOMMUNICATIONS PLANT IN SERVICE CLASS A & B

| Plant Account (a) | Account (b) | Balance FOY (c) | Additions (d) | |
|--|------------------------|--------------------------------|--------------------------|-------------|
| AMORTIZABLE ASSETS | | | | |
| Leasehold Improvements | 2682 | 278,395 | 0 | 32 c |
| Intangibles | 2690 | 0 | 10,118,900 | 33 |
| TOTAL--AMORTIZABLE ASSETS: | | 278,395 | 10,118,900 | |
| TOTAL TELECOM. PLANT IN SERVICE | 2001 | 1,168,201,427 | 96,650,472 | |
| Less: Allocation to Nonregulated Activity - EOY | 2001 | | | 34 |
| NET REG. TOTAL TELE. PLANT IN SERV. - EOY | 2001 | | | |

Explain all amounts shown in column (g).

TELECOMMUNICATIONS PLANT IN SERVICE CLASS A & B (cont.)

| Account (e) | Retirements (f) | Transfers / Adjustments (g) | Balance EOY (h) | |
|------------------------|----------------------------|--|--------------------------------|-------------|
| 2682 | 22,558 | 16,814 | 272,651 | 32 c |
| 2690 | 0 | 0 | 10,118,900 | 33 |
| | 22,558 | 16,814 | 10,391,551 | |
| | 33,122,789 | 88,316 | 1,231,817,426 | |
| 2001 | | | 2,358,088 | 34 |
| | | | 1,229,459,338 | |

TELECOMMUNICATIONS PLANT IN SERVICE CLASS A & B (SUB-CLASS ACCOUNTS)

Report telecommunications plant data for each subaccount where primary plant accounts have subclassifications. Amounts pertaining to subaccount 2212.4, Test Equipment, should be reported in account 2212.2, Digital Switching - Central Office; amounts for subaccounts 2231.3, Microwave, 2231.4, Cellular, 2231.5, Mobile Radio, and 2231.6, Paging, should be included in 2231.2, Other Radio Facilities; amounts pertaining to subaccounts 2232.4, Digital Data Services, 2232.5, Digital Circuit - Subscriber, 2232.6, Digital Circuit - Trunk - Toll, and 2232.7, Concentrators, should be reported in 2232.1, Digital Circuit Equipment. Any other separate accounting for telephone plant at an individual telephone company should be consolidated and reported in the primary accounts as defined in the uniform system of accounts.

| Plant Subaccount (a) | Subaccount (b) | Balance FOY (c) | Additions (d) | |
|--|---------------------------|--------------------------------|--------------------------|-------------|
| Office Support Equipment | 2123.1 | 495,265 | 3,731 | 1 |
| Company Communications Equipment | 2123.2 | 8,655,389 | 431,934 | 2 H |
| Software | 2212.1 | 230,968,924 | 10,821,627 | 3 H |
| Digital Switching - Central Office | 2212.2 | 0 | 0 | 4 |
| Digital Switching - Remote | 2212.3 | 0 | 0 | 5 |
| Step by Step Switching | 2215.1 | 2 | 0 | 6 H |
| Crossbar Switching | 2215.2 | 0 | 0 | 7 |
| Satellite and Earth Station Facilities | 2231.1 | 0 | 0 | 8 |
| Other Radio Facilities | 2231.2 | 2,547,191 | 28,061 | 9 H |
| Digital Circuit Equipment | 2232.1 | 26,387,577 | 145,938 | 10 H |
| Analog Circuit Equipment | 2232.2 | 163,212,402 | 26,112,101 | 11 H |
| Light Wave Circuit Equipment | 2232.3 | 0 | 0 | 12 |
| Aerial Cable - Nonmetallic | 2421.1 | 59,063,678 | 2,541,776 | 13 H |
| Aerial Cable - Metallic | 2421.2 | 3,819,543 | 343,011 | 14 H |
| Underground Cable - Nonmetallic | 2422.1 | 21,936,718 | 1,402,321 | 15 H |
| Underground Cable - Metallic | 2422.2 | 2,686,849 | 120,013 | 16 |
| Buried Cable - Nonmetallic | 2423.1 | 455,834,706 | 34,017,793 | 17 H |
| Buried Cable - Metallic | 2423.2 | 39,274,192 | 3,655,205 | 18 H |
| Submarine Cable - Nonmetallic | 2424.1 | 122,231 | 2,160 | 19 H |
| Submarine Cable - Metallic | 2424.2 | 4,528 | 0 | 20 H |
| Intrabuilding Cable - Nonmetallic | 2426.1 | 800,402 | 0 | 21 |
| Intrabuilding Cable - Metallic | 2426.2 | 8,059 | 0 | 22 |

Explain all amounts shown in column (g).

TELECOMMUNICATIONS PLANT IN SERVICE CLASS A & B (SUB-CLASS ACCOUNTS)
(cont.)

| Subaccount (e) | Retirements (f) | Transfers / Adjustments (g) | Balance EOY (h) | |
|---------------------------|----------------------------|--|--------------------------------|-------------|
| 2123.1 | 77,112 | 0 | 421,884 | 1 |
| 2123.2 | 905,764 | 253,486 | 8,435,045 | 2 H |
| 2212.1 | 6,075,442 | (741,829) | 234,973,280 | 3 H |
| 2212.2 | 0 | 0 | 0 | 4 |
| 2212.3 | 0 | 0 | 0 | 5 |
| 2215.1 | 4 | 2 | 0 | 6 H |
| 2215.2 | 0 | 0 | 0 | 7 |
| 2231.1 | 0 | 0 | 0 | 8 |
| 2231.2 | 334,118 | 9,158 | 2,250,292 | 9 H |
| 2232.1 | 1,293,474 | (118,792) | 25,121,249 | 10 H |
| 2232.2 | 5,918,045 | 1,174,780 | 184,581,238 | 11 H |
| 2232.3 | 0 | 0 | 0 | 12 |
| 2421.1 | 2,047,383 | 12,887 | 59,570,958 | 13 H |
| 2421.2 | 104,670 | (2,632) | 4,055,252 | 14 H |
| 2422.1 | 272,334 | (7,104) | 23,059,601 | 15 H |
| 2422.2 | 22,224 | 0 | 2,784,638 | 16 |
| 2423.1 | 7,012,795 | (25,561) | 482,814,143 | 17 H |
| 2423.2 | 287,586 | 10,236 | 42,652,047 | 18 H |
| 2424.1 | 1,472 | 1 | 122,920 | 19 H |
| 2424.2 | 0 | (4,528) | 0 | 20 H |
| 2426.1 | 8,484 | 0 | 791,918 | 21 |
| 2426.2 | 0 | 0 | 8,059 | 22 |

ACCUMULATED DEPRECIATION CLASS A & B

| Primary Plant Account (a) | Acct (b) | Balance FOY (c) | Depr Rate (d) | Annual Accrual (e) | Additional Accrual (f) |
|---|----------|--------------------|---------------|--------------------|------------------------|
| GENERAL SUPPORT ASSETS | | | | | |
| Motor Vehicles | 2112 | 10,709,890 | 11.3 | 1,505,329 | 0 1c |
| Aircraft | 2113 | 0 | .0 | 0 | 0 2 |
| Special Purpose Vehicles | 2114 | 0 | .0 | 0 | 0 3 |
| Garage Work Equipment | 2115 | 316,131 | 10.0 | 31,813 | 0 4 |
| Other Work Equipment | 2116 | 9,874,691 | 10.0 | 1,456,314 | 0 5c |
| Buildings | 2121 | 18,194,363 | 3.3 | 1,787,163 | 0 6c |
| Furniture | 2122 | 330,598 | 10.0 | 39,344 | 0 7 |
| Office Equipment | 2123 | 8,376,716 | 10.0 | 381,649 | 0 8c |
| General Purpose Computers | 2124 | 3,952,254 | 20.0 | 1,731,682 | 0 9c |
| Total-- GENERAL SUPPORT ASSETS | | 51,754,643 | | 6,933,294 | 0 |
| CENTRAL OFFICE ASSETS | | | | | |
| Analog Electronic Switching | 2211 | 0 | .0 | 0 | 0 10 |
| Digital Electronic Switching | 2212 | 134,388,888 | 10.0 | 23,245,750 | 0 11c |
| Electro-Mechanical Switching | 2215 | (3,685) | .0 | 0 | 0 12c |
| Operator Systems | 2220 | 118,519 | 10.0 | 24,986 | 0 13c |
| Radio Systems | 2231 | 2,586,944 | 10.0 | 13,248 | 0 14c |
| Circuit Equipment | 2232 | 98,537,525 | 12.5 | 24,636,071 | 0 15c |
| Total-- CENTRAL OFFICE ASSETS | | 235,628,191 | | 47,920,055 | 0 |
| INFORMATION ORIG/TERM ASSETS | | | | | |
| Station Apparatus | 2311 | 1,171,065 | .0 | 248,678 | 0 16 |
| Customer Premises Wiring | 2321 | 0 | .0 | 0 | 0 17 |
| Large Private Branch Exchanges | 2341 | 248,891 | .0 | 0 | 0 18 |
| Public Telephone Terminal Equipment | 2351 | 946,250 | .0 | 148,857 | 0 19 |
| Other Terminal Equipment | 2362 | 8,945,135 | 20.0 | 2,839,689 | 0 20c |
| Total-- INFORMATION ORIG/TERM ASSETS | | 11,311,341 | | 3,237,224 | 0 |
| CABLE WIRE FACILITIES ASSETS | | | | | |
| Poles | 2411 | 11,010,522 | 6.0 | 764,091 | 0 21c |
| Aerial Cable | 2421 | 53,411,470 | 7.11 | 4,548,575 | 0 22c |
| Underground Cable | 2422 | 13,816,341 | 7.1 | 1,786,404 | 0 23c |
| Buried Cable | 2423 | 296,177,292 | 7.16 | 36,416,309 | 0 24c |
| Submarine Cable | 2424 | 107,604 | 7.3 | 9,080 | 0 25c |
| Deep Sea Cable | 2425 | 0 | .0 | 0 | 0 26 |
| Intrabuilding Network Cable | 2426 | 708,451 | 7.3 | 58,768 | 0 27c |
| Aerial Wire | 2431 | 8,936,733 | 7.3 | 35 | 0 28 |

ACCUMULATED DEPRECIATION CLASS A & B (cont.)

| Acct (g) | Retired (h) | Cost of Removal (i) | Salvage (j) | Other (k) | Balance EOY (l) | |
|---------------------|------------------------|------------------------------------|------------------------|----------------------|--------------------------------|-------------|
| 2112 | 709,442 | 0 | 52,942 | 1,386 | 11,560,105 | 1 c |
| 2113 | 0 | 0 | 0 | 0 | 0 | 2 |
| 2114 | 0 | 0 | 0 | 0 | 0 | 3 |
| 2115 | 69,317 | 0 | 0 | 0 | 278,627 | 4 |
| 2116 | 1,251,238 | 0 | 2,030 | (74,435) | 10,007,362 | 5 c |
| 2121 | 798,662 | 139,443 | 0 | 111,547 | 19,154,968 | 6 c |
| 2122 | 0 | 0 | 0 | 0 | 369,942 | 7 |
| 2123 | 982,876 | 0 | 580 | (1,932) | 7,774,137 | 8 c |
| 2124 | 55,766 | 0 | 0 | (159) | 5,628,011 | 9 c |
| | 3,867,301 | 139,443 | 55,552 | 36,407 | 54,773,152 | |
| 2211 | 0 | 0 | 0 | 0 | 0 | 10 |
| 2212 | 6,075,442 | 64,432 | 3,893 | (291,191) | 151,207,466 | 11 c |
| 2215 | 4 | 0 | 0 | 3,689 | 0 | 12 c |
| 2220 | 0 | 0 | 0 | (34) | 143,471 | 13 c |
| 2231 | 334,118 | 7,187 | 0 | 8,752 | 2,267,639 | 14 c |
| 2232 | 7,211,519 | 1,737,541 | 1,182,228 | (365,740) | 115,041,024 | 15 c |
| | 13,621,083 | 1,809,160 | 1,186,121 | (644,524) | 268,659,600 | |
| 2311 | 1,051,545 | 0 | 0 | 0 | 368,198 | 16 |
| 2321 | 0 | 0 | 0 | 0 | 0 | 17 |
| 2341 | 248,891 | 0 | 0 | 0 | 0 | 18 |
| 2351 | 631,405 | 0 | 0 | 0 | 463,702 | 19 |
| 2362 | 3,346,711 | 4,728 | 0 | (160,200) | 8,273,185 | 20 c |
| | 5,278,552 | 4,728 | 0 | (160,200) | 9,105,085 | |
| 2411 | 268,980 | 85,120 | 4,470 | (236) | 11,424,747 | 21 c |
| 2421 | 2,152,053 | 253,366 | 25,647 | (1,782) | 55,578,491 | 22 c |
| 2422 | 294,558 | 26,744 | 0 | (4,896) | 15,276,547 | 23 c |
| 2423 | 7,300,381 | 277,026 | 5,348 | (2,059) | 325,019,483 | 24 c |
| 2424 | 1,472 | 45 | 0 | (3,958) | 111,209 | 25 c |
| 2425 | 0 | 0 | 0 | 0 | 0 | 26 |
| 2426 | 8,484 | 0 | 0 | (28) | 758,707 | 27 c |
| 2431 | 55,987 | 60,001 | 0 | 0 | 8,820,780 | 28 |

ACCUMULATED DEPRECIATION CLASS A & B

| Primary Plant Account (a) | Acct (b) | Balance FOY (c) | Depr Rate (d) | Annual Accrual (e) | Additional Accrual (f) |
|---|---------------------|--------------------------------|------------------------------|-----------------------------------|---------------------------------------|
| CABLE WIRE FACILITIES ASSETS | | | | | |
| Conduit Systems | 2441 | 5,826,235 | 2.8 | 625,088 | 0 29c |
| Total-- CABLE WIRE FACILITIES ASSETS | | 389,994,648 | | 44,208,350 | 0 |
| Total Accumulated Depreciation | 3100 | 688,688,823 | | 102,298,923 | 0 |
| Less: Allocation to Nonregulated Activity - Columns e, f and I | 3100 | | | 610,427 | 0 30 |
| Net Regulated Total Accum Depreciation - 3100 Columns e, f and I | | | | 101,688,496 | 0 |

ACCUMULATED DEPRECIATION CLASS A & B (cont.)

| Acct (g) | Retired (h) | Cost of Removal (i) | Salvage (j) | Other (k) | Balance EOY (l) | |
|---------------------|------------------------|------------------------------------|------------------------|----------------------|--------------------------------|-------------|
| 2441 | 251,380 | 311 | 0 | 1 | 6,199,633 | 29 c |
| | 10,333,295 | 702,613 | 35,465 | (12,958) | 423,189,597 | |
| 3100 | 33,100,231 | 2,655,944 | 1,277,138 | (781,275) | 755,727,434 | |
| 3100 | | | | | 1,333,292 | 30 |
| 3100 | | | | | 754,394,142 | |

ACCUMULATED DEPRECIATION CLASS A & B (SUB-CLASS ACCOUNTS)

Where subclassifications of primary plant accounts are used, report below the accumulated depreciation details for each subaccount. Amounts pertaining to subaccount 2212.4, Test Equipment, should be reported in account 2212.2, Digital Switching - Central Office; amounts for subaccounts 2231.3, Microwave, 2231.4, Cellular, 2231.5, Mobile Radio, and 2231.6, Paging, should be included in 2231.2, Other Radio Facilities; amounts pertaining to subaccounts 2232.4, Digital Data Services, 2232.5, Digital Circuit - Subscriber, 2232.6, Digital Circuit - Trunk - Toll, and 2232.7, Concentrators, should be reported in 2232.1, Digital Circuit Equipment. Any other separate accounting for telephone accumulated depreciation at an individual telephone company should be consolidated and reported in the primary accounts as defined in the uniform system of accounts.

| Plant Subaccount (a) | Subacct (b) | Balance FOY (c) | Depr Rate (d) | Annual Accrual (e) | Additional Accrual (f) | |
|--|------------------------|--------------------------------|------------------------------|-----------------------------------|---------------------------------------|-------------|
| Office Support Equipment | 2123.1 | 78,044 | 10.0 | 51,868 | 0 | 1 G |
| Company Communications Equipment | 2123.2 | 8,298,672 | 10.0 | 329,781 | 0 | 2 G |
| Software | 2212.1 | 134,388,888 | 10.0 | 23,245,750 | 0 | 3 G |
| Digital Switching - Central Office | 2212.2 | 0 | .0 | 0 | 0 | 4 |
| Digital Switching - Remote | 2212.3 | 0 | .0 | 0 | 0 | 5 |
| Step by Step Switching | 2215.1 | (3,685) | .0 | 0 | 0 | 6 G |
| Crossbar Switching | 2215.2 | 0 | .0 | 0 | 0 | 7 |
| Satellite and Earth Station Facilities | 2231.1 | 0 | .0 | 0 | 0 | 8 |
| Other Radio Facilities | 2231.2 | 2,586,944 | 10.0 | 13,248 | 0 | 9 G |
| Digital Circuit Equipment | 2232.1 | 14,770,593 | 12.5 | 3,198,232 | 0 | 10 G |
| Analog Circuit Equipment | 2232.2 | 83,766,932 | 12.5 | 21,437,839 | 0 | 11 G |
| Light Wave Circuit Equipment | 2232.3 | 0 | .0 | 0 | 0 | 12 |
| Aerial Cable - Nonmetallic | 2421.1 | 52,533,476 | 7.3 | 4,333,382 | 0 | 13 G |
| Aerial Cable - Metallic | 2421.2 | 877,994 | 5.5 | 215,193 | 0 | 14 |
| Underground Cable - Nonmetallic | 2422.1 | 13,226,251 | 7.3 | 1,635,885 | 0 | 15 G |
| Underground Cable - Metallic | 2422.2 | 590,090 | 5.5 | 150,519 | 0 | 16 G |
| Buried Cable - Nonmetallic | 2423.1 | 284,836,484 | 7.3 | 34,175,766 | 0 | 17 G |
| Buried Cable - Metallic | 2423.2 | 11,340,808 | 5.5 | 2,240,543 | 0 | 18 G |
| Submarine Cable - Nonmetallic | 2424.1 | 103,631 | 7.3 | 8,938 | 0 | 19 G |
| Submarine Cable - Metallic | 2424.2 | 3,973 | 7.3 | 142 | 0 | 20 G |
| Intrabuilding Cable - Nonmetallic | 2426.1 | 698,064 | 7.3 | 58,180 | 0 | 21 G |
| Intrabuilding Cable - Metallic | 2426.2 | 10,387 | 7.3 | 588 | 0 | 22 |

ACCUMULATED DEPRECIATION CLASS A & B (SUB-CLASS ACCOUNTS) (cont.)

| Subacct (g) | Retired (h) | Cost of Removal (i) | Salvage (j) | Other (k) | Balance EOY (l) | |
|------------------------|------------------------|------------------------------------|------------------------|----------------------|--------------------------------|-------------|
| 2123.1 | 77,112 | 0 | 580 | 1,732 | 55,112 | 1 G |
| 2123.2 | 905,764 | 0 | 0 | (3,664) | 7,719,025 | 2 G |
| 2212.1 | 6,075,442 | 64,432 | 3,893 | (291,191) | 151,207,466 | 3 G |
| 2212.2 | 0 | 0 | 0 | 0 | 0 | 4 |
| 2212.3 | 0 | 0 | 0 | 0 | 0 | 5 |
| 2215.1 | 4 | 0 | 0 | 3,689 | 0 | 6 G |
| 2215.2 | 0 | 0 | 0 | 0 | 0 | 7 |
| 2231.1 | 0 | 0 | 0 | 0 | 0 | 8 |
| 2231.2 | 334,118 | 7,187 | 0 | 8,752 | 2,267,639 | 9 G |
| 2232.1 | 1,293,474 | 1,540,209 | 999,150 | (58,838) | 16,075,454 | 10 G |
| 2232.2 | 5,918,045 | 197,332 | 183,078 | (306,902) | 98,965,570 | 11 G |
| 2232.3 | 0 | 0 | 0 | 0 | 0 | 12 |
| 2421.1 | 2,047,383 | 251,894 | 25,647 | (1,782) | 54,591,446 | 13 G |
| 2421.2 | 104,670 | 1,472 | 0 | 0 | 987,045 | 14 |
| 2422.1 | 272,334 | 26,392 | 0 | (2,275) | 14,561,135 | 15 G |
| 2422.2 | 22,224 | 352 | 0 | (2,621) | 715,412 | 16 G |
| 2423.1 | 7,012,795 | 271,480 | 5,348 | (10,310) | 311,723,013 | 17 G |
| 2423.2 | 287,586 | 5,546 | 0 | 8,251 | 13,296,470 | 18 G |
| 2424.1 | 1,472 | 45 | 0 | 46 | 111,098 | 19 G |
| 2424.2 | 0 | 0 | 0 | (4,004) | 111 | 20 G |
| 2426.1 | 8,484 | 0 | 0 | (28) | 747,732 | 21 G |
| 2426.2 | 0 | 0 | 0 | 0 | 10,975 | 22 |

RETAINED EARNINGS (ACCT. 4550)

| Particulars (a) | This Year (b) | Last Year (c) | |
|--|------------------|------------------|-----|
| Balance-First of Year | 0 | 0 | 1 a |
| Changes: | | | |
| Balance Transferred from Income | 44,921,645 | 15,575,158 | 2 |
| Dividends Declared: | | | |
| Common | | 0 | 3 |
| Preferred | | 0 | 4 |
| Total Dividends Declared | 0 | 0 | |
| Miscellaneous Debits to Retained Earnings | 44,921,645 | 15,575,158 | 5 |
| Miscellaneous Credits to Retained Earnings | | 0 | 6 |
| Balance--End of Year | 0 | 0 | |

REVENUES - CLASS A & B (CLASS B USE ACCOUNTS DESIGNATED BY *)

| Particulars (a) | This Year (b) | Last Year (c) | |
|---|--------------------|--------------------|------|
| LOCAL NETWORK SERVICES REVENUES | | | |
| Basic Local Service Revenue (5000)* | | | 1 |
| Basic Area Revenue (5001) | 135,304,823 | 126,354,564 | 2 |
| Optional Extended Area Revenue (5002) | 17,601 | (6,410) | 3 |
| Cellular Mobile Revenue (5003) | 0 | 0 | 4 |
| Other Mobile Services Revenue (5004) | (5,558) | (13) | 5 |
| Public Telephone Revenue (5010) | 0 | 0 | 6 |
| Local Private Line Revenue (5040) | 746,262 | 726,783 | 7 |
| Customer Premises Revenue (5050) | 6,332 | 0 | 8 |
| Other Local Exchange Revenue (5060) | 20,318,404 | 17,335,625 | 9 |
| Other Local Exchange Revenue Settlements (5069) | 0 | 0 | 10 |
| TOTAL BASIC LOCAL SERVICE REVENUE (5000) | 156,387,864 | 144,410,549 | |
| NETWORK INTERSTATE ACCESS SERVICES REV. | | | |
| End User Revenue (5081)* | 27,147,966 | 24,938,406 | 11 |
| Switched Access Revenue (5082)* | 39,334,541 | 43,662,474 | 12 |
| Special Access Revenue (5083)* | 14,912,726 | 11,216,615 | 13 A |
| TOTAL INTERSTATE ACCESS REVENUES (5080) | 81,395,233 | 79,817,495 | |
| NETWORK INTRASTATE ACCESS SERVICES REV. | | | |
| End User Revenue (5084.1)* | (459) | (1,206) | 14 |
| Switched Access Revenue (5084.2)* | 20,182,276 | 20,620,916 | 15 |
| Special Access Revenue (5084.3)* | 23,447,129 | 14,276,561 | 16 A |
| TOTAL INTRASTATE ACCESS REVENUES (5084) | 43,628,946 | 34,896,271 | |
| LONG DISTANCE NETWORK SERVICES MESSAGE REV. | | | |
| Long Distance Message Revenue (5100)* | 14,707,212 | 17,943,542 | 17 |
| Long Distance Inward-Only Revenue (5111) | 15,684 | 121,490 | 18 A |
| Long Distance Outward-Only Revenue (5112) | 43,670 | 56,276 | 19 |
| Unidirectional Long Distance Revenue (5110) | 59,354 | 177,766 | |
| Long Distance Private Network Revenues | | | |
| Subvoice Grade Revenue (5121) | 0 | 0 | 20 |
| Voice Grade Revenue (5122) | 8,298 | 3,479 | 21 |
| Audio Program Grade Revenue (5123) | 0 | 0 | 22 |
| Video Program Grade Revenue (5124) | 0 | 0 | 23 |
| Digital Transmission Revenue (5125) | 0 | 3,955 | 24 |
| Switching Revenue (5126) | 0 | 0 | 25 |
| Other Revenue (5128) | 708 | 0 | 26 |
| Other Revenue Settlements (5129) | (111) | (75) | 27 |
| Total Long Distance Private Network Revenue | 8,895 | 7,359 | |
| Other Long Distance Revenue (5160) | 707,645 | 643,089 | 28 |
| Other Long Distance Revenue Settlements (5169) | 0 | 0 | 29 |
| TOTAL LONG DISTANCE NET. SERVICES MESSAGE REV. | 15,483,106 | 18,771,756 | |

REVENUES - CLASS A & B (CLASS B USE ACCOUNTS DESIGNATED BY *)

| Particulars (a) | This Year (b) | Last Year (c) | |
|---|--------------------|--------------------|-------------|
| MISCELLANEOUS REVENUES | | | |
| Directory Revenue (5230)* | 22,912,039 | 24,775,090 | 30 |
| Rent Revenue (5240)* | 1,588,890 | 2,354,344 | 31 A |
| Corporate Operations Revenue (5250)* | 389 | 2,113 | 32 |
| Miscellaneous: | | | |
| Miscellaneous Revenue (5260)* | | | 33 |
| Special Billing Arrangements Revenue (5261) | 20,717 | 22,343 | 34 |
| Customer Operations Revenue (5262) | 1,520,772 | 1,216,525 | 35 A |
| Plant Operations Revenue (5263) | 3,730 | 41,108 | 36 |
| Other Incidental Regulated Revenue (5264) | 208,671 | 187,434 | 37 |
| Other Revenue Settlements (5269) | 113 | 113 | 38 |
| Total Miscellaneous Revenue (5260) | 1,754,003 | 1,467,523 | |
| Interstate Billing and Collection Revenue* | 3,178,741 | 2,204,586 | 39 A |
| Intrastate Billing and Collection Revenue* | 2,794,171 | 3,059,948 | 40 |
| Total Carrier Billing and Collection Revenue (5270)* | 5,972,912 | 5,264,534 | |
| Nonregulated Operating Revenue (5280)** | 24,509,751 | 20,768,332 | 41 |
| TOTAL MISCELLANEOUS REVENUES | 56,737,984 | 54,631,936 | |
| GROSS OPERATING REVENUES | 353,633,133 | 332,528,007 | |
| UNCOLLECTIBLE REVENUES | | | |
| Uncollectible Revenue (5300)* | | | 42 |
| Uncollectible Revenue--Telecommunications (5301) | 3,080,921 | 3,585,403 | 43 |
| Uncollectible Revenue--Other (5302) | 404,426 | 352,691 | 44 |
| TOTAL UNCOLLECTIBLE REVENUE (5300) | 3,485,347 | 3,938,094 | |
| TOTAL OPERATING REVENUES | 350,147,786 | 328,589,913 | |

** Account 5280 is to be used only by those companies subject to dual jurisdiction.

EXPENSES - CLASS A & B

| Particulars (a) | Total This Year (b) | Total Last Year (c) | |
|--|---------------------------|---------------------------|-----------|
| PLANT SPECIFIC OPERATIONS EXPENSE | | | |
| Total Network Support Expense (6110) | 1,347,707 | 1,190,374 | 1 |
| Less: Nonregulated | 133,543 | 101,961 | 2 |
| Net Regulated | 1,214,164 | 1,088,413 | 3 |
| Total General Support Expense (6120) | 16,587,309 | 18,444,301 | 4 |
| Less: Nonregulated | 1,441,512 | 1,171,694 | 5 B |
| Net Regulated | 15,145,797 | 17,272,607 | 6 |
| Total Central Office Switching Expense (6210) | 7,299,621 | 11,721,692 | 7 |
| Less: Nonregulated | 1,012 | 206,855 | 8 B |
| Net Regulated | 7,298,609 | 11,514,837 | 9 |
| Total Operator Systems Expense (6220) | 47,052 | 67,305 | 10 |
| Less: Nonregulated | 0 | 0 | 11 |
| Net Regulated | 47,052 | 67,305 | 12 |
| Total Central Office Transmission Expenses (6230) | 2,184,428 | 1,958,023 | 13 |
| Less: Nonregulated | 1,082 | 539 | 14 |
| Net Regulated | 2,183,346 | 1,957,484 | 15 |
| Total Information Orig. / Term. Expense (6310) | 13,265,291 | 10,777,392 | 16 |
| Less: Nonregulated | 11,592,123 | 9,607,658 | 17 B |
| Net Regulated | 1,673,168 | 1,169,734 | 18 |
| Total Cable and Wire Fac. Expense (6410) | 16,636,939 | 17,369,433 | 19 |
| Less: Nonregulated | 462,789 | 911,794 | 20 B |
| Net Regulated | 16,174,150 | 16,457,639 | 21 |
| TOTAL PLANT SPECIFIC OPERATIONS EXPENSE | 57,368,347 | 61,528,520 | |
| Less: Nonregulated | 13,632,061 | 12,000,501 | |
| Net Regulated | 43,736,286 | 49,528,019 | |
| PLANT NONSPECIFIC OPERATIONS EXPENSE | | | |
| Total Other Property, Plant and Equip. Exp. (6510) | 412,418 | 408,806 | 22 |
| Less: Nonregulated | 51,043 | 48,641 | 23 |
| Net Regulated | 361,375 | 360,165 | 24 |
| Total Network Operations Expense (6530) | 13,939,844 | 16,173,520 | 25 |
| Less: Nonregulated | 1,301,946 | 1,418,055 | 26 |
| Net Regulated | 12,637,898 | 14,755,465 | 27 |
| Access Expense (6540) | 11,282,095 | 9,526,474 | 28 |
| Less: Nonregulated | 0 | 0 | 29 |
| Net Regulated | 11,282,095 | 9,526,474 | 30 |
| Total Depreciation and Amortization Expense (6560) | 104,462,315 | 94,411,825 | 31 |
| Less: Nonregulated | 618,170 | 848,204 | 32 B |
| Net Regulated | 103,844,145 | 93,563,621 | 33 |
| TOTAL PLANT NONSPECIFIC OPERATIONS EXP. | 130,096,672 | 120,520,625 | |
| Less: Nonregulated | 1,971,159 | 2,314,900 | |
| Net Regulated | 128,125,513 | 118,205,725 | |

EXPENSES - CLASS A & B

| Particulars (a) | Total This Year (b) | Total Last Year (c) | |
|--|---------------------------|---------------------------|-----------|
| CUSTOMER OPERATIONS EXPENSE | | | |
| Total Marketing (6610) | 11,027,952 | 14,665,930 | 34 |
| Less: Nonregulated | 1,838,312 | 3,713,961 | 35 B |
| Net Regulated | 9,189,640 | 10,951,969 | 36 |
| Total Services (6620) | 30,690,233 | 30,860,701 | 37 |
| Less: Nonregulated | 1,532,522 | 1,479,708 | 38 |
| Net Regulated | 29,157,711 | 29,380,993 | 39 |
| TOTAL CUSTOMER OPERATIONS EXPENSE | 41,718,185 | 45,526,631 | |
| Less: Nonregulated | 3,370,834 | 5,193,669 | |
| Net Regulated | 38,347,351 | 40,332,962 | |
| CORPORATE OPERATIONS EXPENSE | | | |
| Total Exec. and Planning (6710) | 890,142 | 1,465,119 | 40 |
| Less: Nonregulated | 53,819 | 56,996 | 41 B |
| Net Regulated | 836,323 | 1,408,123 | 42 |
| Total General and Administrative (6720) | 9,600,999 | 28,682,749 | 43 |
| Less: Nonregulated | 563,569 | 1,850,005 | 44 B |
| Net Regulated | 9,037,430 | 26,832,744 | 45 |
| Provision for Uncollectible Notes Receiv. (6790) | 3,667 | 700 | 46 |
| Less: Nonregulated | 0 | 0 | 47 |
| Net Regulated | 3,667 | 700 | 48 |
| TOTAL CORPORATE OPERATIONS EXPENSE | 10,494,808 | 30,148,568 | |
| Less: Nonregulated | 617,388 | 1,907,001 | |
| Net Regulated | 9,877,420 | 28,241,567 | |
| TOTAL EXPENSES | 239,678,012 | 257,724,344 | |
| Less: Nonregulated | 19,591,442 | 21,416,071 | |
| Net Regulated | 220,086,570 | 236,308,273 | |

EXPENSES - CLASS A & B (DETAIL)

| Particulars (a) | Total This Year (b) | Total Last Year (c) | |
|---|------------------------------------|------------------------------------|------------|
| Property Held for Future Tele. Use Exp. (6511) | 0 | 0 | 1 |
| Provisioning Expense (6512) | 412,418 | 408,806 | 2 |
| Total: Reported in Account 6510 | 412,418 | 408,806 | |
| Depreciat. Exp.--Tele. Plant in Service (6561) | 102,298,923 | 94,172,310 | 3 B |
| Depreciat. Exp.--Prop. Held for Future Tele. Use (6562) | 0 | 0 | 4 |
| Amortization Expense--Tangible (6563) | 305,595 | 239,515 | 5 |
| Amortization Expense--Intangible (6564) | 1,857,770 | 0 | 6 B |
| Amortization Expense--Other (6565) | 27 | 0 | 7 |
| Total: Reported in Account 6560 | 104,462,315 | 94,411,825 | |

CALCULATION OF ASSESSABLE REVENUES FOR REMAINDER AND TELEPHONE RELAY ASSESSMENT PURPOSES

Currently, cooperatives are not billed for remainder assessment, but are subject to the telephone relay assessment.

| Description (a) | This Year (b) | |
|--|---------------------------|-----|
| Gross Operating Revenues | 353,633,133 | 1 |
| Plus: Collection of amounts previously written off | 1,879,836 | 2 |
| Less: Uncollectibles written off during the year | 7,901,213 | 3 |
| Plus: Total Other Operating Income and (Expense) (7100) | (16,031) | 4 |
| Less: Nonregulated Operating Revenue (included in Gross Oper. Rev. on Line 1) | 24,509,751 | 5 |
| Plus: Nonregulated Net Write Off Amount (included on lines 2 and 3) | 175,456 | 6 |
| Less: Out-of-State Operating Revenues (included in Gross Oper. Rev. on Line 1) | | 7 |
| Plus (or Less) Other (please specify): Plus 1998 Nonregulated Net Writeoff Amount | 112,632 | 8 K |
| Assessable Revenues for Remainder and Telephone Relay Assessment Purposes | <u>323,374,062</u> | |

CALCULATION OF ASSESSABLE REVENUES FOR UNIVERSAL SERVICE FUND ASSESSMENT PURPOSES

| Description (a) | This Year (b) | |
|---|---------------------------|-----|
| Total Basic Local Service Revenue (5000) | 156,387,864 | 1 |
| Plus: Total Intrastate Access Revenues (5084) | 43,628,946 | 2 |
| Plus: Total Long Distance Network Services Revenue | 15,483,106 | 3 o |
| Less: Out-of-State Operating Revenues (included in the above lines) | | 4 |
| Plus: Intrastate Payphone Revenues | 2,217,036 | 5 o |
| Plus (or Less) Other (please specify): None | 0 | 6 |
| Assessable Revenues for Universal Service Fund Assessment Purposes | <u>217,716,952</u> | |

CALCULATION OF ASSESSABLE REVENUES FOR REMAINDER AND TELEPHONE RELAY ASSESSMENT PURPOSES

Currently, cooperatives are not billed for remainder assessment, but are subject to the telephone relay assessment.

| Description (a) | This Year (b) | |
|--|---------------------------|-----|
| Gross Operating Revenues | 353,633,133 | 1 |
| Plus: Collection of amounts previously written off | 1,879,836 | 2 |
| Less: Uncollectibles written off during the year | 7,901,213 | 3 |
| Plus: Total Other Operating Income and (Expense) (7100) | (16,031) | 4 |
| Less: Nonregulated Operating Revenue (included in Gross Oper. Rev. on Line 1) | 24,509,751 | 5 |
| Plus: Nonregulated Net Write Off Amount (included on lines 2 and 3) | 175,456 | 6 |
| Less: Out-of-State Operating Revenues (included in Gross Oper. Rev. on Line 1) | | 7 |
| Plus (or Less) Other (please specify): Plus 1998 Nonregulated Net Writeoff Amount | 112,632 | 8 K |
| Assessable Revenues for Remainder and Telephone Relay Assessment Purposes | <u>323,374,062</u> | |

CALCULATION OF ASSESSABLE REVENUES FOR UNIVERSAL SERVICE FUND ASSESSMENT PURPOSES

| Description (a) | This Year (b) | |
|---|---------------------------|-----|
| Total Basic Local Service Revenue (5000) | 156,387,864 | 1 |
| Plus: Total Intrastate Access Revenues (5084) | 43,628,946 | 2 |
| Plus: Total Long Distance Network Services Revenue | 15,483,106 | 3 o |
| Less: Out-of-State Operating Revenues (included in the above lines) | | 4 |
| Plus: Intrastate Payphone Revenues | 2,217,036 | 5 o |
| Plus (or Less) Other (please specify): None | 0 | 6 |
| Assessable Revenues for Universal Service Fund Assessment Purposes | <u>217,716,952</u> | |

OTHER INCOME ACCOUNTS

| Particulars (a) | This Year (b) | Last Year (c) | |
|--|-------------------|-------------------|----|
| OTHER OPERATING INCOME AND EXPENSE | | | |
| Total Other Oper. Income and (Expense) (7100) | (16,031) | 85,483 | 1 |
| OPERATING TAXES | | | |
| Operating Investment Tax Credits--Net (7210) | (254,532) | (702,778) | 2 |
| Operating Federal Income Taxes (7220) | 17,331,847 | 31,937,327 | 3 |
| Operating State and Local Income Taxes (7230) | 4,877,916 | 9,492,906 | 4 |
| Operating Other Taxes (7240) | 16,281,708 | 16,129,289 | 5 |
| Provision for Deferred Operating Income Taxes--Net (7250) | 9,457,208 | (16,914,839) | 6 |
| TOTAL OPERATING TAXES (7200) | 47,694,147 | 39,941,905 | |
| NONOPERATING INCOME AND EXPENSE | | | |
| Dividend Income (7310) | 0 | 0 | 7 |
| Interest Income (7320) | 25,871 | 44,186 | 8 |
| Income from Sinking and Other Funds (7330) | 0 | 0 | 9 |
| Allowance for Funds Used During Construction (7340) | 461,535 | 521,685 | 10 |
| Gains or (Losses) from the Disposition of Certain Property (7350) | (4,133) | 569 | 11 |
| Other Nonoperating Income (7360) | (282,629) | 93,613 | 12 |
| Special Charges (7370) | 749,635 | (821,332) | 13 |
| TOTAL NONOPERATING INCOME AND EXPENSE (7300) | (548,991) | 1,481,385 | |
| NONOPERATING TAXES | | | |
| Total Nonoperating Taxes (7400) | (261,291) | 217,723 | 14 |
| INTEREST AND RELATED ITEMS | | | |
| Total Interest and Related Items (7500) | 17,550,251 | 16,728,384 | 15 |
| EXTRAORDINARY ITEMS | | | |
| Extraordinary Items (7600) | 0 | 30,733 | 16 |
| NONREGULATED NET INCOME | | | |
| Nonregulated Net Income (7990) | 0 | 0 | 17 |

NONREGULATED ACTIVITIES

List the type of nonregulated activities that the company is involved in.

| Nonregulated Activity | |
|---------------------------------|----|
| (a) | |
| 800 Data Base Services | 1 |
| Advanced Services Test Bed | 2 |
| Customer Premises Equipment | 3 |
| Educational Services | 4 |
| Enhanced Services | 5 |
| Equipment Services | 6 |
| Inside Wire Services | 7 |
| Network Services | 8 |
| Pay Phone Services | 9 |
| Sale of Central Office Products | 10 |
| Telemarketing | 11 |

TELEPHONE CALLS AND MINUTES OF USE PER MONTH

Enter average number, in thousands, of calls and minutes of use per month. The averages may be based on actual counts taken periodically during the year. Please provide level of detail available.

| Item (a) | Telephone Calls (000's) (b) | Minutes of Use (000's) (c) | |
|-------------------------------|-----------------------------------|----------------------------------|---|
| LOCAL | | | |
| Intra-Exchange | | | 1 |
| Extended Area Service | | | 2 |
| Extended Community Calling | | | 3 |
| Other Local-Undefined | 98,284 | 334,165 | 4 |
| Total Local | 98,284 | 334,165 | |
| TOLL | | | |
| Toll | 1,719 | 7,923 | 5 |
| Total Toll | 1,719 | 7,923 | |
| Total Local & Toll | 100,003 | 342,088 | |

ACCESS USAGE

Enter number, in thousands, of Billed Minutes.

| Description (a) | Billed Minutes (000's) | | | | |
|--------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|---|
| | Interstate InterLATA (b) | Intrastate InterLATA (c) | Intrastate IntraLATA (d) | Interstate IntraLATA (e) | |
| Feature Group A -- Orig. | 0 | 0 | 0 | 0 | 1 |
| Feature Group A -- Term. | 5,368 | 46 | 0 | 0 | 2 |
| Feature Group B -- Orig. | 1,046 | 44 | 4 | 1 | 3 |
| Feature Group B -- Term. | 2,564 | 1,042 | 118 | 29 | 4 |
| Feature Group C -- Orig. | 0 | 0 | 0 | 3 | 5 |
| Feature Group C -- Term. | 0 | 0 | 299,999 | 2 | 6 |
| Feature Group D -- Orig. | 661,642 | 352,847 | 223,348 | 345 | 7 |
| Feature Group D -- Term. | 510,557 | 330,149 | 162,825 | 429 | 8 |

OUTSIDE PLANT STATISTICS AT END OF YEAR

| Description of Item (a) | Amount (b) | |
|--------------------------------------|---------------|---|
| Sheath miles of plant - fiber optics | 2,983 | 1 |
| Strand miles of plant - fiber optics | 47,350 | 2 |
| Route miles of plant - microwave | 227 | 3 |

SPECIAL ACCESS CIRCUITS IN USE AT END OF YEAR

| Circuit Type (a) | InterLATA Chan. Terms. (b) | IntraLATA Chan. Terms. (c) | |
|---------------------|----------------------------------|----------------------------------|-----|
| Voice grade | 530 | 14,109 | 1 |
| 56 kbps | 1,544 | 2,577 | 2 |
| 64 kbps (DS0) | 0 | 0 | 3 P |
| 1.54 Mbps (DS-1) | 1,455 | 640 | 4 |
| 45 Mbps (DS-3) | 14 | 28 | 5 |
| SONET OC-1 | 0 | 0 | 6 |
| SONET OC-3 | 1 | 3 | 7 |
| SONET OC-12 | 0 | 0 | 8 |
| SONET OC-48 | 0 | 0 | 9 |
| SONET OC-192 | 0 | 0 | 10 |

OUTSIDE PLANT STATISTICS AT END OF YEAR

| Description of Item (a) | Amount (b) | |
|--------------------------------------|---------------|---|
| Sheath miles of plant - fiber optics | 2,983 | 1 |
| Strand miles of plant - fiber optics | 47,350 | 2 |
| Route miles of plant - microwave | 227 | 3 |

SPECIAL ACCESS CIRCUITS IN USE AT END OF YEAR

| Circuit Type (a) | InterLATA Chan. Terms. (b) | IntraLATA Chan. Terms. (c) | |
|---------------------|----------------------------------|----------------------------------|-----|
| Voice grade | 530 | 14,109 | 1 |
| 56 kbps | 1,544 | 2,577 | 2 |
| 64 kbps (DS0) | 0 | 0 | 3 P |
| 1.54 Mbps (DS-1) | 1,455 | 640 | 4 |
| 45 Mbps (DS-3) | 14 | 28 | 5 |
| SONET OC-1 | 0 | 0 | 6 |
| SONET OC-3 | 1 | 3 | 7 |
| SONET OC-12 | 0 | 0 | 8 |
| SONET OC-48 | 0 | 0 | 9 |
| SONET OC-192 | 0 | 0 | 10 |

SERVICE DATA

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | FOY (b) | EOY (c) | |
|--|----------------|----------------|-----------|
| Business | | | |
| 1 Party | 57,739 | 61,300 | 3 |
| 2 Party | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 7,153 | 7,082 | 6 |
| Centrex Trunks | 0 | 0 | 7 |
| Centrex Lines | 12,744 | 13,218 | 8 |
| Key System Trunks | 22,633 | 22,287 | 9 |
| Mobile (Utility Provided Service) | 0 | 0 | 10 |
| Paging (Utility Provided Service) | 0 | 0 | 11 |
| FX-Out (Switched) | 295 | 295 | 12 |
| Pay Telephone | 2,255 | 2,251 | 13 |
| Coin-Operated Pay Telephone | 273 | 249 | 14 |
| Independent Pay Telephone Provider | 1,840 | 1,924 | 15 |
| Pay Stations - Public | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 18 |
| Other | 10,474 | 19,935 | 19 |
| Total Business Lines | 115,406 | 128,541 | 20 |
| Residential (Incl. Emp. Concess.) | | | |
| 1 Party | 385,100 | 396,555 | 22 |
| 2 Party | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 25 |
| Other | 14 | 14 | 26 |
| Total Residential Lines | 385,114 | 396,569 | 27 |
| Total Bus & Res Lines | 500,520 | 525,110 | 28 |
| Company Used Lines | 10,108 | 11,635 | 29 |
| Total Lines Used | 510,628 | 536,745 | 30 |

SERVICE DATA (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | FOY (b) | EOY (c) | |
|--|---------------|---------------|-----------|
| Miscellaneous | | | |
| WATS Lines - OutWATS | 222 | 210 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 5 |
| Special Access-intraLATA | | | 6 |
| (expressed in equiv. access lines) | 44,344 | 56,910 | 7 |
| Special Access-interLATA | | | 8 |
| (expressed in equiv. access lines) | 32,535 | 48,418 | 9 |
| Feature Group A Lines | 17 | 12 | 10 |
| Feature Group B Trunks | 235 | 196 | 11 |
| Feature Group C Trunks | 25,993 | 27,414 | 12 |
| Feature Group D Trunks | 15,110 | 16,466 | 13 |
| TSPS - Trunks | 1,489 | 1,352 | 14 |
| EAS - Trunks | 9,253 | 13,233 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 687 | 1,026 | 16 |
| Video Distance Learning | | | 17 |
| - discounted (special tariff) | 104 | 118 | 18 |
| Customers | | | |
| Business - 2 Party Customers | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 23 |
| Other | | | |
| Total Central Office, Info. Orig./Term., & Cable | | | 25 |
| Wire Fac. Assets (based on physical location of plant) | 1,063,416,928 | 1,118,693,317 | 26 |
| Total Company Square Miles | 18,964 | 18,994 | 28 |
| Total Company Route Miles | 10,607 | 10,607 | 29 |
| Footnotes | | L | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 0020 | 0050 | 0070 | 0130 | 1 |
| Business | | | | | 2 |
| 1 Party | 604 | 307 | 63 | 1,301 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 88 | 11 | 0 | 80 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 0 | 0 | 8 |
| Key System Trunks | 219 | 114 | 19 | 688 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 1 | 3 | 0 | 1 | 12 |
| Pay Telephone | 26 | 6 | 3 | 39 | 13 |
| Coin-Operated Pay Telephone | 1 | 0 | 0 | 0 | 14 |
| Independent Pay Telephone Provider | 26 | 4 | 1 | 35 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 264 | 0 | 24 | 186 | 19 |
| Total Business Lines | 1,229 | 445 | 110 | 2,330 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 4,373 | 1,939 | 772 | 6,607 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 4,373 | 1,939 | 772 | 6,607 | 27 |
| Total Bus & Res Lines | 5,602 | 2,384 | 882 | 8,937 | 28 |
| Company Used Lines | 63 | 26 | 20 | 152 | 29 |
| Total Lines Used | 5,665 | 2,410 | 902 | 9,089 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 0160 | 0170 | 0190 | 0220 | 1 |
| Business | | | | | 2 |
| 1 Party | 331 | 83 | 114 | 108 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 41 | 0 | 0 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 0 | 71 | 8 |
| Key System Trunks | 157 | 20 | 33 | 22 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 1 | 0 | 4 | 12 |
| Pay Telephone | 22 | 0 | 0 | 2 | 13 |
| Coin-Operated Pay Telephone | 0 | 0 | 2 | 0 | 14 |
| Independent Pay Telephone Provider | 12 | 3 | 1 | 2 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 32 | 0 | 0 | 0 | 19 |
| Total Business Lines | 595 | 107 | 150 | 209 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 1,753 | 627 | 691 | 1,331 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 1,753 | 627 | 691 | 1,331 | 27 |
| Total Bus & Res Lines | 2,348 | 734 | 841 | 1,540 | 28 |
| Company Used Lines | 37 | 10 | 9 | 21 | 29 |
| Total Lines Used | 2,385 | 744 | 850 | 1,561 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 0240 | 0280 | 0300 | 0310 | 1 |
| Business | | | | | 2 |
| 1 Party | 153 | 156 | 129 | 162 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 19 | 6 | 2 | 2 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 23 | 0 | 8 |
| Key System Trunks | 56 | 52 | 48 | 60 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 12 |
| Pay Telephone | 0 | 0 | 0 | 6 | 13 |
| Coin-Operated Pay Telephone | 1 | 3 | 2 | 0 | 14 |
| Independent Pay Telephone Provider | 6 | 8 | 9 | 1 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 0 | 24 | 48 | 27 | 19 |
| Total Business Lines | 235 | 249 | 261 | 258 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 1,434 | 1,184 | 866 | 1,414 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 1,434 | 1,184 | 866 | 1,414 | 27 |
| Total Bus & Res Lines | 1,669 | 1,433 | 1,127 | 1,672 | 28 |
| Company Used Lines | 42 | 39 | 25 | 26 | 29 |
| Total Lines Used | 1,711 | 1,472 | 1,152 | 1,698 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 0340 | 0400 | 0410 | 0460 | 1 |
| Business | | | | | 2 |
| 1 Party | 128 | 181 | 225 | 50 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 84 | 5 | 0 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 48 | 0 | 0 | 22 | 8 |
| Key System Trunks | 51 | 52 | 69 | 13 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 7 | 1 | 0 | 12 |
| Pay Telephone | 29 | 6 | 0 | 0 | 13 |
| Coin-Operated Pay Telephone | 0 | 0 | 2 | 2 | 14 |
| Independent Pay Telephone Provider | 8 | 13 | 4 | 1 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 35 | 0 | 0 | 0 | 19 |
| Total Business Lines | 383 | 264 | 301 | 88 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 363 | 1,130 | 1,634 | 516 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 363 | 1,130 | 1,634 | 516 | 27 |
| Total Bus & Res Lines | 746 | 1,394 | 1,935 | 604 | 28 |
| Company Used Lines | 15 | 25 | 13 | 19 | 29 |
| Total Lines Used | 761 | 1,419 | 1,948 | 623 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 0500 | 0510 | 0520 | 0540 | 1 |
| Business | | | | | 2 |
| 1 Party | 152 | 128 | 124 | 1,058 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 0 | 4 | 5 | 177 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 15 | 48 | 0 | 0 | 8 |
| Key System Trunks | 22 | 34 | 44 | 376 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 1 | 15 | 0 | 12 |
| Pay Telephone | 16 | 0 | 2 | 56 | 13 |
| Coin-Operated Pay Telephone | 0 | 1 | 0 | 0 | 14 |
| Independent Pay Telephone Provider | 3 | 4 | 3 | 60 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 0 | 0 | 2 | 384 | 19 |
| Total Business Lines | 208 | 220 | 195 | 2,111 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 1,626 | 1,304 | 867 | 3,637 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 1,626 | 1,304 | 867 | 3,637 | 27 |
| Total Bus & Res Lines | 1,834 | 1,524 | 1,062 | 5,748 | 28 |
| Company Used Lines | 37 | 27 | 22 | 187 | 29 |
| Total Lines Used | 1,871 | 1,551 | 1,084 | 5,935 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 0550 | 0570 | 0670 | 0710 | 1 |
| Business | | | | | 2 |
| 1 Party | 117 | 2 | 144 | 33 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 7 | 0 | 0 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 0 | 11 | 8 |
| Key System Trunks | 39 | 0 | 72 | 2 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 12 |
| Pay Telephone | 5 | 0 | 0 | 4 | 13 |
| Coin-Operated Pay Telephone | 0 | 0 | 2 | 0 | 14 |
| Independent Pay Telephone Provider | 0 | 0 | 6 | 4 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 24 | 0 | 0 | 48 | 19 |
| Total Business Lines | 192 | 2 | 224 | 102 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 837 | 161 | 1,010 | 544 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 837 | 161 | 1,010 | 544 | 27 |
| Total Bus & Res Lines | 1,029 | 163 | 1,234 | 646 | 28 |
| Company Used Lines | 13 | 8 | 21 | 8 | 29 |
| Total Lines Used | 1,042 | 171 | 1,255 | 654 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 0720 | 0730 | 0740 | 0750 | 1 |
| Business | | | | | 2 |
| 1 Party | 252 | 1,068 | 289 | 99 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 6 | 190 | 31 | 1 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 37 | 0 | 161 | 0 | 8 |
| Key System Trunks | 71 | 367 | 65 | 9 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 1 | 0 | 0 | 12 |
| Pay Telephone | 12 | 54 | 0 | 1 | 13 |
| Coin-Operated Pay Telephone | 1 | 0 | 6 | 0 | 14 |
| Independent Pay Telephone Provider | 5 | 72 | 8 | 2 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 118 | 744 | 72 | 0 | 19 |
| Total Business Lines | 502 | 2,496 | 632 | 112 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 1,588 | 2,390 | 2,336 | 1,110 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 1,588 | 2,390 | 2,336 | 1,110 | 27 |
| Total Bus & Res Lines | 2,090 | 4,886 | 2,968 | 1,222 | 28 |
| Company Used Lines | 17 | 132 | 16 | 19 | 29 |
| Total Lines Used | 2,107 | 5,018 | 2,984 | 1,241 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 0830 | 0880 | 0900 | 0930 | 1 |
| Business | | | | | 2 |
| 1 Party | 70 | 416 | 314 | 114 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 0 | 2 | 4 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 0 | 0 | 8 |
| Key System Trunks | 9 | 135 | 102 | 17 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 5 | 6 | 0 | 12 |
| Pay Telephone | 0 | 10 | 10 | 4 | 13 |
| Coin-Operated Pay Telephone | 1 | 0 | 0 | 0 | 14 |
| Independent Pay Telephone Provider | 3 | 3 | 8 | 2 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 72 | 72 | 0 | 0 | 19 |
| Total Business Lines | 155 | 643 | 444 | 137 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 593 | 2,134 | 2,568 | 1,393 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 593 | 2,134 | 2,568 | 1,393 | 27 |
| Total Bus & Res Lines | 748 | 2,777 | 3,012 | 1,530 | 28 |
| Company Used Lines | 10 | 7 | 60 | 14 | 29 |
| Total Lines Used | 758 | 2,784 | 3,072 | 1,544 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 1010 | 1020 | 1030 | 1070 | 1 |
| Business | | | | | 2 |
| 1 Party | 137 | 63 | 61 | 526 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 0 | 0 | 1 | 64 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 2 | 91 | 8 |
| Key System Trunks | 60 | 8 | 19 | 259 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 1 | 2 | 0 | 1 | 12 |
| Pay Telephone | 4 | 1 | 0 | 33 | 13 |
| Coin-Operated Pay Telephone | 0 | 0 | 0 | 0 | 14 |
| Independent Pay Telephone Provider | 2 | 0 | 1 | 8 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 0 | 0 | 11 | 24 | 19 |
| Total Business Lines | 204 | 74 | 95 | 1,006 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 1,228 | 451 | 689 | 2,826 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 1 | 26 |
| Total Residential Lines | 1,228 | 451 | 689 | 2,827 | 27 |
| Total Bus & Res Lines | 1,432 | 525 | 784 | 3,833 | 28 |
| Company Used Lines | 19 | 10 | 19 | 43 | 29 |
| Total Lines Used | 1,451 | 535 | 803 | 3,876 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 1120 | 1140 | 1160 | 1170 | 1 |
| Business | | | | | 2 |
| 1 Party | 67 | 193 | 51 | 75 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 0 | 7 | 12 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 106 | 0 | 20 | 8 |
| Key System Trunks | 6 | 64 | 1 | 13 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 1 | 5 | 0 | 0 | 12 |
| Pay Telephone | 0 | 10 | 0 | 5 | 13 |
| Coin-Operated Pay Telephone | 0 | 0 | 3 | 0 | 14 |
| Independent Pay Telephone Provider | 1 | 7 | 0 | 1 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 0 | 0 | 0 | 0 | 19 |
| Total Business Lines | 75 | 392 | 67 | 114 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 1,062 | 1,471 | 367 | 774 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 1,062 | 1,471 | 367 | 774 | 27 |
| Total Bus & Res Lines | 1,137 | 1,863 | 434 | 888 | 28 |
| Company Used Lines | 34 | 24 | 19 | 39 | 29 |
| Total Lines Used | 1,171 | 1,887 | 453 | 927 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 1190 | 1210 | 1280 | 1390 | 1 |
| Business | | | | | 2 |
| 1 Party | 452 | 163 | 389 | 167 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 24 | 0 | 32 | 11 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 322 | 0 | 0 | 79 | 8 |
| Key System Trunks | 166 | 47 | 93 | 35 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 1 | 0 | 1 | 0 | 12 |
| Pay Telephone | 21 | 0 | 8 | 15 | 13 |
| Coin-Operated Pay Telephone | 0 | 2 | 0 | 0 | 14 |
| Independent Pay Telephone Provider | 16 | 6 | 5 | 7 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 48 | 0 | 0 | 0 | 19 |
| Total Business Lines | 1,050 | 218 | 528 | 314 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 3,045 | 1,450 | 2,798 | 991 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 1 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 3,046 | 1,450 | 2,798 | 991 | 27 |
| Total Bus & Res Lines | 4,096 | 1,668 | 3,326 | 1,305 | 28 |
| Company Used Lines | 37 | 36 | 81 | 71 | 29 |
| Total Lines Used | 4,133 | 1,704 | 3,407 | 1,376 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 1400 | 1410 | 1460 | 1500 | 1 |
| Business | | | | | 2 |
| 1 Party | 257 | 238 | 532 | 570 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 23 | 20 | 33 | 94 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 205 | 0 | 0 | 412 | 8 |
| Key System Trunks | 42 | 126 | 165 | 168 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 4 | 9 | 4 | 2 | 12 |
| Pay Telephone | 0 | 2 | 29 | 42 | 13 |
| Coin-Operated Pay Telephone | 2 | 0 | 0 | 0 | 14 |
| Independent Pay Telephone Provider | 18 | 2 | 17 | 19 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 93 | 0 | 864 | 400 | 19 |
| Total Business Lines | 644 | 397 | 1,644 | 1,707 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 1,765 | 1,487 | 3,404 | 2,713 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 1 | 0 | 1 | 0 | 26 |
| Total Residential Lines | 1,766 | 1,487 | 3,405 | 2,713 | 27 |
| Total Bus & Res Lines | 2,410 | 1,884 | 5,049 | 4,420 | 28 |
| Company Used Lines | 42 | 22 | 81 | 195 | 29 |
| Total Lines Used | 2,452 | 1,906 | 5,130 | 4,615 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 1590 | 1610 | 1650 | 1660 | 1 |
| Business | | | | | 2 |
| 1 Party | 1,327 | 44 | 162 | 116 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 79 | 0 | 0 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 0 | 66 | 8 |
| Key System Trunks | 507 | 0 | 59 | 20 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 0 | 1 | 3 | 12 |
| Pay Telephone | 0 | 2 | 7 | 4 | 13 |
| Coin-Operated Pay Telephone | 12 | 0 | 0 | 0 | 14 |
| Independent Pay Telephone Provider | 81 | 0 | 0 | 5 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 257 | 0 | 0 | 0 | 19 |
| Total Business Lines | 2,263 | 46 | 229 | 214 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 6,990 | 574 | 898 | 1,223 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 6,990 | 574 | 898 | 1,223 | 27 |
| Total Bus & Res Lines | 9,253 | 620 | 1,127 | 1,437 | 28 |
| Company Used Lines | 174 | 35 | 12 | 15 | 29 |
| Total Lines Used | 9,427 | 655 | 1,139 | 1,452 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 1670 | 1680 | 1720 | 1750 | 1 |
| Business | | | | | 2 |
| 1 Party | 489 | 501 | 214 | 106 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 51 | 29 | 32 | 2 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 162 | 0 | 6 | 0 | 8 |
| Key System Trunks | 141 | 128 | 80 | 38 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 1 | 0 | 3 | 12 |
| Pay Telephone | 15 | 0 | 23 | 0 | 13 |
| Coin-Operated Pay Telephone | 0 | 13 | 0 | 3 | 14 |
| Independent Pay Telephone Provider | 28 | 20 | 0 | 0 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 456 | 114 | 0 | 0 | 19 |
| Total Business Lines | 1,342 | 806 | 355 | 152 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 4,560 | 1,878 | 1,417 | 812 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 1 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 4,561 | 1,878 | 1,417 | 812 | 27 |
| Total Bus & Res Lines | 5,903 | 2,684 | 1,772 | 964 | 28 |
| Company Used Lines | 44 | 49 | 9 | 12 | 29 |
| Total Lines Used | 5,947 | 2,733 | 1,781 | 976 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 1770 | 1800 | 1830 | 1840 | 1 |
| Business | | | | | 2 |
| 1 Party | 132 | 90 | 70 | 146 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 0 | 0 | 0 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 0 | 0 | 8 |
| Key System Trunks | 31 | 28 | 5 | 46 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 0 | 0 | 2 | 12 |
| Pay Telephone | 0 | 2 | 0 | 0 | 13 |
| Coin-Operated Pay Telephone | 1 | 0 | 0 | 4 | 14 |
| Independent Pay Telephone Provider | 2 | 0 | 3 | 2 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 0 | 0 | 0 | 0 | 19 |
| Total Business Lines | 166 | 120 | 78 | 200 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 690 | 804 | 486 | 1,290 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 690 | 804 | 486 | 1,290 | 27 |
| Total Bus & Res Lines | 856 | 924 | 564 | 1,490 | 28 |
| Company Used Lines | 20 | 20 | 30 | 34 | 29 |
| Total Lines Used | 876 | 944 | 594 | 1,524 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 1930 | 1980 | 2030 | 2080 | 1 |
| Business | | | | | 2 |
| 1 Party | 137 | 230 | 195 | 184 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 2 | 8 | 19 | 7 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 0 | 0 | 8 |
| Key System Trunks | 54 | 90 | 74 | 83 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 1 | 0 | 0 | 12 |
| Pay Telephone | 4 | 7 | 0 | 0 | 13 |
| Coin-Operated Pay Telephone | 0 | 0 | 2 | 4 | 14 |
| Independent Pay Telephone Provider | 4 | 4 | 4 | 3 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 0 | 72 | 0 | 0 | 19 |
| Total Business Lines | 201 | 412 | 294 | 281 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 1,110 | 1,377 | 1,535 | 1,362 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 1,110 | 1,377 | 1,535 | 1,362 | 27 |
| Total Bus & Res Lines | 1,311 | 1,789 | 1,829 | 1,643 | 28 |
| Company Used Lines | 16 | 36 | 198 | 32 | 29 |
| Total Lines Used | 1,327 | 1,825 | 2,027 | 1,675 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 2090 | 2150 | 2170 | 2280 | 1 |
| Business | | | | | 2 |
| 1 Party | 69 | 30 | 72 | 116 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 0 | 0 | 15 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 3 | 40 | 8 |
| Key System Trunks | 22 | 9 | 28 | 10 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 12 |
| Pay Telephone | 0 | 0 | 4 | 0 | 13 |
| Coin-Operated Pay Telephone | 0 | 0 | 0 | 0 | 14 |
| Independent Pay Telephone Provider | 3 | 1 | 2 | 3 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 0 | 0 | 0 | 0 | 19 |
| Total Business Lines | 94 | 40 | 124 | 169 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 585 | 262 | 600 | 1,558 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 585 | 262 | 600 | 1,558 | 27 |
| Total Bus & Res Lines | 679 | 302 | 724 | 1,727 | 28 |
| Company Used Lines | 16 | 15 | 15 | 24 | 29 |
| Total Lines Used | 695 | 317 | 739 | 1,751 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 2310 | 2360 | 2380 | 2400 | 1 |
| Business | | | | | 2 |
| 1 Party | 1,264 | 136 | 61 | 41 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 115 | 0 | 0 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 7 | 0 | 2 | 8 |
| Key System Trunks | 546 | 41 | 19 | 5 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 1 | 4 | 0 | 0 | 12 |
| Pay Telephone | 52 | 3 | 4 | 0 | 13 |
| Coin-Operated Pay Telephone | 0 | 0 | 0 | 0 | 14 |
| Independent Pay Telephone Provider | 28 | 1 | 0 | 0 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 216 | 24 | 0 | 0 | 19 |
| Total Business Lines | 2,222 | 216 | 84 | 48 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 4,660 | 885 | 500 | 339 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 4,660 | 885 | 500 | 339 | 27 |
| Total Bus & Res Lines | 6,882 | 1,101 | 584 | 387 | 28 |
| Company Used Lines | 142 | 7 | 19 | 31 | 29 |
| Total Lines Used | 7,024 | 1,108 | 603 | 418 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 2410 | 2490 | 2530 | 2550 | 1 |
| Business | | | | | 2 |
| 1 Party | 492 | 164 | 19 | 33 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 12 | 19 | 0 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 0 | 0 | 8 |
| Key System Trunks | 170 | 65 | 9 | 2 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 1 | 0 | 0 | 0 | 12 |
| Pay Telephone | 9 | 0 | 2 | 0 | 13 |
| Coin-Operated Pay Telephone | 0 | 4 | 0 | 1 | 14 |
| Independent Pay Telephone Provider | 3 | 5 | 0 | 1 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 1,056 | 48 | 0 | 0 | 19 |
| Total Business Lines | 1,743 | 305 | 30 | 37 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 3,378 | 1,242 | 336 | 547 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 3,378 | 1,242 | 336 | 547 | 27 |
| Total Bus & Res Lines | 5,121 | 1,547 | 366 | 584 | 28 |
| Company Used Lines | 90 | 25 | 6 | 17 | 29 |
| Total Lines Used | 5,211 | 1,572 | 372 | 601 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 2590 | 2700 | 2720 | 2730 | 1 |
| Business | | | | | 2 |
| 1 Party | 65 | 336 | 364 | 82 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 0 | 32 | 38 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 1 | 0 | 36 | 0 | 8 |
| Key System Trunks | 19 | 106 | 154 | 18 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 3 | 25 | 1 | 0 | 12 |
| Pay Telephone | 1 | 22 | 15 | 0 | 13 |
| Coin-Operated Pay Telephone | 0 | 0 | 0 | 1 | 14 |
| Independent Pay Telephone Provider | 2 | 5 | 6 | 1 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 0 | 22 | 42 | 0 | 19 |
| Total Business Lines | 91 | 548 | 656 | 102 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 730 | 2,480 | 2,770 | 906 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 730 | 2,480 | 2,770 | 906 | 27 |
| Total Bus & Res Lines | 821 | 3,028 | 3,426 | 1,008 | 28 |
| Company Used Lines | 24 | 28 | 36 | 15 | 29 |
| Total Lines Used | 845 | 3,056 | 3,462 | 1,023 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 2740 | 2760 | 2810 | 2840 | 1 |
| Business | | | | | 2 |
| 1 Party | 48 | 323 | 554 | 330 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 0 | 38 | 67 | 4 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 0 | 0 | 8 |
| Key System Trunks | 26 | 80 | 279 | 55 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 12 |
| Pay Telephone | 0 | 0 | 35 | 0 | 13 |
| Coin-Operated Pay Telephone | 0 | 5 | 0 | 6 | 14 |
| Independent Pay Telephone Provider | 0 | 21 | 11 | 18 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 0 | 0 | 168 | 0 | 19 |
| Total Business Lines | 74 | 467 | 1,114 | 413 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 397 | 2,338 | 3,587 | 3,394 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 397 | 2,338 | 3,587 | 3,394 | 27 |
| Total Bus & Res Lines | 471 | 2,805 | 4,701 | 3,807 | 28 |
| Company Used Lines | 11 | 30 | 72 | 110 | 29 |
| Total Lines Used | 482 | 2,835 | 4,773 | 3,917 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 2860 | 2870 | 2910 | 2950 | 1 |
| Business | | | | | 2 |
| 1 Party | 197 | 200 | 36 | 46 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 0 | 8 | 0 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 0 | 0 | 8 |
| Key System Trunks | 52 | 43 | 15 | 12 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 0 | 3 | 0 | 12 |
| Pay Telephone | 0 | 0 | 0 | 1 | 13 |
| Coin-Operated Pay Telephone | 2 | 3 | 0 | 0 | 14 |
| Independent Pay Telephone Provider | 11 | 14 | 0 | 0 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 0 | 24 | 0 | 0 | 19 |
| Total Business Lines | 262 | 292 | 54 | 59 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 1,217 | 1,119 | 370 | 437 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 1,217 | 1,119 | 370 | 437 | 27 |
| Total Bus & Res Lines | 1,479 | 1,411 | 424 | 496 | 28 |
| Company Used Lines | 28 | 43 | 21 | 15 | 29 |
| Total Lines Used | 1,507 | 1,454 | 445 | 511 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 2990 | 3000 | 3010 | 3020 | 1 |
| Business | | | | | 2 |
| 1 Party | 376 | 58 | 361 | 120 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 28 | 0 | 29 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 99 | 0 | 0 | 0 | 8 |
| Key System Trunks | 106 | 19 | 146 | 24 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 2 | 0 | 5 | 0 | 12 |
| Pay Telephone | 14 | 2 | 23 | 5 | 13 |
| Coin-Operated Pay Telephone | 0 | 0 | 0 | 0 | 14 |
| Independent Pay Telephone Provider | 8 | 1 | 8 | 2 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 24 | 0 | 64 | 0 | 19 |
| Total Business Lines | 657 | 80 | 636 | 151 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 3,544 | 426 | 1,157 | 1,195 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 1 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 3,545 | 426 | 1,157 | 1,195 | 27 |
| Total Bus & Res Lines | 4,202 | 506 | 1,793 | 1,346 | 28 |
| Company Used Lines | 59 | 11 | 17 | 16 | 29 |
| Total Lines Used | 4,261 | 517 | 1,810 | 1,362 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 3040 | 3060 | 3070 | 3090 | 1 |
| Business | | | | | 2 |
| 1 Party | 146 | 258 | 83 | 45 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 0 | 0 | 0 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 50 | 0 | 0 | 0 | 8 |
| Key System Trunks | 47 | 132 | 24 | 27 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 8 | 0 | 0 | 12 |
| Pay Telephone | 1 | 9 | 7 | 0 | 13 |
| Coin-Operated Pay Telephone | 2 | 0 | 0 | 0 | 14 |
| Independent Pay Telephone Provider | 0 | 0 | 1 | 0 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 0 | 0 | 0 | 0 | 19 |
| Total Business Lines | 246 | 407 | 115 | 72 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 1,166 | 1,853 | 635 | 418 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 1,166 | 1,853 | 635 | 418 | 27 |
| Total Bus & Res Lines | 1,412 | 2,260 | 750 | 490 | 28 |
| Company Used Lines | 21 | 19 | 11 | 7 | 29 |
| Total Lines Used | 1,433 | 2,279 | 761 | 497 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 3140 | 3150 | 3190 | 3200 | 1 |
| Business | | | | | 2 |
| 1 Party | 190 | 156 | 259 | 155 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 0 | 25 | 17 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 109 | 0 | 113 | 8 |
| Key System Trunks | 46 | 60 | 82 | 32 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 1 | 3 | 0 | 12 | 12 |
| Pay Telephone | 0 | 11 | 0 | 3 | 13 |
| Coin-Operated Pay Telephone | 6 | 0 | 6 | 0 | 14 |
| Independent Pay Telephone Provider | 0 | 1 | 3 | 1 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 0 | 0 | 134 | 0 | 19 |
| Total Business Lines | 243 | 365 | 501 | 316 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 1,701 | 1,554 | 1,763 | 1,884 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 1,701 | 1,554 | 1,763 | 1,884 | 27 |
| Total Bus & Res Lines | 1,944 | 1,919 | 2,264 | 2,200 | 28 |
| Company Used Lines | 26 | 20 | 48 | 31 | 29 |
| Total Lines Used | 1,970 | 1,939 | 2,312 | 2,231 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 3210 | 3230 | 3240 | 3270 | 1 |
| Business | | | | | 2 |
| 1 Party | 1,801 | 57 | 727 | 758 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 704 | 0 | 129 | 23 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 1,034 | 0 | 0 | 0 | 8 |
| Key System Trunks | 646 | 13 | 357 | 342 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 0 | 0 | 3 | 12 |
| Pay Telephone | 86 | 0 | 107 | 17 | 13 |
| Coin-Operated Pay Telephone | 0 | 1 | 0 | 0 | 14 |
| Independent Pay Telephone Provider | 30 | 3 | 58 | 8 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 1,056 | 0 | 88 | 24 | 19 |
| Total Business Lines | 5,357 | 74 | 1,466 | 1,175 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 11,154 | 522 | 3,659 | 4,187 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 1 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 11,155 | 522 | 3,659 | 4,187 | 27 |
| Total Bus & Res Lines | 16,512 | 596 | 5,125 | 5,362 | 28 |
| Company Used Lines | 190 | 15 | 66 | 49 | 29 |
| Total Lines Used | 16,702 | 611 | 5,191 | 5,411 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 3290 | 3300 | 3340 | 3350 | 1 |
| Business | | | | | 2 |
| 1 Party | 110 | 67 | 1,262 | 72 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 0 | 0 | 211 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 0 | 0 | 8 |
| Key System Trunks | 41 | 24 | 611 | 12 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 0 | 3 | 0 | 12 |
| Pay Telephone | 0 | 3 | 39 | 10 | 13 |
| Coin-Operated Pay Telephone | 1 | 0 | 0 | 0 | 14 |
| Independent Pay Telephone Provider | 8 | 0 | 49 | 1 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 0 | 0 | 55 | 0 | 19 |
| Total Business Lines | 160 | 94 | 2,230 | 95 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 788 | 677 | 8,135 | 759 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 2 | 0 | 26 |
| Total Residential Lines | 788 | 677 | 8,137 | 759 | 27 |
| Total Bus & Res Lines | 948 | 771 | 10,367 | 854 | 28 |
| Company Used Lines | 16 | 13 | 110 | 24 | 29 |
| Total Lines Used | 964 | 784 | 10,477 | 878 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 3360 | 3430 | 3440 | 3450 | 1 |
| Business | | | | | 2 |
| 1 Party | 78 | 48 | 239 | 1,669 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 31 | 0 | 24 | 189 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 27 | 0 | 159 | 0 | 8 |
| Key System Trunks | 4 | 4 | 46 | 617 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 12 |
| Pay Telephone | 5 | 1 | 1 | 0 | 13 |
| Coin-Operated Pay Telephone | 0 | 0 | 2 | 17 | 14 |
| Independent Pay Telephone Provider | 9 | 0 | 5 | 71 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 168 | 0 | 0 | 204 | 19 |
| Total Business Lines | 322 | 53 | 476 | 2,767 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 803 | 605 | 1,708 | 7,395 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 1 | 0 | 26 |
| Total Residential Lines | 803 | 605 | 1,709 | 7,395 | 27 |
| Total Bus & Res Lines | 1,125 | 658 | 2,185 | 10,162 | 28 |
| Company Used Lines | 20 | 6 | 33 | 222 | 29 |
| Total Lines Used | 1,145 | 664 | 2,218 | 10,384 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 3470 | 3500 | 3510 | 3520 | 1 |
| Business | | | | | 2 |
| 1 Party | 257 | 82 | 253 | 158 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 59 | 0 | 0 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 230 | 30 | 8 |
| Key System Trunks | 66 | 2 | 59 | 27 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 2 | 0 | 0 | 0 | 12 |
| Pay Telephone | 6 | 0 | 18 | 5 | 13 |
| Coin-Operated Pay Telephone | 0 | 0 | 0 | 0 | 14 |
| Independent Pay Telephone Provider | 6 | 5 | 11 | 2 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 0 | 0 | 32 | 0 | 19 |
| Total Business Lines | 396 | 89 | 603 | 222 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 1,583 | 1,484 | 2,147 | 1,341 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 1,583 | 1,484 | 2,147 | 1,341 | 27 |
| Total Bus & Res Lines | 1,979 | 1,573 | 2,750 | 1,563 | 28 |
| Company Used Lines | 23 | 13 | 39 | 30 | 29 |
| Total Lines Used | 2,002 | 1,586 | 2,789 | 1,593 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 3550 | 3610 | 3710 | 3750 | 1 |
| Business | | | | | 2 |
| 1 Party | 78 | 139 | 129 | 268 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 10 | 1 | 0 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 8 | 54 | 0 | 0 | 8 |
| Key System Trunks | 24 | 51 | 24 | 57 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 0 | 3 | 1 | 12 |
| Pay Telephone | 10 | 4 | 0 | 4 | 13 |
| Coin-Operated Pay Telephone | 0 | 0 | 0 | 0 | 14 |
| Independent Pay Telephone Provider | 0 | 4 | 1 | 8 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 0 | 0 | 0 | 0 | 19 |
| Total Business Lines | 130 | 253 | 157 | 338 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 490 | 1,137 | 1,049 | 2,253 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 490 | 1,137 | 1,049 | 2,253 | 27 |
| Total Bus & Res Lines | 620 | 1,390 | 1,206 | 2,591 | 28 |
| Company Used Lines | 19 | 28 | 22 | 34 | 29 |
| Total Lines Used | 639 | 1,418 | 1,228 | 2,625 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 3770 | 3840 | 3900 | 3990 | 1 |
| Business | | | | | 2 |
| 1 Party | 287 | 34 | 250 | 247 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 27 | 0 | 22 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 111 | 0 | 0 | 0 | 8 |
| Key System Trunks | 131 | 7 | 51 | 93 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 0 | 3 | 4 | 12 |
| Pay Telephone | 14 | 0 | 7 | 1 | 13 |
| Coin-Operated Pay Telephone | 0 | 0 | 0 | 0 | 14 |
| Independent Pay Telephone Provider | 2 | 0 | 3 | 0 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 288 | 0 | 429 | 0 | 19 |
| Total Business Lines | 860 | 41 | 765 | 345 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 1,869 | 464 | 1,498 | 2,276 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 1,869 | 464 | 1,498 | 2,276 | 27 |
| Total Bus & Res Lines | 2,729 | 505 | 2,263 | 2,621 | 28 |
| Company Used Lines | 51 | 20 | 73 | 25 | 29 |
| Total Lines Used | 2,780 | 525 | 2,336 | 2,646 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 4000 | 4010 | 4040 | 4050 | 1 |
| Business | | | | | 2 |
| 1 Party | 650 | 143 | 321 | 219 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 43 | 17 | 22 | 6 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 22 | 0 | 42 | 8 |
| Key System Trunks | 260 | 21 | 153 | 48 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 4 | 4 | 0 | 12 |
| Pay Telephone | 19 | 0 | 13 | 0 | 13 |
| Coin-Operated Pay Telephone | 0 | 0 | 0 | 4 | 14 |
| Independent Pay Telephone Provider | 7 | 4 | 29 | 3 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 48 | 0 | 24 | 0 | 19 |
| Total Business Lines | 1,027 | 211 | 566 | 322 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 5,328 | 1,371 | 1,467 | 1,411 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 5,328 | 1,371 | 1,467 | 1,411 | 27 |
| Total Bus & Res Lines | 6,355 | 1,582 | 2,033 | 1,733 | 28 |
| Company Used Lines | 129 | 18 | 162 | 25 | 29 |
| Total Lines Used | 6,484 | 1,600 | 2,195 | 1,758 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 4090 | 4100 | 4140 | 4170 | 1 |
| Business | | | | | 2 |
| 1 Party | 279 | 528 | 117 | 119 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 26 | 53 | 0 | 7 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 49 | 0 | 0 | 0 | 8 |
| Key System Trunks | 52 | 185 | 25 | 15 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 1 | 1 | 0 | 0 | 12 |
| Pay Telephone | 4 | 0 | 0 | 0 | 13 |
| Coin-Operated Pay Telephone | 0 | 8 | 1 | 6 | 14 |
| Independent Pay Telephone Provider | 8 | 21 | 3 | 5 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 48 | 39 | 0 | 0 | 19 |
| Total Business Lines | 467 | 835 | 146 | 152 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 2,351 | 2,785 | 822 | 1,078 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 2,351 | 2,785 | 822 | 1,078 | 27 |
| Total Bus & Res Lines | 2,818 | 3,620 | 968 | 1,230 | 28 |
| Company Used Lines | 21 | 91 | 8 | 35 | 29 |
| Total Lines Used | 2,839 | 3,711 | 976 | 1,265 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 4190 | 4200 | 4230 | 4270 | 1 |
| Business | | | | | 2 |
| 1 Party | 81 | 62 | 114 | 82 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 0 | 0 | 9 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 0 | 0 | 8 |
| Key System Trunks | 6 | 19 | 50 | 30 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 4 | 0 | 0 | 12 |
| Pay Telephone | 0 | 0 | 3 | 0 | 13 |
| Coin-Operated Pay Telephone | 2 | 2 | 0 | 1 | 14 |
| Independent Pay Telephone Provider | 4 | 1 | 2 | 1 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 0 | 0 | 0 | 0 | 19 |
| Total Business Lines | 93 | 88 | 178 | 114 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 1,080 | 670 | 681 | 607 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 1,080 | 670 | 681 | 607 | 27 |
| Total Bus & Res Lines | 1,173 | 758 | 859 | 721 | 28 |
| Company Used Lines | 25 | 21 | 10 | 8 | 29 |
| Total Lines Used | 1,198 | 779 | 869 | 729 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 4280 | 4310 | 4380 | 4410 | 1 |
| Business | | | | | 2 |
| 1 Party | 997 | 1,152 | 842 | 287 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 139 | 273 | 137 | 25 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 154 | 784 | 0 | 0 | 8 |
| Key System Trunks | 432 | 328 | 371 | 147 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 4 | 1 | 0 | 0 | 12 |
| Pay Telephone | 56 | 99 | 61 | 0 | 13 |
| Coin-Operated Pay Telephone | 0 | 0 | 0 | 3 | 14 |
| Independent Pay Telephone Provider | 8 | 61 | 15 | 8 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 804 | 295 | 250 | 0 | 19 |
| Total Business Lines | 2,594 | 2,993 | 1,676 | 470 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 5,244 | 6,156 | 3,318 | 2,225 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 1 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 5,245 | 6,156 | 3,318 | 2,225 | 27 |
| Total Bus & Res Lines | 7,839 | 9,149 | 4,994 | 2,695 | 28 |
| Company Used Lines | 521 | 248 | 137 | 47 | 29 |
| Total Lines Used | 8,360 | 9,397 | 5,131 | 2,742 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 4480 | 4520 | 4530 | 4570 | 1 |
| Business | | | | | 2 |
| 1 Party | 367 | 875 | 85 | 844 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 0 | 70 | 0 | 113 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 0 | 429 | 8 |
| Key System Trunks | 147 | 548 | 27 | 331 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 3 | 3 | 0 | 0 | 12 |
| Pay Telephone | 13 | 47 | 3 | 52 | 13 |
| Coin-Operated Pay Telephone | 0 | 0 | 0 | 0 | 14 |
| Independent Pay Telephone Provider | 4 | 15 | 2 | 13 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 576 | 225 | 0 | 189 | 19 |
| Total Business Lines | 1,110 | 1,783 | 117 | 1,971 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 2,154 | 4,790 | 681 | 4,814 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 1 | 26 |
| Total Residential Lines | 2,154 | 4,790 | 681 | 4,815 | 27 |
| Total Bus & Res Lines | 3,264 | 6,573 | 798 | 6,786 | 28 |
| Company Used Lines | 55 | 72 | 11 | 366 | 29 |
| Total Lines Used | 3,319 | 6,645 | 809 | 7,152 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 4580 | 4610 | 4670 | 4710 | 1 |
| Business | | | | | 2 |
| 1 Party | 648 | 142 | 113 | 43 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 91 | 0 | 13 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 592 | 52 | 0 | 0 | 8 |
| Key System Trunks | 166 | 24 | 19 | 18 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 1 | 3 | 1 | 2 | 12 |
| Pay Telephone | 53 | 4 | 2 | 1 | 13 |
| Coin-Operated Pay Telephone | 0 | 0 | 2 | 0 | 14 |
| Independent Pay Telephone Provider | 14 | 10 | 5 | 0 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 48 | 0 | 0 | 0 | 19 |
| Total Business Lines | 1,613 | 235 | 155 | 64 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 3,941 | 1,175 | 936 | 375 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 3,941 | 1,175 | 936 | 375 | 27 |
| Total Bus & Res Lines | 5,554 | 1,410 | 1,091 | 439 | 28 |
| Company Used Lines | 82 | 29 | 18 | 20 | 29 |
| Total Lines Used | 5,636 | 1,439 | 1,109 | 459 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 4720 | 4740 | 4770 | 4780 | 1 |
| Business | | | | | 2 |
| 1 Party | 420 | 370 | 733 | 220 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 62 | 8 | 155 | 7 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 217 | 0 | 296 | 0 | 8 |
| Key System Trunks | 134 | 142 | 272 | 34 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 1 | 4 | 8 | 12 |
| Pay Telephone | 3 | 7 | 30 | 0 | 13 |
| Coin-Operated Pay Telephone | 3 | 0 | 0 | 9 | 14 |
| Independent Pay Telephone Provider | 20 | 21 | 8 | 13 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 0 | 0 | 189 | 0 | 19 |
| Total Business Lines | 859 | 549 | 1,687 | 291 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 2,062 | 2,471 | 4,681 | 1,637 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 2,062 | 2,471 | 4,681 | 1,637 | 27 |
| Total Bus & Res Lines | 2,921 | 3,020 | 6,368 | 1,928 | 28 |
| Company Used Lines | 38 | 17 | 151 | 29 | 29 |
| Total Lines Used | 2,959 | 3,037 | 6,519 | 1,957 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 4800 | 4810 | 4890 | 4900 | 1 |
| Business | | | | | 2 |
| 1 Party | 72 | 407 | 71 | 106 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 0 | 29 | 0 | 7 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 0 | 35 | 8 |
| Key System Trunks | 9 | 198 | 19 | 13 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 1 | 3 | 0 | 12 |
| Pay Telephone | 5 | 2 | 0 | 0 | 13 |
| Coin-Operated Pay Telephone | 0 | 6 | 2 | 2 | 14 |
| Independent Pay Telephone Provider | 1 | 7 | 3 | 6 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 0 | 216 | 0 | 0 | 19 |
| Total Business Lines | 87 | 866 | 98 | 169 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 807 | 2,831 | 823 | 854 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 807 | 2,831 | 823 | 854 | 27 |
| Total Bus & Res Lines | 894 | 3,697 | 921 | 1,023 | 28 |
| Company Used Lines | 26 | 76 | 18 | 20 | 29 |
| Total Lines Used | 920 | 3,773 | 939 | 1,043 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 4910 | 4930 | 4940 | 5010 | 1 |
| Business | | | | | 2 |
| 1 Party | 149 | 693 | 632 | 156 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 4 | 36 | 18 | 10 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 0 | 72 | 8 |
| Key System Trunks | 53 | 230 | 243 | 53 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 0 | 7 | 0 | 12 |
| Pay Telephone | 5 | 0 | 19 | 8 | 13 |
| Coin-Operated Pay Telephone | 0 | 25 | 0 | 0 | 14 |
| Independent Pay Telephone Provider | 5 | 16 | 14 | 3 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 0 | 24 | 659 | 48 | 19 |
| Total Business Lines | 216 | 1,024 | 1,592 | 350 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 1,488 | 3,320 | 4,322 | 1,300 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 1,488 | 3,320 | 4,322 | 1,300 | 27 |
| Total Bus & Res Lines | 1,704 | 4,344 | 5,914 | 1,650 | 28 |
| Company Used Lines | 23 | 107 | 102 | 18 | 29 |
| Total Lines Used | 1,727 | 4,451 | 6,016 | 1,668 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 5020 | 5050 | 5060 | 5180 | 1 |
| Business | | | | | 2 |
| 1 Party | 211 | 25 | 410 | 127 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 0 | 0 | 91 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 0 | 0 | 8 |
| Key System Trunks | 22 | 0 | 227 | 30 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 2 | 3 | 0 | 12 |
| Pay Telephone | 18 | 2 | 24 | 1 | 13 |
| Coin-Operated Pay Telephone | 0 | 0 | 0 | 0 | 14 |
| Independent Pay Telephone Provider | 3 | 0 | 7 | 4 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 0 | 0 | 192 | 0 | 19 |
| Total Business Lines | 254 | 29 | 954 | 162 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 1,826 | 402 | 1,501 | 1,488 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 1,826 | 402 | 1,501 | 1,488 | 27 |
| Total Bus & Res Lines | 2,080 | 431 | 2,455 | 1,650 | 28 |
| Company Used Lines | 30 | 8 | 49 | 20 | 29 |
| Total Lines Used | 2,110 | 439 | 2,504 | 1,670 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 5200 | 5250 | 5270 | 5290 | 1 |
| Business | | | | | 2 |
| 1 Party | 146 | 1,476 | 189 | 52 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 2 | 235 | 14 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 82 | 944 | 0 | 0 | 8 |
| Key System Trunks | 56 | 480 | 37 | 6 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 8 | 12 | 0 | 0 | 12 |
| Pay Telephone | 4 | 62 | 0 | 0 | 13 |
| Coin-Operated Pay Telephone | 0 | 0 | 2 | 0 | 14 |
| Independent Pay Telephone Provider | 5 | 16 | 3 | 1 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 16 | 2,056 | 96 | 0 | 19 |
| Total Business Lines | 319 | 5,281 | 341 | 59 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 1,514 | 11,440 | 1,409 | 389 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 1,514 | 11,440 | 1,409 | 389 | 27 |
| Total Bus & Res Lines | 1,833 | 16,721 | 1,750 | 448 | 28 |
| Company Used Lines | 18 | 1,449 | 18 | 17 | 29 |
| Total Lines Used | 1,851 | 18,170 | 1,768 | 465 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 5300 | 5330 | 5370 | 5390 | 1 |
| Business | | | | | 2 |
| 1 Party | 81 | 244 | 792 | 91 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 0 | 0 | 70 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 0 | 0 | 8 |
| Key System Trunks | 24 | 82 | 309 | 29 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 12 |
| Pay Telephone | 1 | 0 | 0 | 1 | 13 |
| Coin-Operated Pay Telephone | 0 | 2 | 19 | 0 | 14 |
| Independent Pay Telephone Provider | 0 | 7 | 41 | 4 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 0 | 0 | 164 | 0 | 19 |
| Total Business Lines | 106 | 335 | 1,395 | 125 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 822 | 1,939 | 5,833 | 1,009 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 822 | 1,939 | 5,833 | 1,009 | 27 |
| Total Bus & Res Lines | 928 | 2,274 | 7,228 | 1,134 | 28 |
| Company Used Lines | 19 | 34 | 129 | 13 | 29 |
| Total Lines Used | 947 | 2,308 | 7,357 | 1,147 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 5400 | 5440 | 5450 | 5540 | 1 |
| Business | | | | | 2 |
| 1 Party | 290 | 348 | 728 | 140 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 47 | 0 | 213 | 10 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 0 | 0 | 8 |
| Key System Trunks | 70 | 155 | 317 | 30 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 12 |
| Pay Telephone | 23 | 10 | 24 | 0 | 13 |
| Coin-Operated Pay Telephone | 0 | 0 | 0 | 1 | 14 |
| Independent Pay Telephone Provider | 11 | 5 | 5 | 15 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 72 | 264 | 312 | 0 | 19 |
| Total Business Lines | 513 | 782 | 1,599 | 196 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 2,642 | 3,244 | 5,930 | 868 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 2,642 | 3,244 | 5,930 | 868 | 27 |
| Total Bus & Res Lines | 3,155 | 4,026 | 7,529 | 1,064 | 28 |
| Company Used Lines | 13 | 21 | 103 | 17 | 29 |
| Total Lines Used | 3,168 | 4,047 | 7,632 | 1,081 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 5560 | 5600 | 5620 | 5640 | 1 |
| Business | | | | | 2 |
| 1 Party | 743 | 94 | 317 | 267 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 82 | 0 | 55 | 11 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 0 | 0 | 8 |
| Key System Trunks | 294 | 18 | 130 | 82 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 0 | 0 | 1 | 12 |
| Pay Telephone | 53 | 0 | 11 | 12 | 13 |
| Coin-Operated Pay Telephone | 0 | 3 | 0 | 0 | 14 |
| Independent Pay Telephone Provider | 11 | 4 | 8 | 1 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 23 | 0 | 75 | 15 | 19 |
| Total Business Lines | 1,206 | 119 | 596 | 389 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 4,274 | 723 | 1,930 | 2,411 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 4,274 | 723 | 1,930 | 2,411 | 27 |
| Total Bus & Res Lines | 5,480 | 842 | 2,526 | 2,800 | 28 |
| Company Used Lines | 52 | 14 | 29 | 31 | 29 |
| Total Lines Used | 5,532 | 856 | 2,555 | 2,831 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 5700 | 5720 | 5730 | 5790 | 1 |
| Business | | | | | 2 |
| 1 Party | 5,604 | 598 | 45 | 212 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 1,240 | 21 | 0 | 28 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 5,065 | 0 | 0 | 101 | 8 |
| Key System Trunks | 2,499 | 300 | 10 | 44 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 30 | 0 | 0 | 1 | 12 |
| Pay Telephone | 226 | 0 | 2 | 19 | 13 |
| Coin-Operated Pay Telephone | 0 | 9 | 0 | 0 | 14 |
| Independent Pay Telephone Provider | 148 | 35 | 0 | 12 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 3,377 | 276 | 0 | 92 | 19 |
| Total Business Lines | 18,189 | 1,239 | 57 | 509 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 32,177 | 3,646 | 397 | 2,001 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 2 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 32,179 | 3,646 | 397 | 2,001 | 27 |
| Total Bus & Res Lines | 50,368 | 4,885 | 454 | 2,510 | 28 |
| Company Used Lines | 1,447 | 98 | 10 | 37 | 29 |
| Total Lines Used | 51,815 | 4,983 | 464 | 2,547 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 5840 | 5850 | 5860 | 5870 | 1 |
| Business | | | | | 2 |
| 1 Party | 56 | 250 | 108 | 91 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 0 | 22 | 0 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 0 | 0 | 8 |
| Key System Trunks | 2 | 123 | 22 | 23 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 0 | 0 | 1 | 12 |
| Pay Telephone | 0 | 9 | 0 | 0 | 13 |
| Coin-Operated Pay Telephone | 0 | 0 | 3 | 0 | 14 |
| Independent Pay Telephone Provider | 1 | 9 | 8 | 1 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 0 | 43 | 18 | 0 | 19 |
| Total Business Lines | 59 | 456 | 159 | 116 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 448 | 998 | 701 | 1,113 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 448 | 998 | 701 | 1,113 | 27 |
| Total Bus & Res Lines | 507 | 1,454 | 860 | 1,229 | 28 |
| Company Used Lines | 11 | 14 | 20 | 44 | 29 |
| Total Lines Used | 518 | 1,468 | 880 | 1,273 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 5940 | 5950 | 5960 | 5990 | 1 |
| Business | | | | | 2 |
| 1 Party | 157 | 17 | 1,294 | 44 | 3 |
| 2 Party | 0 | 0 | 0 | 0 | 4 |
| 4 Party | 0 | 0 | 0 | 0 | 5 |
| PBX Trunks/System Trunks | 0 | 0 | 369 | 0 | 6 |
| Centrex Trunks | 0 | 0 | 0 | 0 | 7 |
| Centrex Lines | 0 | 0 | 262 | 0 | 8 |
| Key System Trunks | 18 | 3 | 489 | 2 | 9 |
| Mobile (utility provided service) | 0 | 0 | 0 | 0 | 10 |
| Paging (utility provided service) | 0 | 0 | 0 | 0 | 11 |
| FX-Out (Switched) | 0 | 0 | 4 | 1 | 12 |
| Pay Telephone | 0 | 0 | 131 | 1 | 13 |
| Coin-Operated Pay Telephone | 6 | 1 | 0 | 0 | 14 |
| Independent Pay Telephone Provider | 9 | 0 | 162 | 0 | 15 |
| Pay Stations - Public | 0 | 0 | 0 | 0 | 16 |
| - Semi-Public | 0 | 0 | 0 | 0 | 17 |
| - Cust. Owned | 0 | 0 | 0 | 0 | 18 |
| Other | 24 | 0 | 457 | 0 | 19 |
| Total Business Lines | 214 | 21 | 3,168 | 48 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 1,070 | 144 | 5,457 | 578 | 22 |
| 2 Party | 0 | 0 | 0 | 0 | 23 |
| 4 Party | 0 | 0 | 0 | 0 | 24 |
| FX-Out (Switched) | 0 | 0 | 0 | 0 | 25 |
| Other | 0 | 0 | 0 | 0 | 26 |
| Total Residential Lines | 1,070 | 144 | 5,457 | 578 | 27 |
| Total Bus & Res Lines | 1,284 | 165 | 8,625 | 626 | 28 |
| Company Used Lines | 25 | 14 | 112 | 20 | 29 |
| Total Lines Used | 1,309 | 179 | 8,737 | 646 | 30 |

SERVICE DATA - END OF YEAR

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 9999 | | | | 1 |
| Business | | | | | 2 |
| 1 Party | 0 | | | | 3 |
| 2 Party | 0 | | | | 4 |
| 4 Party | 0 | | | | 5 |
| PBX Trunks/System Trunks | 0 | | | | 6 |
| Centrex Trunks | 0 | | | | 7 |
| Centrex Lines | 0 | | | | 8 |
| Key System Trunks | 0 | | | | 9 |
| Mobile (utility provided service) | 0 | | | | 10 |
| Paging (utility provided service) | 0 | | | | 11 |
| FX-Out (Switched) | 0 | | | | 12 |
| Pay Telephone | 0 | | | | 13 |
| Coin-Operated Pay Telephone | 0 | | | | 14 |
| Independent Pay Telephone Provider | 0 | | | | 15 |
| Pay Stations - Public | 0 | | | | 16 |
| - Semi-Public | 0 | | | | 17 |
| - Cust. Owned | 0 | | | | 18 |
| Other | 0 | | | | 19 |
| Total Business Lines | 0 | 0 | 0 | 0 | 20 |
| Residential (Incl. Emp. Concess.) | | | | | 21 |
| 1 Party | 0 | | | | 22 |
| 2 Party | 0 | | | | 23 |
| 4 Party | 0 | | | | 24 |
| FX-Out (Switched) | 0 | | | | 25 |
| Other | 0 | | | | 26 |
| Total Residential Lines | 0 | 0 | 0 | 0 | 27 |
| Total Bus & Res Lines | 0 | 0 | 0 | 0 | 28 |
| Company Used Lines | 0 | | | | 29 |
| Total Lines Used | 0 | 0 | 0 | 0 | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 0020 | 0050 | 0070 | 0130 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 2 | 0 | 0 | 6 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 322 | 220 | 35 | 551 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 409 | 366 | 51 | 469 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 8 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 168 | 0 | 0 | 264 | 12 |
| Feature Group D Trunks | 72 | 0 | 0 | 138 | 13 |
| TSPS - Trunks | 13 | 0 | 0 | 12 | 14 |
| EAS - Trunks | 0 | 0 | 0 | 168 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 1 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 2 | 0 | 0 | 2 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 24,225,752 | 5,039,763 | 2,810,787 | 22,349,396 | 27 |
| Exchange Square Miles | 197 | 58 | 110 | 467 | 28 |
| Exchange Route Miles | 213 | 70 | 30 | 175 | 29 |
| Footnotes | L | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 0160 | 0170 | 0190 | 0220 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 2 | 0 | 0 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 290 | 19 | 51 | 68 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 348 | | 27 | 49 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 0 | 0 | 12 |
| Feature Group D Trunks | 0 | 0 | 0 | 0 | 13 |
| TSPS - Trunks | 0 | 0 | 0 | 0 | 14 |
| EAS - Trunks | 0 | 0 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 0 | 1 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 5,386,240 | 1,334,098 | 1,550,568 | 3,468,916 | 27 |
| Exchange Square Miles | 172 | 47 | 70 | 148 | 28 |
| Exchange Route Miles | 49 | 16 | 41 | 32 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|----|
| PSCW Exchange ID | 0240 | 0280 | 0300 | 0310 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 0 | 0 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 53 | 63 | 132 | 110 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 146 | 26 | 102 | 2 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 0 | 0 | 12 |
| Feature Group D Trunks | 0 | 0 | 0 | 0 | 13 |
| TSPS - Trunks | 0 | 0 | 0 | 0 | 14 |
| EAS - Trunks | 0 | 0 | 51 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 1 | 0 | 0 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 3,752,864 | 3,175,876 | 1,770,741 | 3,115,573 | 27 |
| Exchange Square Miles | 182 | 42 | 16 | 113 | 28 |
| Exchange Route Miles | 42 | 14 | 42 | 11 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 0340 | 0400 | 0410 | 0460 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 0 | 0 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 3,039 | 119 | 115 | 90 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 489 | 55 | 124 | 48 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 0 | 0 | 12 |
| Feature Group D Trunks | 0 | 0 | 0 | 0 | 13 |
| TSPS - Trunks | 0 | 0 | 0 | 0 | 14 |
| EAS - Trunks | 72 | 0 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 1 | 0 | 0 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 4,036,962 | 1,984,098 | 2,779,872 | 850,849 | 27 |
| Exchange Square Miles | 59 | 30 | 58 | 21 | 28 |
| Exchange Route Miles | 64 | 41 | 33 | 17 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 0500 | 0510 | 0520 | 0540 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 0 | 2 | 3 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 48 | 73 | 51 | 380 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 24 | 25 | 50 | 1,486 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 0 | 288 | 12 |
| Feature Group D Trunks | 0 | 0 | 0 | 192 | 13 |
| TSPS - Trunks | 0 | 0 | 0 | 24 | 14 |
| EAS - Trunks | 0 | 0 | 0 | 72 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 24 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 2 | 0 | 0 | 2 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 4,594,855 | 3,875,883 | 1,934,850 | 14,954,221 | 27 |
| Exchange Square Miles | 142 | 119 | 35 | 309 | 28 |
| Exchange Route Miles | 12 | 24 | 29 | 185 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 0550 | 0570 | 0670 | 0710 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 0 | 0 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 37 | 6 | 40 | 9 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 25 | | 3 | 24 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 0 | 0 | 12 |
| Feature Group D Trunks | 0 | 0 | 0 | 0 | 13 |
| TSPS - Trunks | 0 | 0 | 0 | 0 | 14 |
| EAS - Trunks | 0 | 0 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 0 | 1 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 2,717,118 | 697,086 | 2,478,908 | 1,052,949 | 27 |
| Exchange Square Miles | 68 | 24 | 50 | 38 | 28 |
| Exchange Route Miles | 50 | 8 | 33 | 32 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 0720 | 0730 | 0740 | 0750 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 1 | 0 | 2 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 149 | 279 | 225 | 42 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 255 | 483 | 150 | 1 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 504 | 144 | 0 | 12 |
| Feature Group D Trunks | 0 | 384 | 0 | 0 | 13 |
| TSPS - Trunks | 0 | 24 | 7 | 0 | 14 |
| EAS - Trunks | 0 | 444 | 60 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 0 | 1 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 2,715,830 | 10,894,341 | 2,978,549 | 1,871,918 | 27 |
| Exchange Square Miles | 38 | 50 | 103 | 45 | 28 |
| Exchange Route Miles | 26 | 75 | 23 | 15 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 0830 | 0880 | 0900 | 0930 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 0 | 0 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 51 | 150 | 129 | 78 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 48 | 108 | 77 | 25 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 264 | 0 | 12 |
| Feature Group D Trunks | 0 | 0 | 48 | 0 | 13 |
| TSPS - Trunks | 0 | 0 | 14 | 0 | 14 |
| EAS - Trunks | 0 | 0 | 264 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 0 | 0 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 1,945,579 | 3,533,459 | 6,848,206 | 3,559,233 | 27 |
| Exchange Square Miles | 102 | 48 | 77 | 62 | 28 |
| Exchange Route Miles | 26 | 25 | 50 | 23 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 1010 | 1020 | 1030 | 1070 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 2 | 0 | 0 | 1 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 82 | 45 | 85 | 141 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 54 | 25 | | 453 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 0 | 0 | 12 |
| Feature Group D Trunks | 0 | 0 | 0 | 0 | 13 |
| TSPS - Trunks | 0 | 0 | 0 | 0 | 14 |
| EAS - Trunks | 0 | 0 | 27 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 0 | 0 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 1,960,468 | 2,656,676 | 1,557,699 | 6,769,758 | 27 |
| Exchange Square Miles | 23 | 63 | 23 | 105 | 28 |
| Exchange Route Miles | 32 | 58 | 29 | 46 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 1120 | 1140 | 1160 | 1170 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 2 | 0 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 23 | 168 | 16 | 51 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 24 | 83 | 2 | | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 120 | 0 | 0 | 12 |
| Feature Group D Trunks | 0 | 24 | 0 | 0 | 13 |
| TSPS - Trunks | 0 | 8 | 0 | 0 | 14 |
| EAS - Trunks | 0 | 68 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 1 | 0 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 2,420,171 | 3,144,088 | 993,189 | 2,101,837 | 27 |
| Exchange Square Miles | 61 | 61 | 23 | 75 | 28 |
| Exchange Route Miles | 36 | 37 | 21 | 22 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|----------------|
| PSCW Exchange ID | 1190 | 1210 | 1280 | 1390 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 1 | 0 | 0 | 5 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA (equiv. access lines) | 237 | 102 | 257 | 64 | 6 7 |
| Special Access-interLATA (equiv. access lines) | 108 | 26 | 109 | 83 | 8 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 154 | 504 | 120 | 12 |
| Feature Group D Trunks | 0 | 48 | 144 | 24 | 13 |
| TSPS - Trunks | 0 | 12 | 10 | 8 | 14 |
| EAS - Trunks | 0 | 332 | 72 | 48 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning - discounted (special tariff) | 2 | 0 | 0 | 1 | 17 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable Wire Fac. Assets (based on physical location of plant) | 8,007,877 | 5,159,350 | 5,805,963 | 2,024,682 | 25 26 27 |
| Exchange Square Miles | 167 | 99 | 18 | 42 | 28 |
| Exchange Route Miles | 102 | 92 | 36 | 10 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 1400 | 1410 | 1460 | 1500 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 0 | 0 | 2 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA (equiv. access lines) | 146 | 98 | 280 | 8,049 | 6 7 |
| Special Access-interLATA (equiv. access lines) | 133 | 224 | 392 | 2,504 | 8 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 61 | 11 |
| Feature Group C Trunks | 0 | 0 | 384 | 3,353 | 12 |
| Feature Group D Trunks | 0 | 0 | 120 | 2,346 | 13 |
| TSPS - Trunks | 0 | 0 | 16 | 117 | 14 |
| EAS - Trunks | 0 | 0 | 720 | 276 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 300 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 2 | 0 | 0 | 2 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical location of plant) | 5,054,671 | 4,108,059 | 10,233,978 | 15,182,309 | 26 27 |
| Exchange Square Miles | 151 | 46 | 135 | 137 | 28 |
| Exchange Route Miles | 81 | 39 | 87 | 114 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 1590 | 1610 | 1650 | 1660 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 1 | 0 | 8 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 519 | 17 | 83 | 92 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 260 | 1 | 30 | 25 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 336 | 0 | 0 | 0 | 12 |
| Feature Group D Trunks | 216 | 0 | 0 | 0 | 13 |
| TSPS - Trunks | 36 | 0 | 0 | 0 | 14 |
| EAS - Trunks | 48 | 0 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 1 | 0 | 0 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 20,626,578 | 2,026,336 | 2,318,865 | 4,012,742 | 27 |
| Exchange Square Miles | 270 | 81 | 56 | 76 | 28 |
| Exchange Route Miles | 277 | 31 | 26 | 37 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|----------------|
| PSCW Exchange ID | 1670 | 1680 | 1720 | 1750 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 0 | 6 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA (equiv. access lines) | 207 | 249 | 59 | 29 | 6 7 |
| Special Access-interLATA (equiv. access lines) | 351 | 73 | 124 | 75 | 8 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 696 | 0 | 0 | 0 | 12 |
| Feature Group D Trunks | 48 | 0 | 0 | 0 | 13 |
| TSPS - Trunks | 16 | 0 | 0 | 0 | 14 |
| EAS - Trunks | 0 | 0 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning - discounted (special tariff) | 1 | 1 | 0 | 1 | 17 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable Wire Fac. Assets (based on physical location of plant) | 9,589,363 | 4,305,113 | 2,387,119 | 2,814,152 | 25 26 27 |
| Exchange Square Miles | 94 | 40 | 40 | 51 | 28 |
| Exchange Route Miles | 32 | 30 | 39 | 36 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 1770 | 1800 | 1830 | 1840 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 0 | 0 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 72 | 39 | 16 | 58 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 48 | 27 | | 25 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 119 | 0 | 0 | 0 | 12 |
| Feature Group D Trunks | 48 | 0 | 0 | 0 | 13 |
| TSPS - Trunks | 9 | 0 | 0 | 0 | 14 |
| EAS - Trunks | 72 | 0 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 0 | 0 | 1 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 2,449,940 | 2,514,365 | 1,384,459 | 3,029,579 | 27 |
| Exchange Square Miles | 59 | 84 | 111 | 109 | 28 |
| Exchange Route Miles | 52 | 36 | 43 | 31 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|----------------|
| PSCW Exchange ID | 1930 | 1980 | 2030 | 2080 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 0 | 1 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA (equiv. access lines) | 67 | 148 | 72 | 147 | 6 7 |
| Special Access-interLATA (equiv. access lines) | 52 | 150 | 27 | 31 | 8 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 144 | 96 | 12 |
| Feature Group D Trunks | 0 | 0 | 24 | 0 | 13 |
| TSPS - Trunks | 0 | 0 | 8 | 7 | 14 |
| EAS - Trunks | 0 | 0 | 72 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning - discounted (special tariff) | 0 | 0 | 1 | 0 | 17 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable Wire Fac. Assets (based on physical location of plant) | 3,199,969 | 3,241,383 | 4,549,769 | 4,695,528 | 25 26 27 |
| Exchange Square Miles | 114 | 72 | 84 | 107 | 28 |
| Exchange Route Miles | 54 | 60 | 40 | 29 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 2090 | 2150 | 2170 | 2280 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 0 | 0 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 11 | 15 | 82 | 40 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 119 | 24 | 97 | | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 0 | 0 | 12 |
| Feature Group D Trunks | 0 | 0 | 0 | 0 | 13 |
| TSPS - Trunks | 0 | 0 | 0 | 0 | 14 |
| EAS - Trunks | 0 | 0 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 0 | 0 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 1,953,514 | 669,495 | 1,899,952 | 6,692,275 | 27 |
| Exchange Square Miles | 229 | 30 | 40 | 135 | 28 |
| Exchange Route Miles | 36 | 26 | 40 | 80 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 2310 | 2360 | 2380 | 2400 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 9 | 1 | 0 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 184 | 44 | 25 | 27 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 425 | 27 | | | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 432 | 0 | 0 | 0 | 12 |
| Feature Group D Trunks | 120 | 0 | 0 | 0 | 13 |
| TSPS - Trunks | 38 | 0 | 0 | 0 | 14 |
| EAS - Trunks | 48 | 0 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 2 | 0 | 0 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 14,736,609 | 1,837,240 | 1,400,846 | 1,184,584 | 27 |
| Exchange Square Miles | 270 | 47 | 44 | 53 | 28 |
| Exchange Route Miles | 184 | 15 | 28 | 15 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 2410 | 2490 | 2530 | 2550 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 2 | 0 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 114 | 183 | 17 | 20 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 294 | 53 | | 24 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 288 | 0 | 0 | 0 | 12 |
| Feature Group D Trunks | 216 | 0 | 0 | 0 | 13 |
| TSPS - Trunks | 22 | 0 | 0 | 0 | 14 |
| EAS - Trunks | 1,008 | 0 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 1 | 1 | 0 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 11,126,985 | 3,019,646 | 1,402,227 | 1,570,814 | 27 |
| Exchange Square Miles | 74 | 32 | 52 | 23 | 28 |
| Exchange Route Miles | 53 | 36 | 4 | 9 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 2590 | 2700 | 2720 | 2730 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 2 | 5 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 44 | 299 | 178 | 43 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 1 | 150 | 106 | 1 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 0 | 0 | 12 |
| Feature Group D Trunks | 0 | 0 | 0 | 0 | 13 |
| TSPS - Trunks | 0 | 0 | 0 | 0 | 14 |
| EAS - Trunks | 0 | 0 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 0 | 0 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 1,724,581 | 5,191,057 | 6,272,822 | 2,784,688 | 27 |
| Exchange Square Miles | 38 | 62 | 72 | 97 | 28 |
| Exchange Route Miles | 17 | 61 | 28 | 25 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 2740 | 2760 | 2810 | 2840 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 1 | 2 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 44 | 131 | 313 | 116 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | | 111 | 486 | 75 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 240 | 144 | 12 |
| Feature Group D Trunks | 0 | 0 | 96 | 24 | 13 |
| TSPS - Trunks | 0 | 0 | 18 | 13 | 14 |
| EAS - Trunks | 0 | 0 | 96 | 88 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 1 | 0 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 1,056,727 | 11,344,536 | 6,461,194 | 10,415,031 | 27 |
| Exchange Square Miles | 38 | 140 | 64 | 315 | 28 |
| Exchange Route Miles | 17 | 40 | 56 | 137 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 2860 | 2870 | 2910 | 2950 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 2 | 0 | 0 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 50 | 196 | 22 | 34 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 1 | 56 | | 24 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 96 | 0 | 0 | 12 |
| Feature Group D Trunks | 0 | 0 | 0 | 0 | 13 |
| TSPS - Trunks | 0 | 17 | 0 | 0 | 14 |
| EAS - Trunks | 0 | 64 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 3 | 0 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 3,818,488 | 5,847,101 | 1,380,395 | 1,126,521 | 27 |
| Exchange Square Miles | 101 | 417 | 28 | 65 | 28 |
| Exchange Route Miles | 39 | 132 | 38 | 17 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 2990 | 3000 | 3010 | 3020 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 1 | 0 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 138 | 32 | 97 | 34 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 58 | 2 | 221 | 30 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 0 | 0 | 12 |
| Feature Group D Trunks | 0 | 0 | 0 | 0 | 13 |
| TSPS - Trunks | 0 | 0 | 0 | 0 | 14 |
| EAS - Trunks | 0 | 0 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 1 | 0 | 1 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 6,233,204 | 1,338,881 | 3,318,097 | 3,286,155 | 27 |
| Exchange Square Miles | 83 | 51 | 31 | 88 | 28 |
| Exchange Route Miles | 30 | 34 | 48 | 29 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 3040 | 3060 | 3070 | 3090 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 1 | 0 | 0 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 69 | 172 | 46 | 28 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 49 | 25 | 49 | 1 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 0 | 0 | 12 |
| Feature Group D Trunks | 0 | 0 | 0 | 0 | 13 |
| TSPS - Trunks | 0 | 0 | 0 | 0 | 14 |
| EAS - Trunks | 0 | 0 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 1 | 0 | 1 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 2,415,509 | 3,546,602 | 1,527,226 | 1,849,643 | 27 |
| Exchange Square Miles | 91 | 80 | 56 | 60 | 28 |
| Exchange Route Miles | 31 | 22 | 30 | 10 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 3140 | 3150 | 3190 | 3200 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 0 | 1 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 147 | 122 | 161 | 51 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 27 | 103 | 104 | 53 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 120 | 0 | 12 |
| Feature Group D Trunks | 0 | 0 | 48 | 0 | 13 |
| TSPS - Trunks | 0 | 0 | 9 | 0 | 14 |
| EAS - Trunks | 0 | 0 | 24 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 0 | 3 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 5,409,648 | 3,986,401 | 5,810,525 | 3,194,787 | 27 |
| Exchange Square Miles | 68 | 88 | 103 | 47 | 28 |
| Exchange Route Miles | 52 | 17 | 40 | 20 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 3210 | 3230 | 3240 | 3270 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 23 | 0 | 1 | 3 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 1,604 | 18 | 322 | 390 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 1,762 | 1 | 353 | 353 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 528 | 0 | 191 | 288 | 12 |
| Feature Group D Trunks | 480 | 0 | 144 | 96 | 13 |
| TSPS - Trunks | 16 | 0 | 20 | 10 | 14 |
| EAS - Trunks | 504 | 0 | 166 | 216 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 3 | 0 | 4 | 1 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 28,099,212 | 1,135,851 | 10,568,469 | 6,740,703 | 27 |
| Exchange Square Miles | 162 | 47 | 151 | 29 | 28 |
| Exchange Route Miles | 258 | 17 | 158 | 38 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 3290 | 3300 | 3340 | 3350 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 2 | 0 | 5 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 34 | 38 | 461 | 47 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 4 | 25 | 1,138 | 72 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 408 | 0 | 12 |
| Feature Group D Trunks | 0 | 0 | 96 | 0 | 13 |
| TSPS - Trunks | 0 | 0 | 30 | 0 | 14 |
| EAS - Trunks | 0 | 0 | 132 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 0 | 0 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 2,115,645 | 2,365,600 | 21,103,684 | 2,533,237 | 27 |
| Exchange Square Miles | 391 | 84 | 515 | 96 | 28 |
| Exchange Route Miles | 52 | 35 | 120 | 24 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 3360 | 3430 | 3440 | 3450 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 2 | 0 | 0 | 4 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 60 | 19 | 382 | 579 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 169 | 24 | 124 | 366 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 0 | 312 | 12 |
| Feature Group D Trunks | 0 | 0 | 0 | 240 | 13 |
| TSPS - Trunks | 0 | 0 | 0 | 24 | 14 |
| EAS - Trunks | 0 | 0 | 0 | 72 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 1 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 0 | 3 | 4 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 1,539,447 | 1,817,771 | 4,160,663 | 23,002,548 | 27 |
| Exchange Square Miles | 27 | 76 | 120 | 251 | 28 |
| Exchange Route Miles | 31 | 21 | 27 | 195 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 3470 | 3500 | 3510 | 3520 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 0 | 2 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 96 | 17 | 67 | 98 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 61 | 2 | 178 | 1 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 0 | 0 | 12 |
| Feature Group D Trunks | 0 | 0 | 0 | 0 | 13 |
| TSPS - Trunks | 0 | 0 | 0 | 0 | 14 |
| EAS - Trunks | 0 | 0 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 0 | 0 | 5 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 5,441,060 | 8,625,685 | 8,129,890 | 4,017,367 | 27 |
| Exchange Square Miles | 61 | 133 | 110 | 168 | 28 |
| Exchange Route Miles | 42 | 21 | 62 | 43 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 3550 | 3610 | 3710 | 3750 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 0 | 0 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 42 | 121 | 38 | 136 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 1 | 76 | 120 | 100 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 0 | 0 | 12 |
| Feature Group D Trunks | 0 | 0 | 0 | 0 | 13 |
| TSPS - Trunks | 0 | 0 | 0 | 0 | 14 |
| EAS - Trunks | 0 | 0 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 2 | 0 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 1,655,807 | 2,186,563 | 2,404,982 | 4,138,316 | 27 |
| Exchange Square Miles | 23 | 89 | 41 | 59 | 28 |
| Exchange Route Miles | 20 | 19 | 16 | 44 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|----------------|
| PSCW Exchange ID | 3770 | 3840 | 3900 | 3990 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 0 | 0 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA (equiv. access lines) | 249 | 15 | 133 | 37 | 6 7 |
| Special Access-interLATA (equiv. access lines) | 119 | | 175 | 50 | 8 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 168 | 0 | 12 |
| Feature Group D Trunks | 0 | 0 | 48 | 0 | 13 |
| TSPS - Trunks | 0 | 0 | 7 | 0 | 14 |
| EAS - Trunks | 0 | 0 | 504 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning - discounted (special tariff) | 1 | 0 | 1 | 0 | 17 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable Wire Fac. Assets (based on physical location of plant) | 4,033,163 | 1,341,275 | 7,080,890 | 3,368,694 | 25 26 27 |
| Exchange Square Miles | 36 | 36 | 77 | 43 | 28 |
| Exchange Route Miles | 23 | 11 | 47 | 41 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 4000 | 4010 | 4040 | 4050 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 1 | 1 | 2 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 285 | 77 | 197 | 91 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 280 | 26 | 251 | 79 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 480 | 72 | 456 | 0 | 12 |
| Feature Group D Trunks | 144 | 0 | 120 | 0 | 13 |
| TSPS - Trunks | 12 | 6 | 23 | 0 | 14 |
| EAS - Trunks | 384 | 204 | 12 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 0 | 0 | 1 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 11,296,536 | 5,128,853 | 7,147,036 | 2,880,597 | 27 |
| Exchange Square Miles | 55 | 78 | 114 | 139 | 28 |
| Exchange Route Miles | 47 | 28 | 114 | 43 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 4090 | 4100 | 4140 | 4170 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 3 | 1 | 0 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 70 | 328 | 20 | 56 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 79 | 158 | 2 | 48 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 240 | 0 | 0 | 12 |
| Feature Group D Trunks | 0 | 144 | 0 | 0 | 13 |
| TSPS - Trunks | 0 | 20 | 0 | 0 | 14 |
| EAS - Trunks | 0 | 0 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 1 | 0 | 0 | 3 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 4,420,226 | 9,386,809 | 2,060,410 | 3,157,462 | 27 |
| Exchange Square Miles | 95 | 508 | 65 | 187 | 28 |
| Exchange Route Miles | 28 | 61 | 43 | 71 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|----------------|
| PSCW Exchange ID | 4190 | 4200 | 4230 | 4270 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 1 | 0 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA (equiv. access lines) | 18 | 54 | 115 | 31 | 6 7 |
| Special Access-interLATA (equiv. access lines) | 1 | 31 | 50 | 1 | 8 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 0 | 0 | 12 |
| Feature Group D Trunks | 0 | 0 | 0 | 0 | 13 |
| TSPS - Trunks | 0 | 0 | 0 | 0 | 14 |
| EAS - Trunks | 0 | 0 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning - discounted (special tariff) | 0 | 0 | 0 | 1 | 17 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable Wire Fac. Assets (based on physical location of plant) | 3,005,851 | 1,643,411 | 1,643,590 | 1,994,867 | 25 26 27 |
| Exchange Square Miles | 177 | 50 | 61 | 73 | 28 |
| Exchange Route Miles | 30 | 14 | 48 | 49 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 4280 | 4310 | 4380 | 4410 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 3 | 2 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA (equiv. access lines) | 833 | 5,960 | 362 | 70 | 6 7 |
| Special Access-interLATA (equiv. access lines) | 846 | 1,801 | 545 | 103 | 8 9 |
| Feature Group A Lines | 0 | 0 | 0 | 2 | 10 |
| Feature Group B Trunks | 31 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 1,584 | 468 | 264 | 120 | 12 |
| Feature Group D Trunks | 1,742 | 312 | 96 | 72 | 13 |
| TSPS - Trunks | 24 | 23 | 39 | 9 | 14 |
| EAS - Trunks | 335 | 24 | 48 | 168 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 67 | 0 | 0 | 0 | 16 |
| Video Distance Learning - discounted (special tariff) | 0 | 5 | 0 | 0 | 17 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical location of plant) | 17,005,080 | 19,894,400 | 6,711,511 | 6,441,667 | 26 27 |
| Exchange Square Miles | 58 | 157 | 70 | 39 | 28 |
| Exchange Route Miles | 167 | 199 | 70 | 39 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 4480 | 4520 | 4530 | 4570 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 3 | 2 | 0 | 9 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA (equiv. access lines) | 123 | 333 | 36 | 1,184 | 6 7 |
| Special Access-interLATA (equiv. access lines) | 152 | 242 | 50 | 1,378 | 8 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 17 | 11 |
| Feature Group C Trunks | 336 | 360 | 0 | 1,968 | 12 |
| Feature Group D Trunks | 120 | 96 | 0 | 2,183 | 13 |
| TSPS - Trunks | 20 | 13 | 0 | 32 | 14 |
| EAS - Trunks | 696 | 30 | 0 | 504 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 88 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 1 | 0 | 12 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical location of plant) | 8,554,293 | 10,933,469 | 1,583,700 | 25,025,376 | 26 27 |
| Exchange Square Miles | 73 | 137 | 24 | 197 | 28 |
| Exchange Route Miles | 109 | 128 | 21 | 294 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 4580 | 4610 | 4670 | 4710 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 1 | 0 | 1 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 227 | 57 | 64 | 20 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 464 | 49 | 78 | 1 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 360 | 0 | 0 | 0 | 12 |
| Feature Group D Trunks | 72 | 0 | 0 | 0 | 13 |
| TSPS - Trunks | 19 | 0 | 0 | 0 | 14 |
| EAS - Trunks | 156 | 0 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 1 | 1 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 8,659,110 | 2,789,436 | 2,624,973 | 956,317 | 27 |
| Exchange Square Miles | 165 | 93 | 56 | 21 | 28 |
| Exchange Route Miles | 82 | 38 | 39 | 16 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 4720 | 4740 | 4770 | 4780 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 0 | 8 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA (equiv. access lines) | 216 | 38 | 493 | 44 | 6 7 |
| Special Access-interLATA (equiv. access lines) | 163 | 99 | 360 | | 8 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 408 | 0 | 12 |
| Feature Group D Trunks | 0 | 0 | 144 | 0 | 13 |
| TSPS - Trunks | 0 | 0 | 17 | 0 | 14 |
| EAS - Trunks | 126 | 0 | 201 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 1 | 0 | 0 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical location of plant) | 6,056,239 | 2,607,127 | 11,129,353 | 4,949,249 | 26 27 |
| Exchange Square Miles | 74 | 12 | 114 | 104 | 28 |
| Exchange Route Miles | 73 | 25 | 113 | 37 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 4800 | 4810 | 4890 | 4900 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 0 | 0 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 30 | 302 | 27 | 55 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 24 | 197 | 49 | 5 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 408 | 0 | 0 | 12 |
| Feature Group D Trunks | 0 | 72 | 0 | 0 | 13 |
| TSPS - Trunks | 0 | 12 | 0 | 0 | 14 |
| EAS - Trunks | 0 | 384 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 0 | 0 | 2 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 2,956,913 | 8,369,071 | 1,614,273 | 2,403,951 | 27 |
| Exchange Square Miles | 104 | 117 | 43 | 83 | 28 |
| Exchange Route Miles | 43 | 54 | 12 | 11 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 4910 | 4930 | 4940 | 5010 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 2 | 2 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 62 | 237 | 433 | 84 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 50 | 155 | 328 | 126 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 360 | 623 | 0 | 12 |
| Feature Group D Trunks | 0 | 168 | 336 | 0 | 13 |
| TSPS - Trunks | 0 | 24 | 20 | 0 | 14 |
| EAS - Trunks | 0 | 0 | 792 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 2 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 0 | 0 | 1 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 2,268,309 | 8,442,102 | 11,410,821 | 2,096,802 | 27 |
| Exchange Square Miles | 6 | 66 | 42 | 61 | 28 |
| Exchange Route Miles | 24 | 48 | 115 | 56 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|----|
| PSCW Exchange ID | 5020 | 5050 | 5060 | 5180 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 2 | 0 | 1 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 73 | 7 | 1,651 | 40 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | | | 103 | 4 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 168 | 0 | 12 |
| Feature Group D Trunks | 0 | 0 | 96 | 0 | 13 |
| TSPS - Trunks | 0 | 0 | 13 | 0 | 14 |
| EAS - Trunks | 0 | 0 | 51 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 0 | 1 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 6,517,601 | 1,315,209 | 11,706,800 | 3,676,200 | 27 |
| Exchange Square Miles | 282 | 72 | 98 | 138 | 28 |
| Exchange Route Miles | 47 | 21 | 83 | 33 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|----------------|
| PSCW Exchange ID | 5200 | 5250 | 5270 | 5290 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 2 | 0 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA (equiv. access lines) | 104 | 2,602 | 84 | 22 | 6 7 |
| Special Access-interLATA (equiv. access lines) | 27 | 2,095 | 74 | | 8 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 738 | 0 | 0 | 12 |
| Feature Group D Trunks | 0 | 457 | 0 | 0 | 13 |
| TSPS - Trunks | 0 | 138 | 0 | 0 | 14 |
| EAS - Trunks | 0 | 1,584 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning - discounted (special tariff) | 1 | 1 | 1 | 0 | 17 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable Wire Fac. Assets (based on physical location of plant) | 2,667,857 | 36,814,204 | 3,439,199 | 1,775,001 | 25 26 27 |
| Exchange Square Miles | 91 | 82 | 136 | 53 | 28 |
| Exchange Route Miles | 20 | 152 | 9 | 41 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 5300 | 5330 | 5370 | 5390 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 1 | 2 | 1 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 26 | 61 | 468 | 31 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 1 | 74 | 300 | 1 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 192 | 0 | 12 |
| Feature Group D Trunks | 0 | 0 | 96 | 0 | 13 |
| TSPS - Trunks | 0 | 0 | 36 | 0 | 14 |
| EAS - Trunks | 0 | 0 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 0 | 2 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 1,474,635 | 3,904,468 | 17,623,624 | 1,542,453 | 27 |
| Exchange Square Miles | 31 | 180 | 453 | 32 | 28 |
| Exchange Route Miles | 21 | 40 | 164 | 10 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|--|-----------------|-----------------|-----------------|-----------------|----------------|
| PSCW Exchange ID | 5400 | 5440 | 5450 | 5540 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 0 | 1 | 1 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA (equiv. access lines) | 55 | 150 | 309 | 71 | 6 7 |
| Special Access-interLATA (equiv. access lines) | 770 | 80 | 342 | 5 | 8 9 |
| Feature Group A Lines | 0 | 0 | 2 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 240 | 0 | 12 |
| Feature Group D Trunks | 0 | 0 | 120 | 0 | 13 |
| TSPS - Trunks | 0 | 0 | 18 | 0 | 14 |
| EAS - Trunks | 0 | 0 | 600 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning - discounted (special tariff) | 1 | 0 | 0 | 2 | 17 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable Wire Fac. Assets (based on physical location of plant) | 3,924,332 | 3,365,360 | 11,073,017 | 3,101,893 | 25 26 27 |
| Exchange Square Miles | 16 | 12 | 26 | 161 | 28 |
| Exchange Route Miles | 30 | 12 | 85 | 38 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 5560 | 5600 | 5620 | 5640 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 1 | 0 | 0 | 1 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 194 | 25 | 255 | 153 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 384 | 48 | 451 | 76 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 192 | 0 | 0 | 0 | 12 |
| Feature Group D Trunks | 96 | 0 | 0 | 0 | 13 |
| TSPS - Trunks | 12 | 0 | 0 | 0 | 14 |
| EAS - Trunks | 282 | 0 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 1 | 1 | 0 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 7,911,973 | 2,060,106 | 3,379,428 | 5,641,594 | 27 |
| Exchange Square Miles | 51 | 24 | 68 | 61 | 28 |
| Exchange Route Miles | 44 | 1 | 39 | 57 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 5700 | 5720 | 5730 | 5790 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 36 | 0 | 0 | 1 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 8,764 | 398 | 19 | 117 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 15,151 | 312 | 2 | 175 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 87 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 6,000 | 168 | 0 | 0 | 12 |
| Feature Group D Trunks | 4,008 | 72 | 0 | 0 | 13 |
| TSPS - Trunks | 214 | 13 | 0 | 0 | 14 |
| EAS - Trunks | 720 | 96 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 543 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 5 | 0 | 0 | 1 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 92,050,920 | 8,523,885 | 1,363,068 | 5,421,770 | 27 |
| Exchange Square Miles | 320 | 133 | 49 | 137 | 28 |
| Exchange Route Miles | 631 | 99 | 23 | 83 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 5840 | 5850 | 5860 | 5870 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 0 | 0 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 20 | 62 | 70 | 55 | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | 2 | 136 | 27 | 24 | 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 0 | 0 | 12 |
| Feature Group D Trunks | 0 | 0 | 0 | 0 | 13 |
| TSPS - Trunks | 0 | 0 | 0 | 0 | 14 |
| EAS - Trunks | 0 | 0 | 0 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | 0 | 1 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 1,464,535 | 2,352,150 | 2,279,990 | 3,021,855 | 27 |
| Exchange Square Miles | 59 | 38 | 91 | 43 | 28 |
| Exchange Route Miles | 32 | 49 | 30 | 24 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|-----------|
| PSCW Exchange ID | 5940 | 5950 | 5960 | 5990 | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | 0 | 2 | 0 | 3 |
| WATS Lines - 800 Service | 0 | 0 | 0 | 0 | 4 |
| FX-In-intraLATA | 0 | 0 | 0 | 0 | 5 |
| Special Access-intraLATA (equiv. access lines) | 746 | 12 | 532 | 28 | 6 7 |
| Special Access-interLATA (equiv. access lines) | 24 | | 375 | | 8 9 |
| Feature Group A Lines | 0 | 0 | 0 | 0 | 10 |
| Feature Group B Trunks | 0 | 0 | 0 | 0 | 11 |
| Feature Group C Trunks | 0 | 0 | 336 | 0 | 12 |
| Feature Group D Trunks | 0 | 0 | 216 | 0 | 13 |
| TSPS - Trunks | 0 | 0 | 30 | 0 | 14 |
| EAS - Trunks | 0 | 0 | 48 | 0 | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | 0 | 0 | 0 | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 1 | 2 | 1 | 0 | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | 0 | 0 | 0 | 20 |
| Business - 4 Party Customers | 0 | 0 | 0 | 0 | 21 |
| Residential - 2 Party Customers | 0 | 0 | 0 | 0 | 22 |
| Residential - 4 Party Customers | 0 | 0 | 0 | 0 | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical location of plant) | 6,248,461 | 623,885 | 17,104,322 | 1,961,503 | 26 27 |
| Exchange Square Miles | 366 | 18 | 154 | 86 | 28 |
| Exchange Route Miles | 42 | 19 | 124 | 32 | 29 |
| Footnotes | | | | | 30 |

SERVICE DATA - END OF YEAR (cont.)

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

| Item (a) | Exchange (b) | Exchange (c) | Exchange (d) | Exchange (e) | |
|---|-----------------|-----------------|-----------------|-----------------|----|
| PSCW Exchange ID | 9999 | | | | 1 |
| Miscellaneous | | | | | 2 |
| WATS Lines - OutWATS | 0 | | | | 3 |
| WATS Lines - 800 Service | 0 | | | | 4 |
| FX-In-intraLATA | 0 | | | | 5 |
| Special Access-intraLATA | | | | | 6 |
| (equiv. access lines) | 0 | | | | 7 |
| Special Access-interLATA | | | | | 8 |
| (equiv. access lines) | | | | | 9 |
| Feature Group A Lines | 0 | | | | 10 |
| Feature Group B Trunks | 0 | | | | 11 |
| Feature Group C Trunks | 0 | | | | 12 |
| Feature Group D Trunks | 0 | | | | 13 |
| TSPS - Trunks | 0 | | | | 14 |
| EAS - Trunks | 0 | | | | 15 |
| Cellular Trunks (Pub. Sw. Net.) | 0 | | | | 16 |
| Video Distance Learning | | | | | 17 |
| - discounted (special tariff) | 0 | | | | 18 |
| Customers | | | | | 19 |
| Business - 2 Party Customers | 0 | | | | 20 |
| Business - 4 Party Customers | 0 | | | | 21 |
| Residential - 2 Party Customers | 0 | | | | 22 |
| Residential - 4 Party Customers | 0 | | | | 23 |
| Other | | | | | 24 |
| Exchange C.O., Info. Orig./Term., & Cable | | | | | 25 |
| Wire Fac. Assets (based on physical | | | | | 26 |
| location of plant) | 5,060,926 | | | | 27 |
| Exchange Square Miles | 1 | | | | 28 |
| Exchange Route Miles | 1 | | | | 29 |
| Footnotes | | J | | | 30 |

MANUFACTURER ABBREVIATIONS

Use these abbreviations when completing the central office data schedule.

| Manufacturer Name (a) | Abbreviation (b) | |
|----------------------------------|-----------------------------|-------------|
| Alcatel | AL | 1 |
| ATTC | ATT | 2 |
| GTE | GTE | 3 |
| ITT | ITT | 4 |
| Lucent | ATT/LUC | 5 |
| Nippon Electric | NEC | 6 |
| Northern Telecom | NTI | 7 |
| Siemens | SI | 8 |
| Stromberg-Carlson | SC | 9 |
| VIDAR | VI | 10 |
| RELTEC | REL | 11 R |

EQUIPMENT ABBREVIATIONS

Use these abbreviations when completing the central office data schedule.

| Equipment Type (a) | Abbreviation (b) | |
|-------------------------------|-----------------------------|----------|
| Electromechanical | EM | 1 |
| Electronic--Analog | A | 2 |
| Electronic--Digital | D | 3 |
| Electronic--Video | V | 4 |

MANUFACTURER ABBREVIATIONS

Use these abbreviations when completing the central office data schedule.

| Manufacturer Name (a) | Abbreviation (b) | |
|----------------------------------|-----------------------------|-------------|
| Alcatel | AL | 1 |
| ATTC | ATT | 2 |
| GTE | GTE | 3 |
| ITT | ITT | 4 |
| Lucent | ATT/LUC | 5 |
| Nippon Electric | NEC | 6 |
| Northern Telecom | NTI | 7 |
| Siemens | SI | 8 |
| Stromberg-Carlson | SC | 9 |
| VIDAR | VI | 10 |
| RELTEC | REL | 11 R |

EQUIPMENT ABBREVIATIONS

Use these abbreviations when completing the central office data schedule.

| Equipment Type (a) | Abbreviation (b) | |
|-------------------------------|-----------------------------|----------|
| Electromechanical | EM | 1 |
| Electronic--Analog | A | 2 |
| Electronic--Digital | D | 3 |
| Electronic--Video | V | 4 |

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | ADAMS | ALLENTON | ALMA CENTER | ANTIGO | 1 |
| PSCW Exchange ID | 0020 | 0050 | 0070 | 0130 | 2 |
| Central Office Name | ADAMS | ALLENTON | ALMA CENTER | ANTIGO | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | VI | GTE | GTE | GTE | 5 |
| Year COE Installed | 1981 | 1993 | 1983 | 1986 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | H | R | R | H | 8 |
| Remote Host PSCW Exchange ID | | 4940 | 0540 | | 9 |
| Remote Host PSCW Central Office ID | 0 | 1 | 1 | 0 | 10 |
| COE Generic Software Release No. | 8.1 | 4002 | 4002 | 4002 | 11 |
| SS7? | No | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | No | Yes | 13 |
| Access Lines - In Use | 5,406 | 2,429 | 877 | 8,885 | 14 |
| - Equipped | 5,926 | 2,914 | 1,008 | 10,099 | 15 |
| - Wired | 7,056 | 3,456 | 1,632 | 10,752 | 16 |
| Trunks - In Use | 76 | 14 | 4 | 78 | 17 |
| - Equipped | 80 | 24 | 12 | 96 | 18 |
| - Wired | 80 | 24 | 12 | 96 | 19 |
| ISDN Available? | No | No | No | Yes | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | No | Yes | Yes | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 53 | 31 | 12 | 129 | 25 |
| DS-3 - In Use | 3 | 0 | 0 | 1 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | Yes | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | Yes | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 2 | 0 | 0 | 2 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 60 | 36 | 24 | 132 | 33 |
| No. of fiber strands working (LIT) in C.O. | 18 | 8 | 4 | 26 | 34 |
| No. of fiber strands for interoffice use | 16 | 12 | 12 | 28 | 35 |
| Miles of fiber sheath in wire center | 28 | 18 | 9 | 74 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | DODGEVILLE | MILWAUKEE | EAU CLAIRE | WAUSAU | 37 |
| - PSCW C.O. ID | 1500-01 | 3420-01 | 1630-01 | 5700-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | ARCADIA | ARENA | ARGYLE | ATHENS | 1 |
| PSCW Exchange ID | 0160 | 0170 | 0190 | 0220 | 2 |
| Central Office Name | ARCADIA | ARENA | ARGYLE | ATHENS | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | VI | GTE | GTE | 5 |
| Year COE Installed | 1986 | 1981 | 1996 | 1986 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | R | R | 8 |
| Remote Host PSCW Exchange ID | 2410 | 5060 | 1500 | 5700 | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 1 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 8.1 | 4002 | 4002 | 11 |
| SS7? | Yes | No | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 2,359 | 739 | 854 | 1,568 | 14 |
| - Equipped | 3,030 | 822 | 976 | 1,768 | 15 |
| - Wired | 3,744 | 1,008 | 1,440 | 2,496 | 16 |
| Trunks - In Use | 15 | 6 | 3 | 10 | 17 |
| - Equipped | 16 | 6 | 8 | 12 | 18 |
| - Wired | 16 | 6 | 8 | 12 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | Yes | No | No | Yes | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 40 | 0 | 1 | 9 | 25 |
| DS-3 - In Use | 0 | 0 | 1 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | Yes | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | Yes | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 0 | 1 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 24 | 12 | 24 | 40 | 33 |
| No. of fiber strands working (LIT) in C.O. | 4 | 4 | 4 | 8 | 34 |
| No. of fiber strands for interoffice use | 16 | 8 | 4 | 12 | 35 |
| Miles of fiber sheath in wire center | 11 | 4 | 7 | 29 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | LACROSSE | DODGEVILLE | DODGEVILLE | WAUSAU | 37 |
| - PSCW C.O. ID | 2770-03 | 1500-01 | 1500-01 | 5700-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | AUGUSTA | BAILEYS HARBO | BALSAM LAKE | BANGOR | 1 |
| PSCW Exchange ID | 0240 | 0280 | 0300 | 0310 | 2 |
| Central Office Name | AUGUSTA | BAILEYS HARBOR | BALSAM LAKE | BANGOR | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | GTE | GTE | 5 |
| Year COE Installed | 1985 | 1986 | 1988 | 1986 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | R | R | 8 |
| Remote Host PSCW Exchange ID | 4040 | 4930 | 4570 | 2410 | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 1 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 1,693 | 1,446 | 1,100 | 1,659 | 14 |
| - Equipped | 1,868 | 1,692 | 1,278 | 1,830 | 15 |
| - Wired | 2,592 | 1,824 | 1,440 | 1,920 | 16 |
| Trunks - In Use | 10 | 9 | 7 | 6 | 17 |
| - Equipped | 12 | 16 | 12 | 8 | 18 |
| - Wired | 12 | 16 | 12 | 8 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | Yes | No | No | Yes | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 9 | 13 | 17 | 13 | 25 |
| DS-3 - In Use | 2 | 0 | 0 | 1 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 1 | 0 | 0 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 52 | 12 | 16 | 28 | 33 |
| No. of fiber strands working (LIT) in C.O. | 8 | 12 | 4 | 8 | 34 |
| No. of fiber strands for interoffice use | 8 | 12 | 8 | 8 | 35 |
| Miles of fiber sheath in wire center | 15 | 14 | 5 | 13 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | EAU CLAIRE | GREEN BAY | RICE LAKE | LACROSSE | 37 |
| - PSCW C.O. ID | 1630-01 | 2160-01 | 4570-01 | 2770-03 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | BARRON | BELGIUM | BELLEVILLE | BENTON | 1 |
| PSCW Exchange ID | 0340 | 0400 | 0410 | 0460 | 2 |
| Central Office Name | BARRON | BELGIUM | BELLEVILLE | BENTON | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | GTE | GTE | 5 |
| Year COE Installed | 1988 | 1987 | 1995 | 1989 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | R | R | 8 |
| Remote Host PSCW Exchange ID | 4570 | 4480 | 4000 | 1500 | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 1 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 715 | 1,406 | 1,983 | 626 | 14 |
| - Equipped | 3,006 | 1,614 | 2,344 | 662 | 15 |
| - Wired | 3,072 | 2,208 | 2,400 | 672 | 16 |
| Trunks - In Use | 9 | 8 | 8 | 3 | 17 |
| - Equipped | 12 | 8 | 8 | 4 | 18 |
| - Wired | 12 | 8 | 8 | 4 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | Yes | No | No | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 37 | 13 | 8 | 5 | 25 |
| DS-3 - In Use | 1 | 0 | 0 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 1 | 0 | 0 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 16 | 24 | 8 | 4 | 33 |
| No. of fiber strands working (LIT) in C.O. | 4 | 4 | 4 | 4 | 34 |
| No. of fiber strands for interoffice use | 8 | 8 | 8 | 4 | 35 |
| Miles of fiber sheath in wire center | 13 | 5 | 5 | 4 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | RICE LAKE | PLYMOUTH | MADISON | DODGEVILLE | 37 |
| - PSCW C.O. ID | 4570-01 | 4280-01 | 3080-01 | 1500-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | BIRCHWOOD | BIRNAMWOOD | BLACK CREEK | BLACK RIVER FALLS | 1 |
| PSCW Exchange ID | 0500 | 0510 | 0520 | 0540 | 2 |
| Central Office Name | BIRCHWOOD | BIRNAMWOOD | BLACK CREEK | BLACK RIVER FALLS | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | GTE | GTE | 5 |
| Year COE Installed | 1985 | 1986 | 1996 | 1983 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | R | H | 8 |
| Remote Host PSCW Exchange ID | 4570 | 5700 | 4810 | | 9 |
| Remote Host PSCW Central Office ID | 1 | 3 | 1 | 0 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | No | 13 |
| Access Lines - In Use | 1,873 | 1,547 | 1,086 | 5,510 | 14 |
| - Equipped | 2,288 | 1,974 | 1,404 | 6,439 | 15 |
| - Wired | 2,496 | 2,304 | 1,440 | 6,816 | 16 |
| Trunks - In Use | 12 | 12 | 6 | 91 | 17 |
| - Equipped | 16 | 12 | 8 | 96 | 18 |
| - Wired | 16 | 12 | 8 | 96 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | Yes | Yes | No | Yes | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 38 | 0 | 7 | 104 | 25 |
| DS-3 - In Use | 2 | 0 | 0 | 6 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | Yes | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | Yes | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 2 | 0 | 0 | 2 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 56 | 48 | 36 | 80 | 33 |
| No. of fiber strands working (LIT) in C.O. | 24 | 8 | 8 | 20 | 34 |
| No. of fiber strands for interoffice use | 32 | 8 | 16 | 24 | 35 |
| Miles of fiber sheath in wire center | 44 | 19 | 7 | 121 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | RICE LAKE | WAUSAU | APPLETON | EAU CLAIRE | 37 |
| - PSCW C.O. ID | 4570-01 | 5700-01 | 0150-01 | 1630-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | BLAIR | BLOOM CITY | BOYCEVILLE | BRIGGSVILLE | 1 |
| PSCW Exchange ID | 0550 | 0570 | 0670 | 0710 | 2 |
| Central Office Name | BLAIR | BLOOM CITY | BOYCEVILLE | BRIGGSVILLE | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | VI | GTE | 5 |
| Year COE Installed | 1995 | 1990 | 1981 | 1995 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | R | R | 8 |
| Remote Host PSCW Exchange ID | 2410 | 4580 | 1210 | 5940 | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 1 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 8.1 | 4002 | 11 |
| SS7? | Yes | Yes | No | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 1,023 | 167 | 1,260 | 606 | 14 |
| - Equipped | 1,404 | 184 | 1,397 | 1,404 | 15 |
| - Wired | 1,440 | 192 | 1,680 | 1,440 | 16 |
| Trunks - In Use | 5 | 2 | 10 | 4 | 17 |
| - Equipped | 8 | 2 | 10 | 8 | 18 |
| - Wired | 8 | 2 | 10 | 8 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | Yes | No | No | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 1 | 0 | 3 | 0 | 25 |
| DS-3 - In Use | 0 | 0 | 1 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 0 | 1 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 68 | 8 | 40 | 24 | 33 |
| No. of fiber strands working (LIT) in C.O. | 16 | 4 | 24 | 8 | 34 |
| No. of fiber strands for interoffice use | 60 | 8 | 28 | 20 | 35 |
| Miles of fiber sheath in wire center | 17 | 5 | 12 | 11 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | LACROSSE | DODGEVILLE | EAU CLAIRE | MADISON | 37 |
| - PSCW C.O. ID | 2770-03 | 1500-01 | 1630-01 | 3080-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | BRILLION | BRISTOL | BRODHEAD | BROOKLYN | 1 |
| PSCW Exchange ID | 0720 | 0730 | 0740 | 0750 | 2 |
| Central Office Name | BRILLION | BRISTOL | BRODHEAD | BROOKLYN | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | NTI | GTE | 5 |
| Year COE Installed | 1990 | 1986 | 1995 | 1986 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | H | R | R | 8 |
| Remote Host PSCW Exchange ID | 4280 | | 4010 | 4000 | 9 |
| Remote Host PSCW Central Office ID | 1 | 0 | 1 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | BCS410.10 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 2,011 | 4,292 | 2,943 | 1,239 | 14 |
| - Equipped | 2,274 | 6,226 | 3,135 | 1,536 | 15 |
| - Wired | 2,976 | 7,680 | 3,840 | 1,824 | 16 |
| Trunks - In Use | 7 | 158 | 17 | 11 | 17 |
| - Equipped | 8 | 184 | 32 | 12 | 18 |
| - Wired | 8 | 184 | 32 | 12 | 19 |
| ISDN Available? | No | Yes | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | No | No | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 21 | 79 | 15 | 0 | 25 |
| DS-3 - In Use | 0 | 2 | 1 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 0 | 1 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 24 | 16 | 4 | 4 | 33 |
| No. of fiber strands working (LIT) in C.O. | 8 | 16 | 4 | 4 | 34 |
| No. of fiber strands for interoffice use | 20 | 12 | 4 | 4 | 35 |
| Miles of fiber sheath in wire center | 9 | 18 | 6 | 1 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | PLYMOUTH | MILWAUKEE | MADISON | MADISON | 37 |
| - PSCW C.O. ID | 4280-01 | 3420-01 | 3080-01 | 3080-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | BUTTERNUT | CAMBRIDGE | CAMPBELLSPORT | CASCADE | 1 |
| PSCW Exchange ID | 0830 | 0880 | 0900 | 0930 | 2 |
| Central Office Name | BUTTERNUT | CAMBRIDGE | CAMPBELLSPORT | CASCADE | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | VI | GTE | 5 |
| Year COE Installed | 1984 | 1988 | 1981 | 1995 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | H | R | 8 |
| Remote Host PSCW Exchange ID | 4100 | 1280 | | 4280 | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 0 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 8.1 | 4002 | 11 |
| SS7? | Yes | Yes | No | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 689 | 2,728 | 3,085 | 1,561 | 14 |
| - Equipped | 720 | 3,082 | 3,357 | 2,440 | 15 |
| - Wired | 1,440 | 3,744 | 3,372 | 2,496 | 16 |
| Trunks - In Use | 3 | 10 | 81 | 11 | 17 |
| - Equipped | 4 | 20 | 96 | 16 | 18 |
| - Wired | 4 | 20 | 96 | 16 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | Yes | No | No | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 4 | 19 | 7 | 0 | 25 |
| DS-3 - In Use | 0 | 0 | 0 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | Yes | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | Yes | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 0 | 0 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 72 | 24 | 60 | 24 | 33 |
| No. of fiber strands working (LIT) in C.O. | 18 | 4 | 8 | 4 | 34 |
| No. of fiber strands for interoffice use | 16 | 8 | 16 | 16 | 35 |
| Miles of fiber sheath in wire center | 9 | 3 | 8 | 9 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | RICE LAKE | MADISON | MILWAUKEE | PLYMOUTH | 37 |
| - PSCW C.O. ID | 4570-01 | 3080-01 | 3420-01 | 4280-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | CEDAR GROVE | CENTERVILLE | CENTURIA | CHILTON | 1 |
| PSCW Exchange ID | 1010 | 1020 | 1030 | 1070 | 2 |
| Central Office Name | CEDAR GROVE | CENTERVILLE | CENTURIA | CHILTON | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | GTE | GTE | 5 |
| Year COE Installed | 1995 | 1986 | 1993 | 1985 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | R | R | 8 |
| Remote Host PSCW Exchange ID | 4480 | 2410 | 4570 | 4280 | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 1 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 1,463 | 532 | 792 | 3,864 | 14 |
| - Equipped | 2,152 | 590 | 946 | 4,072 | 15 |
| - Wired | 2,208 | 768 | 1,440 | 4,704 | 16 |
| Trunks - In Use | 6 | 6 | 6 | 20 | 17 |
| - Equipped | 8 | 8 | 16 | 24 | 18 |
| - Wired | 8 | 8 | 16 | 24 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | Yes | Yes | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 9 | 0 | 4 | 35 | 25 |
| DS-3 - In Use | 0 | 0 | 0 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 0 | 0 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 24 | 68 | 24 | 28 | 33 |
| No. of fiber strands working (LIT) in C.O. | 8 | 20 | 10 | 8 | 34 |
| No. of fiber strands for interoffice use | 16 | 32 | 20 | 8 | 35 |
| Miles of fiber sheath in wire center | 11 | 13 | 6 | 12 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | PLYMOUTH | LACROSSE | RICE LAKE | PLYMOUTH | 37 |
| - PSCW C.O. ID | 4280-01 | 2770-03 | 4570-01 | 4280-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | CLEGHORN | CLINTON | CLYMAN | COBB | 1 |
| PSCW Exchange ID | 1120 | 1140 | 1160 | 1170 | 2 |
| Central Office Name | CLEGHORN | CLINTON | CLYMAN | COBB | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | NTI | ATT | GTE | 5 |
| Year COE Installed | 1994 | 1994 | 1997 | 1989 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | S | R | R | 8 |
| Remote Host PSCW Exchange ID | 4040 | | 4940 | 1500 | 9 |
| Remote Host PSCW Central Office ID | 1 | 0 | 1 | 1 | 10 |
| COE Generic Software Release No. | 4002 | BCS410.10 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 1,153 | 1,893 | 445 | 914 | 14 |
| - Equipped | 1,404 | 2,102 | 569 | 1,024 | 15 |
| - Wired | 1,440 | 2,560 | 576 | 1,056 | 16 |
| Trunks - In Use | 7 | 17 | 6 | 10 | 17 |
| - Equipped | 8 | 18 | 6 | 12 | 18 |
| - Wired | 8 | 18 | 6 | 12 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | Yes | No | No | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 3 | 8 | 0 | 0 | 25 |
| DS-3 - In Use | 0 | 0 | 0 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 1 | 0 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 48 | 12 | 24 | 28 | 33 |
| No. of fiber strands working (LIT) in C.O. | 12 | 4 | 8 | 12 | 34 |
| No. of fiber strands for interoffice use | 28 | 12 | 24 | 24 | 35 |
| Miles of fiber sheath in wire center | 14 | 6 | 9 | 18 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | EAU CLAIRE | MADISON | MILWAUKEE | DODGEVILLE | 37 |
| - PSCW C.O. ID | 1630-01 | 3080-01 | 3420-01 | 1500-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | COLBY | COLFAX | COTTAGE GROVE | DARIEN | 1 |
| PSCW Exchange ID | 1190 | 1210 | 1280 | 1390 | 2 |
| Central Office Name | COLBY | COLFAX | COTTAGE GROVE | DARIEN | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | VI | GTE | NTI | 5 |
| Year COE Installed | 1986 | 1981 | 1987 | 1994 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | H | H | S | 8 |
| Remote Host PSCW Exchange ID | 3210 | | | | 9 |
| Remote Host PSCW Central Office ID | 1 | 0 | 0 | 0 | 10 |
| COE Generic Software Release No. | 4002 | 8.1 | 4002 | BCS 410.10 | 11 |
| SS7? | Yes | No | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 4,137 | 1,696 | 3,399 | 1,348 | 14 |
| - Equipped | 4,514 | 1,794 | 3,928 | 1,583 | 15 |
| - Wired | 5,376 | 2,016 | 4,608 | 1,920 | 16 |
| Trunks - In Use | 16 | 69 | 53 | 14 | 17 |
| - Equipped | 20 | 80 | 64 | 18 | 18 |
| - Wired | 20 | 80 | 64 | 32 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | Yes | No | No | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 44 | 25 | 8 | 7 | 25 |
| DS-3 - In Use | 3 | 0 | 0 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | Yes | No | Yes | No | 29 |
| ATM (Asynchronous Trans. Mode)? | Yes | No | Yes | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 2 | 0 | 0 | 1 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 88 | 44 | 48 | 36 | 33 |
| No. of fiber strands working (LIT) in C.O. | 16 | 28 | 10 | 8 | 34 |
| No. of fiber strands for interoffice use | 24 | 28 | 32 | 24 | 35 |
| Miles of fiber sheath in wire center | 51 | 24 | 7 | 4 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | WAUSAU | EAU CLAIRE | MADISON | MILWAUKEE | 37 |
| - PSCW C.O. ID | 5700-01 | 1630-01 | 3080-01 | 3420-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | DARLINGTON | DEERFIELD | DENMARK | DODGEVILLE | 1 |
| PSCW Exchange ID | 1400 | 1410 | 1460 | 1500 | 2 |
| Central Office Name | DARLINGTON | DEERFIELD | DENMARK | DODGEVILLE | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | GTE | GTE | 5 |
| Year COE Installed | 1989 | 1994 | 1988 | 1984 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | H | H | 8 |
| Remote Host PSCW Exchange ID | 1500 | 1280 | | | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 0 | 0 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 2,364 | 1,897 | 4,249 | 4,166 | 14 |
| - Equipped | 2,630 | 2,134 | 5,065 | 4,956 | 15 |
| - Wired | 3,072 | 2,208 | 5,472 | 5,472 | 16 |
| Trunks - In Use | 9 | 9 | 131 | 365 | 17 |
| - Equipped | 12 | 16 | 176 | 376 | 18 |
| - Wired | 12 | 16 | 176 | 376 | 19 |
| ISDN Available? | No | No | Yes | Yes | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 3 | 22 |
| Switched 56 Service? | No | No | No | Yes | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 17 | 2 | 54 | 30 | 25 |
| DS-3 - In Use | 0 | 0 | 4 | 2 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | Yes | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | Yes | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 2 | 0 | 0 | 2 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 44 | 60 | 16 | 32 | 33 |
| No. of fiber strands working (LIT) in C.O. | 16 | 8 | 16 | 24 | 34 |
| No. of fiber strands for interoffice use | 20 | 24 | 12 | 28 | 35 |
| Miles of fiber sheath in wire center | 30 | 12 | 14 | 34 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | DODGEVILLE | MADISON | GREEN BAY | DODGEVILLE | 37 |
| - PSCW C.O. ID | 1500-01 | 3080-01 | 2160-01 | 1500-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | Yes | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | EAGLE RIVER | EASTMAN | EDEN | EDGAR | 1 |
| PSCW Exchange ID | 1590 | 1610 | 1650 | 1660 | 2 |
| Central Office Name | EAGLE RIVER | EASTMAN | EDEN | EDGAR | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | VI | GTE | 5 |
| Year COE Installed | 1984 | 1988 | 1982 | 1989 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | H | R | R | R | 8 |
| Remote Host PSCW Exchange ID | | 4380 | 0900 | 5700 | 9 |
| Remote Host PSCW Central Office ID | 0 | 1 | 1 | 3 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 8.1 | 4002 | 11 |
| SS7? | Yes | Yes | No | Yes | 12 |
| 9-1-1? | Yes | No | Yes | Yes | 13 |
| Access Lines - In Use | 9,171 | 635 | 1,151 | 1,454 | 14 |
| - Equipped | 10,817 | 790 | 1,272 | 1,510 | 15 |
| - Wired | 12,672 | 1,536 | 1,344 | 2,208 | 16 |
| Trunks - In Use | 113 | 4 | 8 | 5 | 17 |
| - Equipped | 144 | 8 | 8 | 8 | 18 |
| - Wired | 144 | 8 | 8 | 8 | 19 |
| ISDN Available? | Yes | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | Yes | No | No | Yes | 23 |
| Switched 56 lines in use | 1 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 133 | 0 | 12 | 2 | 25 |
| DS-3 - In Use | 3 | 0 | 0 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | Yes | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | Yes | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 1 | 0 | 0 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 124 | 4 | 36 | 40 | 33 |
| No. of fiber strands working (LIT) in C.O. | 20 | 4 | 4 | 16 | 34 |
| No. of fiber strands for interoffice use | 40 | 4 | 8 | 20 | 35 |
| Miles of fiber sheath in wire center | 50 | 8 | 4 | 12 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | RHINELANDER | BOSCOBEL | MILWAUKEE | WAUSAU | 37 |
| - PSCW C.O. ID | 4550-01 | 0640-01 | 3420-01 | 5700-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | EDGERTON | EGG HARBOR | ELKHART LAKE | ELK MOUND | 1 |
| PSCW Exchange ID | 1670 | 1680 | 1720 | 1750 | 2 |
| Central Office Name | EDGERTON | EGG HARBOR | ELKHART LAKE | ELK MOUND | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | NTI | GTE | GTE | VI | 5 |
| Year COE Installed | 1993 | 1986 | 1995 | 1981 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | S | R | R | R | 8 |
| Remote Host PSCW Exchange ID | | 4930 | 4280 | 1210 | 9 |
| Remote Host PSCW Central Office ID | 0 | 1 | 1 | 1 | 10 |
| COE Generic Software Release No. | BCS411.10 | 4002 | 4002 | 8.1 | 11 |
| SS7? | Yes | Yes | Yes | No | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 5,528 | 2,609 | 1,788 | 973 | 14 |
| - Equipped | 5,935 | 3,401 | 2,112 | 1,122 | 15 |
| - Wired | 6,192 | 4,800 | 2,208 | 1,344 | 16 |
| Trunks - In Use | 45 | 20 | 6 | 8 | 17 |
| - Equipped | 76 | 24 | 8 | 8 | 18 |
| - Wired | 76 | 24 | 8 | 8 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | No | No | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 23 | 104 | 9 | 10 | 25 |
| DS-3 - In Use | 0 | 3 | 0 | 1 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 1 | 1 | 0 | 1 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 24 | 28 | 30 | 24 | 33 |
| No. of fiber strands working (LIT) in C.O. | 4 | 12 | 8 | 20 | 34 |
| No. of fiber strands for interoffice use | 8 | 4 | 22 | 20 | 35 |
| Miles of fiber sheath in wire center | 17 | 10 | 17 | 8 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | MADISON | GREEN BAY | PLYMOUTH | EAU CLAIRE | 37 |
| - PSCW C.O. ID | 3080-01 | 2160-01 | 4280-01 | 1630-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | ELMWOOD | ETTRICK | FAIRCHILD | FALL CREEK | 1 |
| PSCW Exchange ID | 1770 | 1800 | 1830 | 1840 | 2 |
| Central Office Name | ELMWOOD | ETTRICK | FAIRCHILD | FALL CREEK | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | VI | GTE | GTE | GTE | 5 |
| Year COE Installed | 1980 | 1988 | 1989 | 1988 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | H | R | R | R | 8 |
| Remote Host PSCW Exchange ID | | 2410 | 4040 | 4040 | 9 |
| Remote Host PSCW Central Office ID | 0 | 1 | 1 | 1 | 10 |
| COE Generic Software Release No. | 8.1 | 4002 | 4002 | 4002 | 11 |
| SS7? | No | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 888 | 938 | 570 | 1,511 | 14 |
| - Equipped | 1,072 | 1,024 | 650 | 1,590 | 15 |
| - Wired | 1,344 | 1,536 | 672 | 1,632 | 16 |
| Trunks - In Use | 48 | 5 | 3 | 9 | 17 |
| - Equipped | 64 | 8 | 4 | 12 | 18 |
| - Wired | 64 | 8 | 4 | 12 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | No | No | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 1 | 6 | 0 | 9 | 25 |
| DS-3 - In Use | 0 | 0 | 0 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 0 | 0 | 1 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 32 | 36 | 16 | 8 | 33 |
| No. of fiber strands working (LIT) in C.O. | 8 | 4 | 8 | 4 | 34 |
| No. of fiber strands for interoffice use | 16 | 20 | 16 | 8 | 35 |
| Miles of fiber sheath in wire center | 15 | 10 | 10 | 7 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | EAU CLAIRE | LACROSSE | EAU CLAIRE | EAU CLAIRE | 37 |
| - PSCW C.O. ID | 1630-01 | 2770-03 | 1630-01 | 1630-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | FOUNTAIN CITY | GALESVILLE | GILLETT | GLENWOOD CITY | 1 |
| PSCW Exchange ID | 1930 | 1980 | 2030 | 2080 | 2 |
| Central Office Name | FOUNTAIN CITY | GALESVILLE | GILLETT | GLENWOOD CITY | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | GTE | VI | 5 |
| Year COE Installed | 1985 | 1985 | 1988 | 1994 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | H | S | 8 |
| Remote Host PSCW Exchange ID | 2410 | 2410 | | | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 0 | 0 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 8.1 | 11 |
| SS7? | Yes | Yes | Yes | No | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 1,333 | 1,754 | 1,856 | 1,664 | 14 |
| - Equipped | 1,490 | 2,072 | 2,174 | 1,794 | 15 |
| - Wired | 1,536 | 2,592 | 2,592 | 2,016 | 16 |
| Trunks - In Use | 7 | 9 | 24 | 30 | 17 |
| - Equipped | 8 | 12 | 24 | 32 | 18 |
| - Wired | 8 | 12 | 24 | 32 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | Yes | Yes | Yes | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 5 | 35 | 7 | 4 | 25 |
| DS-3 - In Use | 0 | 0 | 3 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 0 | 1 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 44 | 16 | 112 | 24 | 33 |
| No. of fiber strands working (LIT) in C.O. | 16 | 12 | 18 | 4 | 34 |
| No. of fiber strands for interoffice use | 16 | 16 | 16 | 8 | 35 |
| Miles of fiber sheath in wire center | 14 | 15 | 25 | 6 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | LACROSSE | LACROSSE | GREEN BAY | NEW RICHMOND | 37 |
| - PSCW C.O. ID | 2770-03 | 2770-03 | 2160-01 | 3800-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | GLIDDEN | GRATIOT | GREENBUSH | HATLEY | 1 |
| PSCW Exchange ID | 2090 | 2150 | 2170 | 2280 | 2 |
| Central Office Name | GLIDDEN | GRATIOT | GREENBUSH | HATLEY | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | ATT | GTE | GTE | 5 |
| Year COE Installed | 1984 | 1994 | 1991 | 1985 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | R | R | 8 |
| Remote Host PSCW Exchange ID | 4100 | 1500 | 4280 | 5700 | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 1 | 3 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 692 | 313 | 729 | 1,754 | 14 |
| - Equipped | 792 | 349 | 888 | 1,966 | 15 |
| - Wired | 1,440 | 384 | 1,632 | 2,304 | 16 |
| Trunks - In Use | 4 | 4 | 4 | 12 | 17 |
| - Equipped | 4 | 4 | 8 | 16 | 18 |
| - Wired | 4 | 4 | 8 | 16 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | Yes | No | No | Yes | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 3 | 0 | 12 | 0 | 25 |
| DS-3 - In Use | 0 | 0 | 0 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | Yes | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | Yes | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 0 | 0 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 82 | 24 | 8 | 48 | 33 |
| No. of fiber strands working (LIT) in C.O. | 8 | 4 | 4 | 12 | 34 |
| No. of fiber strands for interoffice use | 16 | 16 | 8 | 12 | 35 |
| Miles of fiber sheath in wire center | 15 | 4 | 2 | 15 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | RICE LAKE | DODGEVILLE | PLYMOUTH | WAUSAU | 37 |
| - PSCW C.O. ID | 4570-01 | 1500-01 | 4280-01 | 5700-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|----|
| Exchange Name | HAYWARD | HILBERT | HIXTON | HOLLANDALE | 1 |
| PSCW Exchange ID | 2310 | 2360 | 2380 | 2400 | 2 |
| Central Office Name | HAYWARD | HILBERT | HIXTON | HOLLANDALE | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | GTE | GTE | 5 |
| Year COE Installed | 1986 | 1996 | 1984 | 1986 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | S | R | R | R | 8 |
| Remote Host PSCW Exchange ID | | 4280 | 0540 | 1500 | 9 |
| Remote Host PSCW Central Office ID | 0 | 1 | 1 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | No | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 6,845 | 1,084 | 595 | 401 | 14 |
| - Equipped | 8,464 | 1,404 | 796 | 474 | 15 |
| - Wired | 9,120 | 1,440 | 864 | 672 | 16 |
| Trunks - In Use | 103 | 5 | 3 | 3 | 17 |
| - Equipped | 128 | 8 | 4 | 4 | 18 |
| - Wired | 128 | 8 | 4 | 4 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | Yes | No | Yes | No | 23 |
| Switched 56 lines in use | 1 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 109 | 3 | 0 | 0 | 25 |
| DS-3 - In Use | 5 | 0 | 0 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 2 | 0 | 0 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 52 | 28 | 24 | 8 | 33 |
| No. of fiber strands working (LIT) in C.O. | 20 | 8 | 4 | 0 | 34 |
| No. of fiber strands for interoffice use | 36 | 8 | 4 | 8 | 35 |
| Miles of fiber sheath in wire center | 40 | 7 | 5 | 6 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | RICE LAKE | PLYMOUTH | EAU CLAIRE | DODGEVILLE | 37 |
| - PSCW C.O. ID | 4570-01 | 4280-01 | 1630-01 | 1500-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | HOLMEN | HUSTISFORD | ITHACA | JACKSONPORT | 1 |
| PSCW Exchange ID | 2410 | 2490 | 2530 | 2550 | 2 |
| Central Office Name | HOLMEN | HUSTISFORD | ITHACA | JACKSONPORT | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | GTE | ATT | 5 |
| Year COE Installed | 1985 | 1996 | 1988 | 1996 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | H | R | R | R | 8 |
| Remote Host PSCW Exchange ID | | 4940 | 4580 | 4930 | 9 |
| Remote Host PSCW Central Office ID | 0 | 1 | 1 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 4,131 | 1,518 | 371 | 605 | 14 |
| - Equipped | 4,911 | 1,877 | 438 | 668 | 15 |
| - Wired | 5,376 | 2,400 | 672 | 672 | 16 |
| Trunks - In Use | 171 | 6 | 3 | 7 | 17 |
| - Equipped | 192 | 8 | 8 | 7 | 18 |
| - Wired | 192 | 8 | 8 | 7 | 19 |
| ISDN Available? | Yes | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | No | No | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 48 | 20 | 0 | 2 | 25 |
| DS-3 - In Use | 1 | 1 | 0 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 1 | 1 | 0 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 52 | 60 | 0 | 16 | 33 |
| No. of fiber strands working (LIT) in C.O. | 16 | 8 | 0 | 8 | 34 |
| No. of fiber strands for interoffice use | 16 | 24 | 0 | 12 | 35 |
| Miles of fiber sheath in wire center | 23 | 12 | 4 | 8 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | LACROSSE | MILWAUKEE | DODGEVILLE | GREEN BAY | 37 |
| - PSCW C.O. ID | 2770-03 | 3420-01 | 1500-01 | 2160-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | JOHNSBURG | KEWASKUM | KIEL | KINGSTON | 1 |
| PSCW Exchange ID | 2590 | 2700 | 2720 | 2730 | 2 |
| Central Office Name | JOHNSBURG | KEWASKUM | KIEL | KINGSTON | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | GTE | GTE | 5 |
| Year COE Installed | 1988 | 1994 | 1985 | 1988 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | R | R | 8 |
| Remote Host PSCW Exchange ID | 4280 | 4940 | 4280 | 3190 | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 1 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 829 | 3,032 | 3,434 | 1,046 | 14 |
| - Equipped | 918 | 3,634 | 3,786 | 1,336 | 15 |
| - Wired | 1,632 | 4,224 | 4,512 | 1,728 | 16 |
| Trunks - In Use | 7 | 11 | 18 | 4 | 17 |
| - Equipped | 12 | 16 | 24 | 8 | 18 |
| - Wired | 12 | 16 | 24 | 8 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | No | No | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 0 | 22 | 29 | 0 | 25 |
| DS-3 - In Use | 0 | 0 | 0 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 0 | 0 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 12 | 48 | 96 | 0 | 33 |
| No. of fiber strands working (LIT) in C.O. | 4 | 12 | 8 | 0 | 34 |
| No. of fiber strands for interoffice use | 8 | 24 | 16 | 0 | 35 |
| Miles of fiber sheath in wire center | 4 | 12 | 9 | 0 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | PLYMOUTH | MILWAUKEE | PLYMOUTH | MILWAUKEE | 37 |
| - PSCW C.O. ID | 4280-01 | 3420-01 | 4280-01 | 3420-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | KNAPP | LAC DU FLAMBE | LAKE MILLS | LAKEWOOD | 1 |
| PSCW Exchange ID | 2740 | 2760 | 2810 | 2840 | 2 |
| Central Office Name | KNAPP | LAC DU FLAMBEAU | LAKE MILLS | LAKEWOOD | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | VI | GTE | GTE | GTE | 5 |
| Year COE Installed | 1982 | 1985 | 1989 | 1985 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | H | S | 8 |
| Remote Host PSCW Exchange ID | 1210 | 3450 | | | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 0 | 0 | 10 |
| COE Generic Software Release No. | 8.1 | 4002 | 4002 | 4002 | 11 |
| SS7? | No | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 472 | 2,871 | 4,600 | 3,865 | 14 |
| - Equipped | 524 | 3,628 | 5,520 | 5,029 | 15 |
| - Wired | 672 | 3,792 | 6,144 | 5,568 | 16 |
| Trunks - In Use | 4 | 12 | 49 | 60 | 17 |
| - Equipped | 4 | 12 | 56 | 72 | 18 |
| - Wired | 4 | 12 | 56 | 72 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | Yes | No | Yes | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 0 | 49 | 54 | 118 | 25 |
| DS-3 - In Use | 0 | 1 | 0 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | Yes | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | Yes | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 1 | 0 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 24 | 72 | 12 | 8 | 33 |
| No. of fiber strands working (LIT) in C.O. | 4 | 8 | 8 | 4 | 34 |
| No. of fiber strands for interoffice use | 4 | 8 | 4 | 8 | 35 |
| Miles of fiber sheath in wire center | 7 | 10 | 6 | 10 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | EAU CLAIRE | RHINELANDER | PLYMOUTH | WAUSAU | 37 |
| - PSCW C.O. ID | 1630-01 | 4550-01 | 4280-01 | 5700-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | LAND O LAKES | LAONA | LEBANON | LIME RIDGE | 1 |
| PSCW Exchange ID | 2860 | 2870 | 2910 | 2950 | 2 |
| Central Office Name | LAND O LAKES | LAONA | LEBANON | LIME RIDGE | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | VI | ATT | GTE | 5 |
| Year COE Installed | 1985 | 1980 | 1996 | 1988 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | H | R | R | 8 |
| Remote Host PSCW Exchange ID | 1590 | | 4940 | 4520 | 9 |
| Remote Host PSCW Central Office ID | 1 | 0 | 1 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 8.1 | 4002 | 4002 | 11 |
| SS7? | Yes | No | Yes | Yes | 12 |
| 9-1-1? | Yes | No | Yes | Yes | 13 |
| Access Lines - In Use | 1,499 | 1,434 | 441 | 507 | 14 |
| - Equipped | 1,738 | 2,016 | 573 | 574 | 15 |
| - Wired | 2,304 | 2,016 | 576 | 672 | 16 |
| Trunks - In Use | 10 | 40 | 6 | 3 | 17 |
| - Equipped | 12 | 64 | 6 | 4 | 18 |
| - Wired | 12 | 64 | 6 | 4 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | Yes | No | No | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 0 | 71 | 0 | 0 | 25 |
| DS-3 - In Use | 0 | 4 | 0 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 3 | 0 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 16 | 72 | 48 | 4 | 33 |
| No. of fiber strands working (LIT) in C.O. | 4 | 32 | 8 | 4 | 34 |
| No. of fiber strands for interoffice use | 8 | 24 | 24 | 4 | 35 |
| Miles of fiber sheath in wire center | 16 | 23 | 10 | 3 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | RHINELANDER | RHINELANDER | MILWAUKEE | DODGEVILLE | 37 |
| - PSCW C.O. ID | 4550-01 | 4550-01 | 3420-01 | 1500-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | LODI | LOGANVILLE | LOMIRA | LONE ROCK | 1 |
| PSCW Exchange ID | 2990 | 3000 | 3010 | 3020 | 2 |
| Central Office Name | LODI | LOGANVILLE | LOMIRA | LONE ROCK | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | VI | VI | 5 |
| Year COE Installed | 1986 | 1986 | 1982 | 1980 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | R | R | 8 |
| Remote Host PSCW Exchange ID | 4770 | 4520 | 0900 | 5060 | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 1 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 8.1 | 8.1 | 11 |
| SS7? | Yes | Yes | No | No | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 4,262 | 519 | 1,772 | 1,367 | 14 |
| - Equipped | 5,064 | 632 | 2,016 | 1,553 | 15 |
| - Wired | 5,664 | 672 | 2,016 | 1,680 | 16 |
| Trunks - In Use | 21 | 3 | 12 | 10 | 17 |
| - Equipped | 24 | 4 | 12 | 10 | 18 |
| - Wired | 24 | 4 | 12 | 10 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | No | No | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 39 | 0 | 12 | 7 | 25 |
| DS-3 - In Use | 0 | 0 | 1 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | Yes | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | Yes | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 1 | 0 | 1 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 88 | 24 | 90 | 0 | 33 |
| No. of fiber strands working (LIT) in C.O. | 12 | 12 | 10 | 0 | 34 |
| No. of fiber strands for interoffice use | 4 | 20 | 24 | 0 | 35 |
| Miles of fiber sheath in wire center | 17 | 11 | 10 | 0 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | MADISON | DODGEVILLE | MILWAUKEE | DODGEVILLE | 37 |
| - PSCW C.O. ID | 3080-01 | 1500-01 | 3420-01 | 1500-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | LOYAL | LUXEMBURG | LYNDON STATIO | MAIDEN ROCK | 1 |
| PSCW Exchange ID | 3040 | 3060 | 3070 | 3090 | 2 |
| Central Office Name | LOYAL | LUXEMBURG | LYNDON STATION | MAIDEN ROCK | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | REL | VI | 5 |
| Year COE Installed | 1996 | 1988 | 1999 | 1981 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | R | R | 8 |
| Remote Host PSCW Exchange ID | 5700 | 1460 | 5960 | 1770 | 9 |
| Remote Host PSCW Central Office ID | 3 | 1 | 1 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 8.1 | 11 |
| SS7? | Yes | Yes | Yes | No | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 1,426 | 2,291 | 800 | 499 | 14 |
| - Equipped | 1,660 | 2,522 | 1,030 | 600 | 15 |
| - Wired | 2,304 | 2,592 | 1,344 | 1,008 | 16 |
| Trunks - In Use | 7 | 13 | 12 | 6 | 17 |
| - Equipped | 8 | 20 | 12 | 6 | 18 |
| - Wired | 8 | 20 | 12 | 6 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | Yes | No | No | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 1 | 11 | 0 | 0 | 25 |
| DS-3 - In Use | 0 | 0 | 0 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | Yes | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | Yes | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 1 | 0 | 1 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 12 | 4 | 40 | 24 | 33 |
| No. of fiber strands working (LIT) in C.O. | 4 | 4 | 14 | 4 | 34 |
| No. of fiber strands for interoffice use | 8 | 4 | 20 | 8 | 35 |
| Miles of fiber sheath in wire center | 8 | 7 | 8 | 7 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | WAUSAU | GREEN BAY | MADISON | EAU CLAIRE | 37 |
| - PSCW C.O. ID | 5700-01 | 2160-01 | 3080-01 | 1630-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | MAPLETON | MARATHON | MARKESAN | MARSHALL | 1 |
| PSCW Exchange ID | 3140 | 3150 | 3190 | 3200 | 2 |
| Central Office Name | MAPLETON | MARATHON | MARKESAN | MARSHALL | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | GTE | NTI | 5 |
| Year COE Installed | 1994 | 1985 | 1988 | 1993 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | H | R | 8 |
| Remote Host PSCW Exchange ID | 4940 | 5700 | | 5250 | 9 |
| Remote Host PSCW Central Office ID | 1 | 3 | 0 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | NA010 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 1,974 | 1,938 | 2,175 | 2,230 | 14 |
| - Equipped | 2,628 | 2,202 | 2,470 | 2,514 | 15 |
| - Wired | 2,688 | 2,592 | 2,592 | 2,560 | 16 |
| Trunks - In Use | 14 | 11 | 20 | 10 | 17 |
| - Equipped | 24 | 12 | 24 | 10 | 18 |
| - Wired | 24 | 12 | 24 | 16 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | Yes | No | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 15 | 16 | 13 | 1 | 25 |
| DS-3 - In Use | 0 | 0 | 0 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | Yes | No | Yes | 29 |
| ATM (Asynchronous Trans. Mode)? | No | Yes | No | Yes | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 0 | 3 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 64 | 98 | 24 | 48 | 33 |
| No. of fiber strands working (LIT) in C.O. | 16 | 12 | 6 | 8 | 34 |
| No. of fiber strands for interoffice use | 36 | 24 | 12 | 16 | 35 |
| Miles of fiber sheath in wire center | 29 | 8 | 15 | 6 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | MILWAUKEE | WAUSAU | MILWAUKEE | MADISON | 37 |
| - PSCW C.O. ID | 3420-01 | 5700-01 | 3420-01 | 3080-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | MARSHFIELD | MATTOON | MAUSTON | MCFARLAND | 1 |
| PSCW Exchange ID | 3210 | 3230 | 3240 | 3270 | 2 |
| Central Office Name | MARSHFIELD | MATTOON | MAUSTON | MCFARLAND | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | VI | GTE | 5 |
| Year COE Installed | 1985 | 1986 | 1980 | 1985 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | H | R | H | S | 8 |
| Remote Host PSCW Exchange ID | | 0130 | | | 9 |
| Remote Host PSCW Central Office ID | 0 | 1 | 0 | 0 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 8.1 | 4002 | 11 |
| SS7? | Yes | Yes | No | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 15,414 | 608 | 5,075 | 5,406 | 14 |
| - Equipped | 17,156 | 652 | 5,349 | 5,833 | 15 |
| - Wired | 18,940 | 1,440 | 5,376 | 5,952 | 16 |
| Trunks - In Use | 175 | 3 | 66 | 38 | 17 |
| - Equipped | 208 | 4 | 80 | 40 | 18 |
| - Wired | 208 | 4 | 80 | 40 | 19 |
| ISDN Available? | Yes | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 3 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | Yes | Yes | No | No | 23 |
| Switched 56 lines in use | 1 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 136 | 0 | 45 | 28 | 25 |
| DS-3 - In Use | 5 | 0 | 2 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | Yes | Yes | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | Yes | Yes | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 3 | 0 | 4 | 1 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 210 | 24 | 100 | 48 | 33 |
| No. of fiber strands working (LIT) in C.O. | 36 | 4 | 18 | 6 | 34 |
| No. of fiber strands for interoffice use | 46 | 8 | 36 | 4 | 35 |
| Miles of fiber sheath in wire center | 70 | 4 | 32 | 11 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | WAUSAU | WAUSAU | DODGEVILLE | MADISON | 37 |
| - PSCW C.O. ID | 5700-01 | 5700-01 | 1500-01 | 3080-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | MELLEN | MELROSE | MERRILL | MERRILLAN | 1 |
| PSCW Exchange ID | 3290 | 3300 | 3340 | 3350 | 2 |
| Central Office Name | MELLEN | MELROSE | MERRILL | MERRILLAN | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | GTE | GTE | 5 |
| Year COE Installed | 1984 | 1988 | 1985 | 1984 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | S | R | 8 |
| Remote Host PSCW Exchange ID | 4100 | 2410 | | 0540 | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 0 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | No | Yes | No | 13 |
| Access Lines - In Use | 969 | 788 | 10,368 | 865 | 14 |
| - Equipped | 1,064 | 940 | 11,599 | 996 | 15 |
| - Wired | 1,440 | 1,632 | 12,288 | 1,536 | 16 |
| Trunks - In Use | 4 | 5 | 68 | 5 | 17 |
| - Equipped | 4 | 8 | 96 | 12 | 18 |
| - Wired | 4 | 8 | 96 | 12 | 19 |
| ISDN Available? | No | No | Yes | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | Yes | Yes | Yes | Yes | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 0 | 6 | 105 | 7 | 25 |
| DS-3 - In Use | 0 | 1 | 3 | 1 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | Yes | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | Yes | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 0 | 0 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 32 | 8 | 56 | 52 | 33 |
| No. of fiber strands working (LIT) in C.O. | 4 | 8 | 8 | 12 | 34 |
| No. of fiber strands for interoffice use | 8 | 4 | 20 | 28 | 35 |
| Miles of fiber sheath in wire center | 17 | 10 | 42 | 12 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | RICE LAKE | LACROSSE | WAUSAU | EAU CLAIRE | 37 |
| - PSCW C.O. ID | 4570-01 | 2770-03 | 5700-01 | 1630-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | MERRIMAC | MINDORO | MINERAL POINT | MINOCQUA | 1 |
| PSCW Exchange ID | 3360 | 3430 | 3440 | 3450 | 2 |
| Central Office Name | MERRIMAC | MINDORO | MINERAL POINT | MINOCQUA | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | GTE | GTE | 5 |
| Year COE Installed | 1995 | 1996 | 1985 | 1984 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | R | H | 8 |
| Remote Host PSCW Exchange ID | 4770 | 2410 | 1500 | | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 1 | 0 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 971 | 672 | 2,196 | 10,141 | 14 |
| - Equipped | 1,596 | 752 | 2,464 | 12,285 | 15 |
| - Wired | 1,632 | 1,440 | 2,976 | 13,440 | 16 |
| Trunks - In Use | 4 | 4 | 8 | 141 | 17 |
| - Equipped | 8 | 8 | 8 | 192 | 18 |
| - Wired | 8 | 8 | 8 | 192 | 19 |
| ISDN Available? | No | No | No | Yes | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | Yes | No | Yes | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 4 | 2 | 5 | 184 | 25 |
| DS-3 - In Use | 0 | 0 | 0 | 16 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 0 | 3 | 4 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 36 | 12 | 24 | 92 | 33 |
| No. of fiber strands working (LIT) in C.O. | 8 | 12 | 16 | 12 | 34 |
| No. of fiber strands for interoffice use | 16 | 12 | 16 | 32 | 35 |
| Miles of fiber sheath in wire center | 12 | 16 | 20 | 39 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | MADISON | LACROSSE | DODGEVILLE | RHINELANDER | 37 |
| - PSCW C.O. ID | 3080-01 | 2770-03 | 1500-01 | 4550-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | MISHICOT | MONROE CENTER | MONTELLO | MONTFORT | 1 |
| PSCW Exchange ID | 3470 | 3500 | 3510 | 3520 | 2 |
| Central Office Name | MISHICOT | MONROE CENTER | MONTELLO | MONTFORT | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | VI | GTE | GTE | 5 |
| Year COE Installed | 1988 | 1981 | 1985 | 1986 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | R | R | 8 |
| Remote Host PSCW Exchange ID | 5450 | 0020 | 4310 | 1500 | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 1 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 8.1 | 4002 | 4002 | 11 |
| SS7? | Yes | No | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 2,002 | 1,602 | 2,766 | 1,591 | 14 |
| - Equipped | 2,214 | 1,823 | 3,454 | 1,760 | 15 |
| - Wired | 2,400 | 2,016 | 3,744 | 2,208 | 16 |
| Trunks - In Use | 11 | 12 | 7 | 7 | 17 |
| - Equipped | 12 | 12 | 8 | 12 | 18 |
| - Wired | 12 | 12 | 8 | 12 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | No | No | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 11 | 0 | 23 | 2 | 25 |
| DS-3 - In Use | 0 | 0 | 0 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 0 | 0 | 5 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 48 | 24 | 28 | 24 | 33 |
| No. of fiber strands working (LIT) in C.O. | 8 | 4 | 10 | 8 | 34 |
| No. of fiber strands for interoffice use | 16 | 8 | 12 | 16 | 35 |
| Miles of fiber sheath in wire center | 19 | 6 | 22 | 16 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | PLYMOUTH | DODGEVILLE | MADISON | DODGEVILLE | 37 |
| - PSCW C.O. ID | 4280-01 | 1500-01 | 3080-01 | 1500-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | MOUNT CALVARY | MUSCODA | NEOSHO | NEW FRANKEN | 1 |
| PSCW Exchange ID | 3550 | 3610 | 3710 | 3750 | 2 |
| Central Office Name | MOUNT CALVARY | MUSCODA | NEOSHO | NEW FRANKEN | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | GTE | GTE | 5 |
| Year COE Installed | 1985 | 1994 | 1996 | 1988 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | R | R | 8 |
| Remote Host PSCW Exchange ID | 4280 | 4580 | 4940 | 1460 | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 1 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 635 | 1,402 | 1,215 | 2,650 | 14 |
| - Equipped | 744 | 1,568 | 1,692 | 3,065 | 15 |
| - Wired | 1,440 | 2,208 | 1,728 | 3,744 | 16 |
| Trunks - In Use | 4 | 6 | 6 | 19 | 17 |
| - Equipped | 8 | 8 | 8 | 24 | 18 |
| - Wired | 8 | 8 | 8 | 24 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | No | No | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 1 | 4 | 0 | 43 | 25 |
| DS-3 - In Use | 0 | 0 | 0 | 1 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 2 | 0 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 24 | 12 | 36 | 8 | 33 |
| No. of fiber strands working (LIT) in C.O. | 8 | 12 | 4 | 8 | 34 |
| No. of fiber strands for interoffice use | 16 | 12 | 12 | 4 | 35 |
| Miles of fiber sheath in wire center | 6 | 11 | 3 | 10 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | PLYMOUTH | DODGEVILLE | MILWAUKEE | GREEN BAY | 37 |
| - PSCW C.O. ID | 4280-01 | 1500-01 | 3420-01 | 2160-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | NEW HOLSTEIN | NICHOLS | OAKFIELD | OOSTBURG | 1 |
| PSCW Exchange ID | 3770 | 3840 | 3900 | 3990 | 2 |
| Central Office Name | NEW HOLSTEIN | NICHOLS | OAKFIELD | OOSTBURG | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | GTE | GTE | 5 |
| Year COE Installed | 1992 | 1988 | 1985 | 1995 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | H | R | 8 |
| Remote Host PSCW Exchange ID | 4280 | 4810 | | 4480 | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 0 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 2,471 | 517 | 1,901 | 2,658 | 14 |
| - Equipped | 2,676 | 578 | 2,535 | 3,590 | 15 |
| - Wired | 2,976 | 768 | 2,688 | 3,744 | 16 |
| Trunks - In Use | 8 | 4 | 62 | 17 | 17 |
| - Equipped | 8 | 8 | 80 | 24 | 18 |
| - Wired | 8 | 8 | 80 | 24 | 19 |
| ISDN Available? | No | No | Yes | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | No | No | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 10 | 6 | 13 | 16 | 25 |
| DS-3 - In Use | 0 | 0 | 1 | 1 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 1 | 0 | 1 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 80 | 0 | 40 | 28 | 33 |
| No. of fiber strands working (LIT) in C.O. | 14 | 0 | 16 | 4 | 34 |
| No. of fiber strands for interoffice use | 22 | 0 | 20 | 16 | 35 |
| Miles of fiber sheath in wire center | 9 | 0 | 18 | 4 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | PLYMOUTH | APPLETON | MILWAUKEE | PLYMOUTH | 37 |
| - PSCW C.O. ID | 4280-01 | 0150-01 | 3420-01 | 4280-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | OREGON | ORFORDVILLE | OSSEO | OWEN | 1 |
| PSCW Exchange ID | 4000 | 4010 | 4040 | 4050 | 2 |
| Central Office Name | OREGON | ORFORDVILLE | OSSEO | OWEN | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | NTI | GTE | GTE | 5 |
| Year COE Installed | 1985 | 1995 | 1985 | 1996 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | H | H | H | R | 8 |
| Remote Host PSCW Exchange ID | | | | 5700 | 9 |
| Remote Host PSCW Central Office ID | 0 | 0 | 0 | 3 | 10 |
| COE Generic Software Release No. | 4002 | BCS410.10 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 6,398 | 1,612 | 2,072 | 1,769 | 14 |
| - Equipped | 6,826 | 1,884 | 2,508 | 2,248 | 15 |
| - Wired | 7,296 | 2,560 | 2,688 | 2,304 | 16 |
| Trunks - In Use | 72 | 19 | 58 | 6 | 17 |
| - Equipped | 80 | 21 | 64 | 8 | 18 |
| - Wired | 80 | 24 | 64 | 8 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | No | No | Yes | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 29 | 3 | 26 | 5 | 25 |
| DS-3 - In Use | 0 | 0 | 6 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | Yes | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | Yes | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 0 | 0 | 1 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 48 | 24 | 136 | 24 | 33 |
| No. of fiber strands working (LIT) in C.O. | 22 | 8 | 24 | 6 | 34 |
| No. of fiber strands for interoffice use | 22 | 12 | 48 | 8 | 35 |
| Miles of fiber sheath in wire center | 18 | 11 | 40 | 17 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | MADISON | MADISON | EAU CLAIRE | WAUSAU | 37 |
| - PSCW C.O. ID | 3080-01 | 3080-01 | 1630-01 | 5700-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | PARDEEVILLE | PARK FALLS | PEPIN | PHELPS | 1 |
| PSCW Exchange ID | 4090 | 4100 | 4140 | 4170 | 2 |
| Central Office Name | PARDEEVILLE | PARK FALLS | PEPIN | PHELPS | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | VI | GTE | 5 |
| Year COE Installed | 1992 | 1982 | 1981 | 1984 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | H | R | R | 8 |
| Remote Host PSCW Exchange ID | 4310 | | 1770 | 1590 | 9 |
| Remote Host PSCW Central Office ID | 1 | 0 | 1 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 8.1 | 4002 | 11 |
| SS7? | Yes | Yes | No | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 2,805 | 3,665 | 987 | 1,258 | 14 |
| - Equipped | 3,446 | 4,136 | 1,128 | 1,758 | 15 |
| - Wired | 3,648 | 4,992 | 1,344 | 2,400 | 16 |
| Trunks - In Use | 14 | 54 | 8 | 8 | 17 |
| - Equipped | 20 | 64 | 8 | 16 | 18 |
| - Wired | 20 | 64 | 8 | 16 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | No | No | Yes | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 12 | 60 | 7 | 20 | 25 |
| DS-3 - In Use | 0 | 0 | 0 | 1 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 1 | 0 | 0 | 3 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 36 | 44 | 24 | 24 | 33 |
| No. of fiber strands working (LIT) in C.O. | 32 | 12 | 4 | 6 | 34 |
| No. of fiber strands for interoffice use | 32 | 20 | 8 | 8 | 35 |
| Miles of fiber sheath in wire center | 11 | 35 | 7 | 4 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | MADISON | RICE LAKE | EAU CLAIRE | RHINELANDER | 37 |
| - PSCW C.O. ID | 3080-01 | 4570-01 | 1630-01 | 4550-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | PICKEREL | PICKETT | PLAIN | PLUM CITY | 1 |
| PSCW Exchange ID | 4190 | 4200 | 4230 | 4270 | 2 |
| Central Office Name | PICKEREL | PICKETT | PLAIN | PLUM CITY | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | VI | VI | 5 |
| Year COE Installed | 1986 | 1985 | 1981 | 1981 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | R | R | 8 |
| Remote Host PSCW Exchange ID | 0130 | 3900 | 5060 | 1770 | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 1 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 8.1 | 8.1 | 11 |
| SS7? | Yes | Yes | No | No | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 1,189 | 762 | 863 | 737 | 14 |
| - Equipped | 1,386 | 900 | 984 | 832 | 15 |
| - Wired | 2,208 | 1,536 | 1,008 | 1,008 | 16 |
| Trunks - In Use | 8 | 4 | 6 | 6 | 17 |
| - Equipped | 12 | 8 | 6 | 6 | 18 |
| - Wired | 12 | 8 | 6 | 6 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | Yes | No | No | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 0 | 4 | 2 | 4 | 25 |
| DS-3 - In Use | 0 | 0 | 0 | 1 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | Yes | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | Yes | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 0 | 0 | 1 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 4 | 4 | 28 | 44 | 33 |
| No. of fiber strands working (LIT) in C.O. | 4 | 4 | 8 | 8 | 34 |
| No. of fiber strands for interoffice use | 4 | 4 | 20 | 16 | 35 |
| Miles of fiber sheath in wire center | 6 | 3 | 9 | 10 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | WAUSAU | MILWAUKEE | DODGEVILLE | EAU CLAIRE | 37 |
| - PSCW C.O. ID | 5700-01 | 3420-01 | 1500-01 | 1630-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|------------------------------|-----------------------------|-----------|
| Exchange Name | PLYMOUTH | PORTAGE | PRAIRIE DU PRESCOTT CHIEN | | 1 |
| PSCW Exchange ID | 4280 | 4310 | 4380 | 4410 | 2 |
| Central Office Name | PLYMOUTH | PORTAGE | PRAIRIE DU PRESCOTT CHIEN | | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | GTE | GTE | 5 |
| Year COE Installed | 1985 | 1984 | 1986 | 1983 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | H | H | H | S | 8 |
| Remote Host PSCW Exchange ID | | | | | 9 |
| Remote Host PSCW Central Office ID | 0 | 0 | 0 | 0 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | No | Yes | 13 |
| Access Lines - In Use | 7,324 | 9,054 | 4,847 | 2,758 | 14 |
| - Equipped | 9,089 | 10,844 | 5,448 | 3,156 | 15 |
| - Wired | 9,792 | 11,904 | 5,664 | 3,744 | 16 |
| Trunks - In Use | 312 | 133 | 54 | 24 | 17 |
| - Equipped | 344 | 144 | 56 | 32 | 18 |
| - Wired | 344 | 144 | 56 | 32 | 19 |
| ISDN Available? | Yes | Yes | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | No | No | Yes | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 109 | 123 | 69 | 19 | 25 |
| DS-3 - In Use | 2 | 5 | 1 | 1 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | Yes | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 5 | 0 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 68 | 128 | 24 | 36 | 33 |
| No. of fiber strands working (LIT) in C.O. | 26 | 32 | 6 | 28 | 34 |
| No. of fiber strands for interoffice use | 42 | 40 | 16 | 8 | 35 |
| Miles of fiber sheath in wire center | 30 | 40 | 15 | 4 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | PLYMOUTH | MADISON | BOSCOBEL | EAU CLAIRE | 37 |
| - PSCW C.O. ID | 4280-01 | 3080-01 | 0640-01 | 1630-01 | 38 |
| Does this C.O. do access tandem switching? | Yes | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | RANDOM LAKE | REEDSBURG | REEDSVILLE | RICE LAKE | 1 |
| PSCW Exchange ID | 4480 | 4520 | 4530 | 4570 | 2 |
| Central Office Name | RANDOM LAKE | REEDSBURG | REEDSVILLE | RICE LAKE | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | GTE | GTE | 5 |
| Year COE Installed | 1987 | 1986 | 1996 | 1984 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | H | H | R | H | 8 |
| Remote Host PSCW Exchange ID | | | 5450 | | 9 |
| Remote Host PSCW Central Office ID | 0 | 0 | 1 | 0 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 2,766 | 6,494 | 821 | 6,881 | 14 |
| - Equipped | 3,278 | 7,556 | 1,116 | 11,318 | 15 |
| - Wired | 3,456 | 7,680 | 1,440 | 13,056 | 16 |
| Trunks - In Use | 115 | 55 | 4 | 303 | 17 |
| - Equipped | 120 | 64 | 8 | 328 | 18 |
| - Wired | 120 | 64 | 8 | 328 | 19 |
| ISDN Available? | Yes | No | No | Yes | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | No | No | Yes | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 2 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 28 | 55 | 4 | 166 | 25 |
| DS-3 - In Use | 0 | 2 | 0 | 12 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | Yes | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 1 | 0 | 12 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 46 | 84 | 40 | 188 | 33 |
| No. of fiber strands working (LIT) in C.O. | 16 | 18 | 12 | 48 | 34 |
| No. of fiber strands for interoffice use | 34 | 32 | 32 | 64 | 35 |
| Miles of fiber sheath in wire center | 23 | 24 | 8 | 96 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | PLYMOUTH | DODGEVILLE | PLYMOUTH | RICE LAKE | 37 |
| - PSCW C.O. ID | 4280-01 | 1500-01 | 4280-01 | 4570-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | Yes | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | RICHLAND CENT | RIDGEWAY | ROSENDALE | SAINT CLOUD | 1 |
| PSCW Exchange ID | 4580 | 4610 | 4670 | 4710 | 2 |
| Central Office Name | RICHLAND CENTER | RIDGEWAY | ROSENDALE | SAINT CLOUD | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | GTE | GTE | 5 |
| Year COE Installed | 1988 | 1986 | 1995 | 1985 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | H | R | R | R | 8 |
| Remote Host PSCW Exchange ID | | 1500 | 3900 | 4280 | 9 |
| Remote Host PSCW Central Office ID | 0 | 1 | 1 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 5,579 | 1,454 | 1,121 | 452 | 14 |
| - Equipped | 6,770 | 1,768 | 1,324 | 528 | 15 |
| - Wired | 6,912 | 2,400 | 1,440 | 672 | 16 |
| Trunks - In Use | 52 | 14 | 5 | 3 | 17 |
| - Equipped | 56 | 16 | 8 | 4 | 18 |
| - Wired | 56 | 16 | 8 | 4 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | No | No | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 39 | 19 | 3 | 0 | 25 |
| DS-3 - In Use | 1 | 2 | 1 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 1 | 1 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 20 | 16 | 8 | 24 | 33 |
| No. of fiber strands working (LIT) in C.O. | 8 | 12 | 8 | 4 | 34 |
| No. of fiber strands for interoffice use | 12 | 16 | 8 | 16 | 35 |
| Miles of fiber sheath in wire center | 25 | 11 | 13 | 2 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | DODGEVILLE | DODGEVILLE | MILWAUKEE | PLYMOUTH | 37 |
| - PSCW C.O. ID | 1500-01 | 1500-01 | 3420-01 | 4280-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | SAINT CROIX FALLS | SALEM | SAUK CITY | SAYNER | 1 |
| PSCW Exchange ID | 4720 | 4740 | 4770 | 4780 | 2 |
| Central Office Name | SAINT CROIX FALLS | SALEM | SAUK CITY | SAYNER | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | GTE | GTE | 5 |
| Year COE Installed | 1986 | 1992 | 1986 | 1986 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | H | R | 8 |
| Remote Host PSCW Exchange ID | 4570 | 0730 | | 3450 | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 0 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 2,994 | 3,039 | 6,245 | 1,951 | 14 |
| - Equipped | 3,422 | 3,308 | 7,402 | 2,207 | 15 |
| - Wired | 3,552 | 3,744 | 7,776 | 2,304 | 16 |
| Trunks - In Use | 24 | 15 | 104 | 12 | 17 |
| - Equipped | 32 | 16 | 120 | 12 | 18 |
| - Wired | 32 | 16 | 120 | 12 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | Yes | No | No | Yes | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 44 | 8 | 74 | 0 | 25 |
| DS-3 - In Use | 1 | 0 | 0 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | Yes | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | Yes | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 1 | 0 | 0 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 60 | 16 | 48 | 48 | 33 |
| No. of fiber strands working (LIT) in C.O. | 16 | 16 | 8 | 8 | 34 |
| No. of fiber strands for interoffice use | 16 | 16 | 16 | 8 | 35 |
| Miles of fiber sheath in wire center | 60 | 6 | 14 | 8 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | RICE LAKE | MILWAUKEE | MADISON | RHINELANDER | 37 |
| - PSCW C.O. ID | 4570-01 | 3420-01 | 3080-01 | 4550-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | SENECA | SEYMOUR | SHIOCTON | SHULLSBURG | 1 |
| PSCW Exchange ID | 4800 | 4810 | 4890 | 4900 | 2 |
| Central Office Name | SENECA | SEYMOUR | SHIOCTON | SHULLSBURG | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | GTE | GTE | 5 |
| Year COE Installed | 1988 | 1986 | 1996 | 1993 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | H | R | R | 8 |
| Remote Host PSCW Exchange ID | 4380 | | 4810 | 1500 | 9 |
| Remote Host PSCW Central Office ID | 1 | 0 | 1 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | No | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 915 | 3,526 | 931 | 1,038 | 14 |
| - Equipped | 1,092 | 4,065 | 1,404 | 1,272 | 15 |
| - Wired | 1,344 | 4,512 | 1,440 | 1,440 | 16 |
| Trunks - In Use | 11 | 60 | 6 | 5 | 17 |
| - Equipped | 12 | 120 | 8 | 8 | 18 |
| - Wired | 12 | 120 | 8 | 8 | 19 |
| ISDN Available? | No | Yes | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | No | No | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 20 | 32 | 2 | 1 | 25 |
| DS-3 - In Use | 0 | 0 | 0 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 0 | 0 | 2 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 4 | 28 | 24 | 12 | 33 |
| No. of fiber strands working (LIT) in C.O. | 4 | 12 | 4 | 8 | 34 |
| No. of fiber strands for interoffice use | 4 | 12 | 8 | 12 | 35 |
| Miles of fiber sheath in wire center | 9 | 11 | 3 | 12 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | BOSCOBEL | APPLETON | APPLETON | DODGEVILLE | 37 |
| - PSCW C.O. ID | 0640-01 | 0150-01 | 0150-01 | 1500-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | SILVER LAKE | SISTER BAY | SLINGER | SPENCER | 1 |
| PSCW Exchange ID | 4910 | 4930 | 4940 | 5010 | 2 |
| Central Office Name | SILVER LAKE | SISTER BAY | SLINGER | SPENCER | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | GTE | GTE | 5 |
| Year COE Installed | 1992 | 1986 | 1986 | 1994 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | H | H | R | 8 |
| Remote Host PSCW Exchange ID | 0730 | | | 3210 | 9 |
| Remote Host PSCW Central Office ID | 1 | 0 | 0 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 1,744 | 4,408 | 5,351 | 1,618 | 14 |
| - Equipped | 1,980 | 5,400 | 6,001 | 1,729 | 15 |
| - Wired | 2,400 | 6,432 | 6,720 | 2,208 | 16 |
| Trunks - In Use | 10 | 87 | 176 | 7 | 17 |
| - Equipped | 12 | 96 | 192 | 8 | 18 |
| - Wired | 12 | 96 | 192 | 8 | 19 |
| ISDN Available? | No | No | Yes | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | No | No | Yes | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 5 | 61 | 50 | 8 | 25 |
| DS-3 - In Use | 1 | 4 | 0 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | Yes | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | Yes | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 0 | 0 | 1 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 24 | 64 | 80 | 44 | 33 |
| No. of fiber strands working (LIT) in C.O. | 16 | 20 | 16 | 12 | 34 |
| No. of fiber strands for interoffice use | 20 | 12 | 28 | 28 | 35 |
| Miles of fiber sheath in wire center | 8 | 14 | 19 | 13 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | MILWAUKEE | GREEN BAY | MILWAUKEE | WAUSAU | 37 |
| - PSCW C.O. ID | 3420-01 | 2160-01 | 3420-01 | 5700-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | SPIDER LAKE | SPRINGBROOK | SPRING GREEN | STONE LAKE | 1 |
| PSCW Exchange ID | 5020 | 5050 | 5060 | 5180 | 2 |
| Central Office Name | SPIDER LAKE | SPRINGBROOK | SPRING GREEN | STONE LAKE | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | VI | VI | VI | VI | 5 |
| Year COE Installed | 1982 | 1981 | 1980 | 1981 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | H | R | 8 |
| Remote Host PSCW Exchange ID | 2310 | 2310 | | 2310 | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 0 | 1 | 10 |
| COE Generic Software Release No. | 8.1 | 8.1 | 8.1 | 8.1 | 11 |
| SS7? | No | No | No | No | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 2,123 | 442 | 2,302 | 1,679 | 14 |
| - Equipped | 2,430 | 471 | 2,686 | 1,895 | 15 |
| - Wired | 3,696 | 672 | 2,688 | 2,016 | 16 |
| Trunks - In Use | 22 | 4 | 66 | 12 | 17 |
| - Equipped | 24 | 4 | 80 | 12 | 18 |
| - Wired | 24 | 4 | 80 | 12 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | No | No | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 0 | 0 | 24 | 0 | 25 |
| DS-3 - In Use | 0 | 0 | 2 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 0 | 1 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 8 | 12 | 84 | 48 | 33 |
| No. of fiber strands working (LIT) in C.O. | 8 | 4 | 18 | 8 | 34 |
| No. of fiber strands for interoffice use | 8 | 8 | 36 | 8 | 35 |
| Miles of fiber sheath in wire center | 10 | 3 | 18 | 15 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | RICE LAKE | RICE LAKE | DODGEVILLE | RICE LAKE | 37 |
| - PSCW C.O. ID | 4570-01 | 4570-01 | 1500-01 | 4570-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | STRATFORD | SUN PRAIRIE | SURING | TAYLOR | 1 |
| PSCW Exchange ID | 5200 | 5250 | 5270 | 5290 | 2 |
| Central Office Name | STRATFORD | SUN PRAIRIE | SURING | TAYLOR | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | NTI | GTE | GTE | 5 |
| Year COE Installed | 1993 | 1991 | 1988 | 1984 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | H | R | R | 8 |
| Remote Host PSCW Exchange ID | 3210 | | 2030 | 0540 | 9 |
| Remote Host PSCW Central Office ID | 1 | 0 | 1 | 1 | 10 |
| COE Generic Software Release No. | 4002 | NA010 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | No | No | 13 |
| Access Lines - In Use | 1,839 | 15,679 | 1,689 | 456 | 14 |
| - Equipped | 2,048 | 20,658 | 1,902 | 548 | 15 |
| - Wired | 2,208 | 21,534 | 2,592 | 672 | 16 |
| Trunks - In Use | 7 | 322 | 9 | 3 | 17 |
| - Equipped | 8 | 390 | 12 | 4 | 18 |
| - Wired | 8 | 390 | 12 | 4 | 19 |
| ISDN Available? | No | Yes | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 16 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 1 | 0 | 0 | 22 |
| Switched 56 Service? | Yes | Yes | Yes | Yes | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 1 | 147 | 25 | 0 | 25 |
| DS-3 - In Use | 0 | 13 | 1 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | Yes | Yes | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | Yes | Yes | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 1 | 1 | 1 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 16 | 128 | 60 | 12 | 33 |
| No. of fiber strands working (LIT) in C.O. | 12 | 40 | 6 | 4 | 34 |
| No. of fiber strands for interoffice use | 16 | 24 | 4 | 8 | 35 |
| Miles of fiber sheath in wire center | 11 | 71 | 5 | 12 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | WAUSAU | MADISON | GREEN BAY | EAU CLAIRE | 37 |
| - PSCW C.O. ID | 5700-01 | 3080-01 | 2160-01 | 1630-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|----|
| Exchange Name | THERESA | THREE LAKES | TOMAHAWK | TREMPEALEAU | 1 |
| PSCW Exchange ID | 5300 | 5330 | 5370 | 5390 | 2 |
| Central Office Name | THERESA | THREE LAKES | TOMAHAWK | TREMPEALEAU | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | VI | GTE | GTE | GTE | 5 |
| Year COE Installed | 1981 | 1986 | 1987 | 1987 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | S | R | 8 |
| Remote Host PSCW Exchange ID | 0900 | 1590 | | 2410 | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 0 | 1 | 10 |
| COE Generic Software Release No. | 8.1 | 4002 | 4002 | 4002 | 11 |
| SS7? | No | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | No | Yes | Yes | 13 |
| Access Lines - In Use | 950 | 2,302 | 7,163 | 1,154 | 14 |
| - Equipped | 1,128 | 2,714 | 9,184 | 1,270 | 15 |
| - Wired | 1,344 | 3,264 | 9,984 | 1,536 | 16 |
| Trunks - In Use | 8 | 13 | 65 | 6 | 17 |
| - Equipped | 8 | 16 | 80 | 12 | 18 |
| - Wired | 8 | 16 | 80 | 12 | 19 |
| ISDN Available? | No | No | Yes | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | Yes | Yes | Yes | 23 |
| Switched 56 lines in use | 0 | 0 | 8 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 0 | 28 | 125 | 0 | 25 |
| DS-3 - In Use | 0 | 0 | 1 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | Yes | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | Yes | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 0 | 2 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 36 | 48 | 48 | 8 | 33 |
| No. of fiber strands working (LIT) in C.O. | 8 | 4 | 12 | 4 | 34 |
| No. of fiber strands for interoffice use | 16 | 16 | 24 | 4 | 35 |
| Miles of fiber sheath in wire center | 6 | 5 | 20 | 4 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | MILWAUKEE | RHINELANDER | WAUSAU | LACROSSE | 37 |
| - PSCW C.O. ID | 3420-01 | 4550-01 | 5700-01 | 2770-03 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | TREVOR | TWIN LAKES | TWO RIVERS | WABENO | 1 |
| PSCW Exchange ID | 5400 | 5440 | 5450 | 5540 | 2 |
| Central Office Name | TREVOR | TWIN LAKES | TWO RIVERS | WABENO | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | GTE | VI | 5 |
| Year COE Installed | 1992 | 1988 | 1987 | 1980 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | H | R | 8 |
| Remote Host PSCW Exchange ID | 0730 | 0730 | | 2870 | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 0 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 8.1 | 11 |
| SS7? | Yes | Yes | Yes | No | 12 |
| 9-1-1? | Yes | Yes | Yes | No | 13 |
| Access Lines - In Use | 3,073 | 3,791 | 7,299 | 1,074 | 14 |
| - Equipped | 3,652 | 4,208 | 8,270 | 1,343 | 15 |
| - Wired | 4,128 | 4,512 | 9,216 | 1,344 | 16 |
| Trunks - In Use | 15 | 21 | 79 | 8 | 17 |
| - Equipped | 16 | 24 | 88 | 8 | 18 |
| - Wired | 16 | 24 | 88 | 8 | 19 |
| ISDN Available? | No | No | Yes | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | No | No | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 31 | 19 | 25 | 2 | 25 |
| DS-3 - In Use | 3 | 0 | 1 | 1 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 1 | 0 | 0 | 2 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 32 | 24 | 76 | 44 | 33 |
| No. of fiber strands working (LIT) in C.O. | 14 | 4 | 16 | 8 | 34 |
| No. of fiber strands for interoffice use | 8 | 8 | 20 | 8 | 35 |
| Miles of fiber sheath in wire center | 10 | 3 | 9 | 7 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | MILWAUKEE | MILWAUKEE | PLYMOUTH | RHINELANDER | 37 |
| - PSCW C.O. ID | 3420-01 | 3420-01 | 4280-01 | 4550-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|----|
| Exchange Name | WALWORTH | WASHINGTON IS | WATERLOO | WAUBEKA | 1 |
| PSCW Exchange ID | 5560 | 5600 | 5620 | 5640 | 2 |
| Central Office Name | WALWORTH | WASHINGTON ISLAND | WATERLOO | WAUBEKA | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | GTE | GTE | 5 |
| Year COE Installed | 1990 | 1995 | 1989 | 1992 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | S | R | R | R | 8 |
| Remote Host PSCW Exchange ID | | 4930 | 2810 | 4480 | 9 |
| Remote Host PSCW Central Office ID | 0 | 1 | 1 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | No | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 5,533 | 858 | 2,487 | 2,821 | 14 |
| - Equipped | 5,946 | 1,494 | 2,850 | 3,508 | 15 |
| - Wired | 6,336 | 1,536 | 2,976 | 4,032 | 16 |
| Trunks - In Use | 28 | 5 | 9 | 21 | 17 |
| - Equipped | 48 | 12 | 12 | 24 | 18 |
| - Wired | 48 | 12 | 12 | 24 | 19 |
| ISDN Available? | Yes | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | No | No | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 17 | 7 | 18 | 20 | 25 |
| DS-3 - In Use | 1 | 0 | 0 | 2 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 1 | 1 | 0 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 48 | 0 | 36 | 32 | 33 |
| No. of fiber strands working (LIT) in C.O. | 6 | 0 | 12 | 16 | 34 |
| No. of fiber strands for interoffice use | 12 | 0 | 12 | 20 | 35 |
| Miles of fiber sheath in wire center | 8 | 0 | 18 | 16 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | MILWAUKEE | GREEN BAY | MILWAUKEE | PLYMOUTH | 37 |
| - PSCW C.O. ID | 3420-01 | 2160-01 | 3420-01 | 4280-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | WAUSAU | WAUSAU | WAUSAU | WAUTOMA | 1 |
| PSCW Exchange ID | 5700 | 5700 | 5700 | 5720 | 2 |
| Central Office Name | WAUSAU | WAUSAU | WAUSAU | WAUTOMA | 3 |
| PSCW Central Office ID | 1 | 2 | 3 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | NTI | GTE | 5 |
| Year COE Installed | 1985 | 1985 | 1991 | 1984 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | H | S | S | S | 8 |
| Remote Host PSCW Exchange ID | | | | | 9 |
| Remote Host PSCW Central Office ID | 0 | 0 | 0 | 0 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | NA010 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 26,266 | 5,982 | 15,858 | 4,742 | 14 |
| - Equipped | 33,174 | 7,636 | 18,233 | 5,878 | 15 |
| - Wired | 36,192 | 8,064 | 20,208 | 6,432 | 16 |
| Trunks - In Use | 584 | 57 | 255 | 53 | 17 |
| - Equipped | 640 | 72 | 308 | 56 | 18 |
| - Wired | 640 | 72 | 360 | 56 | 19 |
| ISDN Available? | Yes | Yes | Yes | No | 20 |
| ISDN Lines - In Use (BRI) | 16 | 0 | 123 | 0 | 21 |
| - In Use (PRI) | 7 | 0 | 2 | 0 | 22 |
| Switched 56 Service? | Yes | Yes | Yes | No | 23 |
| Switched 56 lines in use | 3 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 114 | 462 | 804 | 79 | 25 |
| DS-3 - In Use | 7 | 5 | 38 | 1 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | Yes | Yes | Yes | No | 29 |
| ATM (Asynchronous Trans. Mode)? | Yes | Yes | Yes | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 5 | 5 | 5 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 276 | 84 | 156 | 12 | 33 |
| No. of fiber strands working (LIT) in C.O. | 84 | 44 | 60 | 8 | 34 |
| No. of fiber strands for interoffice use | 192 | 32 | 78 | 16 | 35 |
| Miles of fiber sheath in wire center | 49 | 26 | 28 | 8 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | WAUSAU | WAUSAU | WAUSAU | APPLETON | 37 |
| - PSCW C.O. ID | 5700-01 | 5700-01 | 5700-01 | 0150-01 | 38 |
| Does this C.O. do access tandem switching? | Yes | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | WAUZEKA | WESTFIELD | WHEELER | WHITEHALL | 1 |
| PSCW Exchange ID | 5730 | 5790 | 5840 | 5850 | 2 |
| Central Office Name | WAUZEKA | WESTFIELD | WHEELER | WHITEHALL | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | VI | GTE | 5 |
| Year COE Installed | 1986 | 1985 | 1982 | 1984 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | R | R | 8 |
| Remote Host PSCW Exchange ID | 4380 | 4310 | 1210 | 0540 | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 1 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 8.1 | 4002 | 11 |
| SS7? | Yes | Yes | No | Yes | 12 |
| 9-1-1? | No | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 462 | 2,448 | 521 | 1,430 | 14 |
| - Equipped | 548 | 3,354 | 552 | 1,564 | 15 |
| - Wired | 672 | 3,456 | 672 | 2,208 | 16 |
| Trunks - In Use | 3 | 14 | 4 | 7 | 17 |
| - Equipped | 4 | 16 | 4 | 8 | 18 |
| - Wired | 4 | 16 | 4 | 8 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | No | No | No | Yes | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 0 | 58 | 0 | 6 | 25 |
| DS-3 - In Use | 0 | 1 | 0 | 2 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | No | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 0 | 1 | 0 | 0 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 16 | 36 | 20 | 104 | 33 |
| No. of fiber strands working (LIT) in C.O. | 8 | 4 | 8 | 12 | 34 |
| No. of fiber strands for interoffice use | 16 | 8 | 8 | 24 | 35 |
| Miles of fiber sheath in wire center | 12 | 20 | 4 | 14 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | BOSCOBEL | MADISON | EAU CLAIRE | EAU CLAIRE | 37 |
| - PSCW C.O. ID | 0640-01 | 3080-01 | 1630-01 | 1630-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------|
| Exchange Name | WHITE LAKE | WHITELAW | WINTER | WIOTA | 1 |
| PSCW Exchange ID | 5860 | 5870 | 5940 | 5950 | 2 |
| Central Office Name | WHITE LAKE | WHITELAW | WINTER | WIOTA | 3 |
| PSCW Central Office ID | 1 | 1 | 1 | 1 | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | GTE | ATT | 5 |
| Year COE Installed | 1986 | 1994 | 1984 | 1994 | 6 |
| Type of Equipment (Page 54) | D | D | D | D | 7 |
| (S)tandalone, (H)ost, (R)emote | R | R | R | R | 8 |
| Remote Host PSCW Exchange ID | 0130 | 5450 | 4100 | 1500 | 9 |
| Remote Host PSCW Central Office ID | 1 | 1 | 1 | 1 | 10 |
| COE Generic Software Release No. | 4002 | 4002 | 4002 | 4002 | 11 |
| SS7? | Yes | Yes | Yes | Yes | 12 |
| 9-1-1? | Yes | Yes | Yes | Yes | 13 |
| Access Lines - In Use | 847 | 1,261 | 1,286 | 170 | 14 |
| - Equipped | 1,012 | 1,692 | 1,652 | 190 | 15 |
| - Wired | 1,632 | 1,728 | 2,112 | 192 | 16 |
| Trunks - In Use | 3 | 10 | 11 | 2 | 17 |
| - Equipped | 4 | 16 | 12 | 2 | 18 |
| - Wired | 4 | 16 | 12 | 2 | 19 |
| ISDN Available? | No | No | No | No | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | 0 | 0 | 21 |
| - In Use (PRI) | 0 | 0 | 0 | 0 | 22 |
| Switched 56 Service? | Yes | No | Yes | No | 23 |
| Switched 56 lines in use | 0 | 0 | 0 | 0 | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 7 | 0 | 0 | 0 | 25 |
| DS-3 - In Use | 1 | 0 | 0 | 0 | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | No | No | 27 |
| SMDS? | No | No | No | No | 28 |
| Frame Relay? | Yes | No | No | No | 29 |
| ATM (Asynchronous Trans. Mode)? | Yes | No | No | No | 30 |
| Video Information - Service Available? | No | No | No | No | 31 |
| - In Use (# lines) ¹ | 1 | 0 | 1 | 2 | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 24 | 36 | 44 | 24 | 33 |
| No. of fiber strands working (LIT) in C.O. | 10 | 12 | 10 | 16 | 34 |
| No. of fiber strands for interoffice use | 12 | 24 | 20 | 24 | 35 |
| Miles of fiber sheath in wire center | 18 | 16 | 22 | 12 | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | WAUSAU | PLYMOUTH | RICE LAKE | DODGEVILLE | 37 |
| - PSCW C.O. ID | 5700-01 | 4280-01 | 4570-01 | 1500-01 | 38 |
| Does this C.O. do access tandem switching? | No | No | No | No | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | Yes | Yes | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | Yes | Yes | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

CENTRAL OFFICE DATA - END OF YEAR

When an exchange has more than one central office, data must be reported for each central office.

| Description (a) | Central Off. (b) | Central Off. (c) | Central Off. (d) | Central Off. (e) | |
|--|---------------------|---------------------|---------------------|---------------------|----|
| Exchange Name | WISCONSIN DEL | WITWEN | | | 1 |
| PSCW Exchange ID | 5960 | 5990 | | | 2 |
| Central Office Name | WISCONSIN DELLS | WITWEN | | | 3 |
| PSCW Central Office ID | 1 | 1 | | | 4 |
| Manufacturer of COE (Page 54) | GTE | GTE | | | 5 |
| Year COE Installed | 1984 | 1988 | | | 6 |
| Type of Equipment (Page 54) | D | D | | | 7 |
| (S)tandalone, (H)ost, (R)emote | H | R | | | 8 |
| Remote Host PSCW Exchange ID | | 4770 | | | 9 |
| Remote Host PSCW Central Office ID | 0 | 1 | | | 10 |
| COE Generic Software Release No. | 4002 | 4002 | | | 11 |
| SS7? | Yes | Yes | | | 12 |
| 9-1-1? | Yes | Yes | | | 13 |
| Access Lines - In Use | 8,398 | 656 | | | 14 |
| - Equipped | 11,140 | 910 | | | 15 |
| - Wired | 12,480 | 960 | | | 16 |
| Trunks - In Use | 104 | 8 | | | 17 |
| - Equipped | 128 | 8 | | | 18 |
| - Wired | 128 | 8 | | | 19 |
| ISDN Available? | Yes | No | | | 20 |
| ISDN Lines - In Use (BRI) | 0 | 0 | | | 21 |
| - In Use (PRI) | 0 | 0 | | | 22 |
| Switched 56 Service? | No | No | | | 23 |
| Switched 56 lines in use | 0 | 0 | | | 24 |
| Digital Transmission Facilities: DS-1 - In Use | 118 | 0 | | | 25 |
| DS-3 - In Use | 7 | 0 | | | 26 |
| Advanced Data Service Available: | | | | | |
| Packet Switching? | No | No | | | 27 |
| SMDS? | No | No | | | 28 |
| Frame Relay? | No | No | | | 29 |
| ATM (Asynchronous Trans. Mode)? | No | No | | | 30 |
| Video Information - Service Available? | No | No | | | 31 |
| - In Use (# lines) ¹ | 1 | 0 | | | 32 |
| Fiber Transmission Facilities: | | | | | |
| No. of fiber strands entering C.O. | 120 | 0 | | | 33 |
| No. of fiber strands working (LIT) in C.O. | 32 | 0 | | | 34 |
| No. of fiber strands for interoffice use | 36 | 0 | | | 35 |
| Miles of fiber sheath in wire center | 32 | 0 | | | 36 |
| Access Tandem Serving this C.O.: | | | | | |
| - C.O. Name | MADISON | MADISON | | | 37 |
| - PSCW C.O. ID | 3080-01 | 3080-01 | | | 38 |
| Does this C.O. do access tandem switching? | No | No | | | 39 |
| Equal Access: InterLATA (1+)? | Yes | Yes | | | 40 |
| Equal Access: IntraLATA (1+)? | Yes | Yes | | | 41 |
| Footnotes | | | | | 42 |

¹ Teleco provided end-to-end facility.

GENERAL, SCHEDULE LEVEL AND SCHEDULE LINE FOOTNOTES**General Footnote****Schedule Footnotes****Balance Sheet - Assets (Class B Use Accounts Designated By *) Footnote. Page 10**

Accounts with zero balances are reported on a consolidated basis only.
Refer to the GTE North Inc., FCC Form M.

Balance Sheet - Liabilities (Class B Use Accounts Designated By *) Footnote. Page 11

Accounts with zero balances are reported on a consolidated basis only.
Refer to the GTE North Inc., FCC Form M.

Affiliated Interest Transactions Footnote. Page 15

The Revenues for Affiliate Interest Transactions page 15 are not maintained on a state level. Please refer to the GTE North Inc., FCC Form M.

Pursuant to the agreement between PSCW Staff, revenue, expense and other detail amounts are not required for the 1999 annual report. The total amount of each column is included on the all "All Other" line in order to facilitate the summation function in the program.

Retained Earnings (Acct. 4550) Footnote. Page 37

This information is not maintained on a state basis.
Therefore, the "Balance Transferred from Income" is being offset against "Miscellaneous Debits to Retained Earnings" to zero out the "Balance - End of Year".
Refer to the GTE North Inc., FCC Form M.

Schedule Line Footnotes**1) The following is a list of dockets related to AG Communications Systems (AGCS):**

| | | |
|-------------|-------------|-------------|
| 2180-AT-169 | 2180-AT-168 | 2180-AT-126 |
| 2180-AT-125 | 2180-AT-151 | 2180-AT-171 |
| 2180-AT-134 | 2180-AT-136 | 2180-AT-157 |
| 2180-AT-170 | 2180-AT-133 | 2180-AT-122 |
| 2180-AT-135 | 2180-AT-145 | |

The following is a list of dockets related to GTE Long Distance (GTE LD):

| | | |
|-------------|-------------|-------------|
| 2180-AT-127 | 2180-AT-154 | 2180-AT-128 |
| 2180-AT-129 | 2180-AT-142 | 2180-AT-146 |
| 2180-AT-147 | | |

The following is a list of dockets related to GTE Data Services (GTEDS):

| | | |
|-------------|-------------|-------------|
| 2180-AT-103 | 2180-AT-149 | 2180-AT-139 |
| 2180-AT-140 | | |

2) The Docket Number for GTE Service Corporation is 2-U-5989.**3) The affiliates with zeros reported either had no activity during the year or insignificant amounts. The records were imported from last years data and were left in to avoid any software problems.**

GENERAL, SCHEDULE LEVEL AND SCHEDULE LINE FOOTNOTES

A) Explanations for Revenue Variances (page 40) that are greater than 20% and \$100,000 of previous years amount are as follows:

(5083) Special Access Revenue: The increase is being driven by an increase in billings for Cyberpop, DS1 Services, and a one-time adjustment to Advanced Network Services due to financial conversion.

(5084.3) Special Access Revenue: The increase is due to addition to customer base, DS1 Services, and Video connection.

(5111) Long Distance Inward-Only Revenue: Decrease in activity due to long distance competition.

(5240) Rent Revenue: Decrease in 1999 Rent revenue is due to approximately \$70,000 decrease in Shared Asset Activity in every month throughout the year.

(5262) Customer Operations Revenue: The increase is due to an adjustment in the accrual process, accounts 5006X were added in 1999.

GENERAL, SCHEDULE LEVEL AND SCHEDULE LINE FOOTNOTES

B) The account variance explanations for page 41, the Expense Matrix - Class A & B are as follows:

- 1.) The decrease in Regulated Central Office Switching Expense (6210) is due to the recording of an accrual for Un-invoiced Receipts.
- 2.) The increase in Non-Regulated General Support Expense (6120) is due to an increase in allocations.
- 3.) The increase in Regulated Information Orig./Term Expense (6310) is due to an increase in allocations.
- 4.) The increase in Non-Regulated Information Orig./Term Expense (6310) is due to an overall decrease in allocations.
- 5.) The decrease in Non-Regulated Central Office Switching Expense (6210) is due to the recording of an accrual for Local Number Portability.
- 6.) The decrease in Non-Regulated Cable & Wire Facilities Expense (6410) is due to a decrease in A/P payments to various utilities companies for pole rental expense.
- 7.) The increase in Non-Regulated Depreciation and Amortization Expense (6560) is due to an overall increase in depreciation and amortization expense.
- 8.) The decrease in Non-Regulated Marketing Expense (6610) is due to a decrease in Advertising Costs.
- 9.) The decrease in Regulated Corporate Operating Expense (6710) is due to a decrease in allocations and recording of miscellaneous adjustments.
- 10.) The decrease in Regulated General & Administrative Expense (6720) is due to the recording of Incremental Pension Settlement Gains.
- 11.) The decrease in Non-Regulated General & Administrative Expense (6720) is due to the recording of Incremental Pension Settlement Gains.

GENERAL, SCHEDULE LEVEL AND SCHEDULE LINE FOOTNOTES

- C)** The balances in the "Transfers/Adjustments" column for the Telecommunications Plant in Service Class A & B and Telecommunications Plant in Service A & B (Sub-Class Accounts) schedules(pages 22-29) are due to prior year corrections or transfers between accounts.

The balances in the "Other" column for the Accumulated Depreciation Class A & B and Accumulated Depreciation Class A & B (Sub - Class Accounts) schedules are due to plant movement of prior year adjustments or reclass of plant investment.

There are several accumulated depreciation accounts with balances that exceed their corresponding plant in service account balances. Here is an explanation:

The 2426.2 higher reserve account balance is primarily due to future net salvage valuess of 110% to cover the cost of removal.

The 2431 higher reserve account balance is primarily due to future net salvage valuess of 110% to cover the cost of removal.

- D)** Revenues are no longer available at the state basis for Affiliate Transactions on the schedule of Affiliated Interest Transactions (Page 15 Line 4). Please refer to the GTE North Inc., FCC Form M.
- G)** For an explanation of amounts in the "Other" column on pages 28 & 29, Accumulated Depreciation Class A&B (Sub-Class Accounts) see footnote C above.
- H)** For an explanation of the amounts in the "Transfers/Adjustments Column" on the schedule of Telecommunications Plant in Service Class A & B (Sub-Class Accounts)(Pages 24-25), please see above footnote C.
- J)** The exchange 9999 on the Service Data End of Year Schedule (pages 50-53) was created to reconcile the sum of the Central Office assets. The balance reported in Exchange CO, Info Orig/Term, & Cable Wire Fac Assets in exchange 9999 is made up of high level investment, that cannot be attributable to a specific exchange.
- The balances of 1 in Exchange Square Miles and Exchange Route Miles in exchange 9999 were input in order to perform a file save command.
- K)** Per request of PSCW staff, the amount in line 8 of the Calculation of Assessable Revenues for Remainder, Department of Justice and Telephone Relay Assessment Purposes (page 43) reflects the amount of non-regulated net write-off. This adjustment is to properly calculate assessable revenues for 1998
- L)** The Total Company Route Miles reflect the numbers that were reported in 1998, this is due to the migration of data to a new system within GTE, updated numbers will be available for the 2000 annual report.

GENERAL, SCHEDULE LEVEL AND SCHEDULE LINE FOOTNOTES

- O)** Total Long Distance Network Services Revenue, (Page 43, Line 3) in the Calculation of Assessable Revenues for Universal Service Fund Assessment Purposes, is lower than the previous year due to increased competition in the long distance market.

Intrastate Payphone Revenues were included in the Calculation of Assessable Revenues for Universal Service Fund Assessment Purposes (Page 43, Line 5), in order to comply with PSCW Staffs memo dated November 19, 1998. Since Payphone revenues were deregulated in 1997, they have to be reclassified from nonregulated revenues for the calculation of Assessable Revenues for Universal Service Fund Assessment Purposes.

- P)** The data for 64 kbps(DSO) on the Special Access Circuits in Use at End of Year (Page 49, line 3) is unavailable.
- Q)** Retained Earnings (page 37): Retained Earnings is not maintained on a state basis. The Balance Transferred from Income amount is offset by the amount in the Miscellaneous Debits line in order to zero the total of this report.
- R)** Manufacturer Abbreviations (page 54) : The Vidar RSS hosted on Vidar Base at Mauston was replaced with a RELTEC DISC*S hosted on the GTD-5 Base at Wisconsin Dells.
- S)** Affiliate Abbreviations (page 14) : GTE Government Systems Corporation, which develops, install and maintains communications and electronic equipment and systems and is a major systems integrator of customized systems for defense, government and industry was sold in 1999. General Dynamics Corporation purchased three business units on September 1, 1999 and DynCorp purchased the remaining unit on December 10, 1999.
- T)** Affiliate Abbreviations (page 14) : GTE Consolidated Services Incorporated (CSI) began operations in 1999. GTE CSI was established to perform certain operational functions on an enterprise basis, as follows:
- Management of billing capabilities
 - Management of inbound and outbound teleservice programs
 - Management of Carrier connectivity
 - Management of Local Area Network/Wide Area Network (LAN/WAN)
 - Management of Desk-top server
 - Provision of service delivery capabilities to provide end-to-end telecommunications solutions to customers.