

## **APPENDIX NUMBER PORTABILITY**

**TABLE OF CONTENTS**

**1. INTRODUCTION..... 3**

**2. PERMANENT NUMBER PORTABILITY ..... 3**

**3. MASS CALLING..... 7**

**4. PROVISION OF PNP BY CLEC TO TDS TELECOM..... 8**

**APPENDIX NP  
NUMBER PORTABILITY**

**1. INTRODUCTION**

- 1.1 This Appendix sets forth terms and conditions for Number Portability provided by TDS TELECOM and CLEC.
- 1.2 The prices at which TDS TELECOM agrees to provide CLEC with Number Portability are contained in the applicable Appendix PRICING and/or the applicable tariff where stated.

**2. PERMANENT NUMBER PORTABILITY**

2.1 General Terms and Conditions

- 2.1.1 The Parties agree that the industry has established local routing number (LRN) technology as the method by which permanent number portability (PNP) will be provided in response to FCC Orders in FCC 95-116 (i.e., First Report and Order and subsequent Orders issued to the date this agreement was signed). As such, the parties agree to provide PNP via LRN to each other as required by such FCC Orders or Industry agreed upon practices.

2.2 Service Provided

2.2.1 The Parties shall:

- 2.2.1.1 provide for the requesting of End Office PNP capability on a reciprocal basis through a written request process; and
- 2.2.1.2 disclose, upon request, any technical limitations that would prevent PNP implementation in a particular switching office; and
- 2.2.1.3 provide PNP services and facilities only where technically feasible, subject to the availability of facilities, and only from properly equipped central office(s).

- 2.2.2 The Parties do not offer PNP services and facilities for NXX codes 555, 976, 950.

2.3 Procedures for Requesting PNP.

- 2.3.1 If a Party desires to have PNP capability deployed in an End Office of the other Party, which is not currently capable, the requesting Party shall issue a written request which specifically requests PNP, identifies the discrete

geographic area covered by the request, and provides a tentative date that the requesting Party expects to need PNP to port prospective customers.

2.3.2 The Party receiving a written request for PNP pursuant to Section 2.3.1 above shall respond to the requesting Party within ten (10) Business Days of receipt of the request, with a date for which PNP will be available in the requested End Office. The receiving Party will proceed to provide PNP in compliance with the procedures and timelines set forth in FCC 96-286, Paragraph 80, and FCC 97-74, Paragraphs 65-67.

2.3.3 The Parties acknowledge that each can determine the PNP capable End Offices of the other through the Local Exchange Routing Guide (LERG).

2.4 Obligations of TDS TELECOM:

2.4.1 At the time of execution of this Agreement, TDS TELECOM has deployed PNP in all of its End Offices.

2.4.2 TDS TELECOM may cancel any line-based calling cards associated with telephone numbers ported from their switch.

2.5 Obligations of CLEC:

2.5.1 CLEC is responsible for advising the Number Portability Administration Center (NPAC) of telephone numbers that it imports and the associated data as identified in industry forums as being required for PNP.

2.5.2 For PNP orders CLEC shall adhere to TDS TELECOM's Local Service Request (LSR) format and reasonable PNP due date intervals to the extent that such intervals reflect applicable law and industry standards. Should CLEC request a coordinated port, the due date interval will be negotiated between CLEC and TDS TELECOM.

2.5.3 Complex ports require project management and will require negotiation of reasonable due date intervals which reflect applicable law and industry standards. Complex ports include:

2.5.3.1 Port requests of 51 or more numbers;

2.5.3.2 Porting of 15 or more access lines for the same customer at the same location;

2.5.3.3 Porting associated with complex services including but not limited to Centrex and ISDN.

2.5.4 The Parties shall cooperate in performing activities required to port Customer telephone number(s). The primary responsibility for the coordination of such activities will be assumed by the Party acquiring the End User Customer (porting in the Customer telephone number(s)).

## 2.6 Obligations of Both Parties

2.6.1 When a ported telephone number becomes vacant, e.g., the telephone number is no longer in service by the original End User, the ported telephone number will be released back to the carrier owning the switch in which the telephone number's NXX is native after appropriate time has elapsed for intercept notification.

2.6.2 Each Party has the right to block default routed calls from entering a network in order to protect the public switched network from overload, congestion, or failure propagation.

2.6.3 Industry guidelines shall be followed regarding all aspects of porting numbers from one network to another.

2.6.4 Both Parties shall adhere to reserved number standards as set by the FCC.

2.6.5 Intracompany testing shall be performed prior to the scheduling of intercompany testing. Intercompany testing shall be performed prior to the submission of actual porting orders.

2.6.6 Each Party will designate a single point of contact (SPOC) to schedule and perform required testing. These tests will be performed during a mutually agreed time frame and must meet the criteria set forth by the InterIndustry LNP Regional Team for porting.

2.6.7 Each Party shall abide by NANC and the InterIndustry LNP Regional Team provisioning and implementation process.

2.6.8 Each Party shall become responsible for the End User's other telecommunications related items, e.g. E911, Directory Listings, Operator Services, Line Information Database (LIDB), when they port the End User's telephone number to their switch.

2.6.9 The Parties will provide a 10-digit trigger on all LNP orders unless a coordinated conversion of numbers is requested on the PNP order.

## 2.7 Limitations of Service

- 2.7.1 Telephone numbers can be ported only within TDS TELECOM rate centers or rate districts, which ever is a smaller geographic area, as approved by the State Commission. If geographic number portability is ordered by the FCC or the Commission during the term of this Agreement, the Parties will promptly negotiate any necessary revisions to this appendix to accommodate geographic number portability. In the event the Parties are unable to negotiate such changes within thirty (30) days, either Party may invoke the dispute resolution procedures under this Agreement.
- 2.7.2 Both Parties recognize that a single Central Office may be used to terminate calls for multiple rate centers. As addressed in 2.7.1 above, neither Party will assign ported numbers to customer premises outside a number's native rate center or rate district in such a manner as to circumvent FCC rules regarding geographic number portability.
- 2.7.3 Telephone numbers with NXXs dedicated to choke/High Volume Call-In (HVCI) networks are not portable via LRN. Such numbers will be ported on an ICB basis upon request.

## 2.8 Service Descriptions

- 2.8.1 The switch's LRN software determines if the called party is in a portable NXX. If the called party is in a portable NXX, a query is launched to the PNP database to determine whether or not the called number is ported.
- 2.8.2 When the called number with a portable NXX is ported, an LRN is returned to the switch that launched the query. Per industry standards, the LRN appears in the CPN (Called Party Number) field of the SS7 message and the called number then appears in the GAP (Generic Address Parameter) field.
- 2.8.3 When the called number with a portable NXX is not ported, the call is completed as in the pre-PNP environment.
- 2.8.4 The FCI (Forward Call Identifier) field's entry is changed from 0 to 1 by the switch triggering the query when a query is made, regardless of whether the called number is ported or not.
- 2.8.5 The N-1 carrier (N carrier is the responsible Party for terminating call to the End User) has the responsibility to determine if a query is required, to launch the query, and to route the call to the switch or network in which the telephone number resides.

- 2.8.6 If a Party chooses not to fulfill its N-1 carrier responsibility, the other Party will perform queries on calls to telephone numbers with portable NXXs received from the N-1 carrier and route the call to the switch or network in which the telephone number resides. TDS TELECOM will perform LNP Query Service for CLEC pursuant to the terms and conditions set forth in National Exchange Carrier Association (NECA) Tariff FCC No. 5. CLEC will perform N-1 responsibilities on the same terms as TDS TELECOM provides for in its applicable tariff.
- 2.8.7 A Party shall be responsible for payment of charges to the other Party for any queries made on the N-1 carrier's behalf when one or more telephone numbers have been ported in the called telephone number's NXX. Charges by each Party will be at the rate set forth in TDS TELECOM's applicable tariff.
- 2.8.8 Both Parties shall populate the Jurisdictional Identification Parameter (JIP) field with the first six (6) digits (NPA NXX format) of the appropriate LRN of the originating switch.

## 2.9 Pricing

- 2.9.1 The price of PNP queries shall be the same as those in NECA's FCC No. 5 Access Services Tariff in which TDS TELECOM is a concurring carrier.
- 2.9.2 Other than standard Service Order charges for processing Local Service Requests (LSRs) as specified in Appendix Pricing, or a Party's applicable tariff, the Parties agree not to charge each other, or any of the other Party's End Users for the provisioning or conversion of ported telephone numbers during regular working hours. To the extent CLEC requests porting to be performed outside of TDS TELECOM's regular working hours, or the work requires TDS TELECOM's technicians or project managers to work outside of regular working hours, premium time and material charges shall apply.

## 3. MASS CALLING

### 3.1 General Terms and Conditions

- 3.1.1 Mass calling codes, i.e., choke/HVCI NXXs, are used in a network serving arrangement in special circumstances where large numbers of incoming calls are solicited by an End User and the number of calls far exceeds the switching capacity of the terminating office, the number of lines available for terminating those calls, and/or the STP's query capacity to the PNP database. Number portability for mass calling codes will be done on an Individual Case Basis.

**4. PROVISION OF PNP BY CLEC TO TDS TELECOM**

- 4.1 CLEC shall provide PNP to TDS TELECOM under no less favorable terms and conditions as when TDS TELECOM provides such services to CLEC.